

AMPTELIKE VEILINGSKATALOGUS VIR /


OFFICIAL AUCTION CATALOGUE FOR

MAMBUSHI AND FRIENDS BORAN VEILING

BELA BELA

06 April 2024

All Pedigree- and Performance Data is as recorded on LOGIX on 25 March 2024





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
- 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.

2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not â]jauction worthyâ] may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale. Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled â]Selection/Adminâ] or Kraal Kaart and have the status â]Regâ] at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening may not sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:



- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.



- 10.3 Where females are in calf to âjmultisiresâj, the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.



ANIMAL, OWNER AND PEDIGREE INFORMATION

LOT 1 (M)

Breed Logo

G SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

V-PLAN 14

Herd Book SP

Birth date 2020-01-01

Age 2y 7m

Inbreeding 1%

DNA ABC001234

Parentage

Sire	Dam
DNA ✓	
Genomic ✓	

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

SB 110012 P
SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93

Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

SB 060004 Pch
SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

11

12

13

14

SUPERBULL BREEDERS

Town, Province
078 737 2855
super_bull@webmail.com

Elite
GOLD DUBLIN GOLD

- 1 Lot Number & sex (mixed lots)
 - 2 Breed's logo
 - 3 GT - animal is genetically tested
 - 4 Animal Identification Number and Name
 - 5 Polled Status
 - Celtic: PP(c)/Pp(c) - polled,
HH(c) - horned
 - Phenotypic: P/PcH - polled,
HH - horned, SC - scurs
 - 6 Animal's photo, or Herd's logo
 - 7 Herd's logo
 - 8 Owner's information

QR Code

This code can be scanned with a smart device.
It redirects to the animal's information on
www.SABeefBulls.com where additional
information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

- 9 Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 - 10 Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period
 - 11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 - 12 Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 - 13 Four (4) generation pedigree
 - 14 VPLAN Membership

Myostatin Results

- Free - free from double muscling genes
 - Carrier - heterozygotic / carrier of one double muscling gene
 - D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page.

These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Wgeiht	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
 - ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
 - Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
 - Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test


LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	


1 L♀ GIX Cow Value


Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves


7 L♀ GIX Growth Value

 Selection for efficient growers
on veld & in the feedlot

8 L♀ GIX Carcass Value

 Selection for higher
meat yield on carcass

9 L♀ GIX Production Value

 Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

	Traits	Description/Measurement	Goal	General Guidelines						
				<80	<90	90-110	>110	>120		
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss	█	█	█	█	█	Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High	█	█	█	█	█	Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light	█	█	█	█	█	Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less	█	█	█	█	█	More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High	█	█	█	█	█	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low	█	█	█	█	█	High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss	█	█	█	█	█	Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less	█	█	█	█	█	More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss	█	█	█	█	█	Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy	█	█	█	█	█	Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy	█	█	█	█	█	Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light	█	█	█	█	█	Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor	█	█	█	█	█	Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light	█	█	█	█	█	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low	█	█	█	█	█	High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low	█	█	█	█	█	High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less	█	█	█	█	█	Good
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less	█	█	█	█	█	More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less	█	█	█	█	█	More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor	█	█	█	█	█	Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low	█	█	█	█	█	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor	█	█	█	█	█	Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor	█	█	█	█	█	Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light	█	█	█	█	█	Heavy
Carcass	22 Height	Shoulder / Hip height in growth test	Average height	Short	█	█	█	█	█	Tall
	23 Length	Length in growth test	Longer for more muscle	Short	█	█	█	█	█	Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1	█	█	█	█	█	>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small	█	█	█	█	█	Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin	█	█	█	█	█	Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low	█	█	█	█	█	High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES





LOT 1 (F)



MXM 160003

MAMBUSHI MXM 160003



LEBelo BORAN

Kwa-Mhlanga, Mpumalanga
0834777277
frontierafrka@gmail.com

PO BOX 850, EKANGALA, 1021

Last Calf

Calf ID	LBL 230003 (M)
Birth Date	2023-08-08
Sire ID	MXM 150101

Calvings: 19-11, 20-11, 22-06, 23-08

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-BUS 1137, LOUIS TRICHARDT, 0920

Last Calf

Calf ID	BD 230751 (F)
Birth Date	2023-12-02
Sire ID	JH 120093

Calvings: 20-10, 22-07, 23-12

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2016-05-20
Age	7.9 years
Inbreeding	0%
DNA	U365252
AFC	42m
Calves	4
Weighed	0
Avg. WI	-
ICP	453d

MXM110686 SP

MAMBUSHI 11-0686MXM

Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 100020 SP

MAMBUSHI 10020

Age 8y | AFC 37m | ICP 482d
Calves 4 | Weighed - | Wean Mat. 86
Avg. WI - | CCB 6.21 | CCW -
Calvings: 13-11, 14-12, 16-05, 17-10

CFH 080209 SP

ELANDSPRUIT CFH08209

Age 16y | AFC - | ICP 411d
Calves 12 | Weighed - | Wean Mat. 107
Avg. WI - | Wean Mat. 107

PM94005L SP
LILAYI PM94005L
GF98031R SP
GRASMERE GF98031R
Age 25y | Avg. WI -
Calves 1 | Weighed -
GF89017E

GRASMERE GF89017E
GF960520 SP
GRASMERE GF960520

Age 27y | Avg. WI -
Calves 1 | Weighed -
TLM 030012 SP
KETA TLM030012

CFH 050386 SP
ELANDSPRUIT CFH 05 386

Age 10y | Avg. WI -
Calves 3 | Weighed -
FE 960075 SP
FORRESTER 96/75

Z 950018 SP
HLANZENI Z 95 18

Age 21y | Avg. WI -
Calves 7 | Weighed -

COW VALUE 120

102	Calving Ease Value
102	Calf Growth Value
92	Milk Value
111	Maintenance Value
119	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 98
PRODUCTION VALUE 116

SELLER REMARKS: 3 In 1. With bull calf LBL 23-03 sired by MXM 15 101. 6 Months in calf to MXM 15-646 / MXM 16-787 / MXM 15-101



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	109	102	92	108	110	120	109
71%	57%	36%	36%	20%	58%	31%	57%
Post-Wean Growth				Frame		Carcass	
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat
98	97	95	91	95	101	106	99
22%	18%	11%	22%	21%	20%	17%	15%

LOT 2 (F)



BD 170416

ZOUTPANSBERG BD 170416



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-BUS 1137, LOUIS TRICHARDT, 0920

Last Calf

Calf ID	BD 230751 (F)
Birth Date	2023-12-02
Sire ID	JH 120093

Calvings: 20-10, 22-07, 23-12

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 90

87	Calving Ease Value
83	Calf Growth Value
131	Milk Value
111	Maintenance Value
88	Fertility Value

GROWTH VALUE 83

CARCASS VALUE 83
PRODUCTION VALUE 84

SELLER REMARKS: She is beautiful genetic combination of Khan (786) and 2459. With heifer calf BD 23-751 (Sire JH 12-93)



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	78	83	131	89	83	91	106
77%	69%	78%	69%	52%	61%	40%	63%
Post-Wean Growth				Frame		Carcass	
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat
93	84	88	89	83	78	87	84
48%	50%	30%	54%	52%	52%	49%	47%

SELLER REMARKS: She is beautiful genetic combination of Khan (786) and 2459. With heifer calf BD 23-751 (Sire JH 12-93)

© Compiled by the South African Stud Book and Livestock Improvement Association

LOT 3 (F)



JH 180082

MARONES JH180082

Kuddeboek	SP
Geb. dtm	2018-10-28
Oud.	5.4 jaar
Inteling	0%
DNS	U562683
OEK	26m
Kalwers	3
Geweeg	2
Gem. SI	98
TKP	575d

N 080018 SP

EERSTEGEELUK-BAAS N0818

Spn Mat. 89

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

TLM 020038 SP

KETA TLM020038

Spn Mat. 53

BA 040016 SP

BA BA 04 16

Oud. 11j | OEK 26m | TKP 493d
Kalwers 6 | Geweeg - | Spn. Mat. 110
Gem. SI - | Spn. Mat. 110

B 040042 SP

BORGEN B 04 42

Spn Mat. 82

C JH 100102 SP

MARONES JH100102

Oud. 10j | OEK - | TKP 428d
Kalwers 6 | Geweeg 5 | Spn. Mat. 104
Gem. SI 101 | KKG - | KKS 39.5

Kalwings: 12-12, 14-06, 15-10,
16-10, 17-10, 18-10

TLM 030059 SP

KETA TLM 03 59

Oud. 14j | OEK 40m | TKP 469d
Kalwers 8 | Geweeg 5 | Spn. Mat. 135
Gem. SI 109 | Spn. Mat. 135

MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

Laaste Kalf

Kalf ID	JH 240009 (F)
Geb. datum	2024-02-09
Vaar ID	MXM 160292

Kalwings: 20-12, 22-05, 24-02

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 79

95	Kalfgemak Waarde
104	Kalfgroei Waarde
97	Melk Waarde
68	Onderhoudswaarde
99	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 92

PRODUKSIE WAARDE 79



Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	85	104	97	99	106	94	100

Vrugbaarheid

Na-Speen Groei	Raam	Karkas
Na-Speen	GDT	VOV
106	97	101

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
38%	43%	25%	63%	46%	45%	34%	32%	32%

VERKOPER OPMERKINGS: With heifer calf JH 24-09 sired by the proven sire MXM 16-292

LOT 4 (F)



JJP 210029

JOLOPAHE MARY JANE

Kuddeboek	SP
Geb. dtm	2021-12-01
Oud.	2.4 jaar
Inteling	1%
DNS	ZOCA202466019

JJP 180508 SP

JOLOPAHE JJP 180508

Spn Mat. 113

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JJP 170008 SP

JOLOPAHE JJP 170008

Oud. 6j | OEK 36m | TKP 412d
Kalwers 3 | Geweeg 1 | Spn. Mat. 85
Gem. SI 81 | KKG - | KKS 49.9

Kalwings: 20-10, 21-12, 23-01

JJP 130545 SP

JOLOPAHE JJP 130545

Spn Mat. 110

CFH 140278 SP

ELANDSPRUIT CFH140278

Oud. 9j | OEK 40m | TKP 355d
Kalwers 7 | Geweeg 5 | Spn. Mat. 121
Gem. SI 110 | Spn. Mat. 121

Z 060051 SP

HLANZENI Z0651 - MR MILLION

Spn Mat. 116

JH 100062 SP

MARONES JH100062

Oud. 13j | OEK - | TKP 436d
Kalwers 9 | Geweeg 3 | Spn. Mat. 94
Gem. SI 102 | Spn. Mat. 94

TLM 050503 SP

KETA TLM 05 503

TT 090006 SP

THARI TT0906

Oud. 5j | Gem. SI 109

Kalwers 3 | Geweeg 2

E 060005 SP

TAMBARAINE E 06 05

CFH 090070 SP

ELANDSPRUIT CFH090070

Oud. 6j | Gem. SI 109

Kalwers 1 | Geweeg -

KPO794 SP

OL PEJETA 794

K6K2386 SP

MOGWONNI 2386

Oud. 3j | Gem. SI 109

Kalwers - | Geweeg -

TLM 050526 SP

KETA TLM 05 526 - KONING

XSX 080001 SP

CORMA XSX 0801

Oud. 8j | Gem. SI 100

Kalwers 5 | Geweeg 3

J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahé@senco.co.za

POSBUS 14, SETTLERS, 0430

KOEIWAARDE 97

87	Kalfgemak Waarde
119	Kalfgroei Waarde
99	Melk Waarde
88	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 117

KARKAS WAARDE 113

PRODUKSIE WAARDE 104



Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	85	119	99	104	87	99	103

Vrugbaarheid

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
121	119	121	112	114	107	112	93	105

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
32%	36%	32%	36%	40%	39%	35%	33%	32%

VERKOPER OPMERKINGS: 'WOW' ABSOLUTELY BEAUTIFUL! Een van Jolopahé Borane se trots. Dogter van Taboets JJP 18-508. Goeie kombinasie van Yster, Koning en Nitro. Loop saam met HOT 14-19

LOT 5 (F)



19-0502MXM
MAMBUSHI 19-0502MXM



Herd Book	SP
Birth date	2019-04-23
Age	5 years
Inbreeding	7%
DNA	U497055
AFC	
Calves	3
Weighed	0
Avg. WI	-
ICP	335d

GF02073W SP
GRASMERE GF02073W

Wean Mat. 98

GF95139M SP
GRASMERE GF95139M

Age 28y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

CB06545C SP
CHULU CB06545C

Wean Mat. 99

GF02067W SP
GRASMERE GF02067W

Age 21y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 230424 (M)
Birth Date	2023-07-31
Sire ID	MXM 180002

Calvings: 21-09, 22-08, 23-07

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE	
101	Calving Ease Value
102	Calf Growth Value
94	Milk Value
-	Maintenance Value
136	Fertility Value

GROWTH VALUE	
96	CARCASS VALUE
-	PRODUCTION VALUE



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95 50%	106 57%	102 10%	94 10%	99 6%	134 53%	125 28%	116 49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102 6%	96 6%	-	95 5%	93 6%	96 6%	102 5%	95 5%	121 5%

SELLER REMARKS: With bull calf MXM 23-424 Sired by MXM 18-02. 6 Months in calf to JRS 18-107 / MXM 18-120

LOT 6 (F)



HA 210043
CORACIAS HA 210043



Herd Book	SP
Birth date	2021-08-13
Age	2.6 years
Inbreeding	0%
DNA	U6899U017

Z 060056 SP
HLANZENI Z0656 - TOP GUN

Wean Mat. 96

Z 060015 SP
HLANZENI Z0615

Age 13y | AFC - | ICP 548d
Calves 7 | Weighed 2 | Wean Mat. 114
Avg. WI 100 | Wean Mat. 114

TLM 050525 SP
KETA TLM050525 - INCREDIBULL

Wean Mat. 94

GF145U SP
GRASMERE GF 145 U

Age 15y | AFC - | ICP 445d
Calves 9 | Weighed 2 | Wean Mat. 124
Avg. WI 107 | Wean Mat. 124

KPO794 SP
OL PEJETA 794

K6K2386 SP
MOGWOOINI 2386

Age 31y | Avg. WI -
Calves - | Weighed -
25 SP

MARULA 25

4504 SP

OL PEJETA 4504

Age 26y | Avg. WI -
Calves - | Weighed -
TLM 020011 SP

KETA TLM 02 11

GF2T SP

GRASMERE T 2

Age 6y | Avg. WI -
Calves 2 | Weighed -
GF135M

GRASMERE 135M

GF2P SP

GRASMERE GF 2 P

Age 14y | Avg. WI 100

Calves 4 | Weighed 1

P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
heibsw@gmail.com

POSBUS 56184, ARCADIA, PRETORIA, 0007

COW VALUE	
111	Calving Ease Value
87	Calf Growth Value
106	Milk Value
106	Maintenance Value
122	Fertility Value

GROWTH VALUE	
97	CARCASS VALUE
99	PRODUCTION VALUE



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106 75%	107 58%	87 39%	106 42%	95 24%	122 52%	118 28%	103 52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90 28%	94 23%	89 13%	94 32%	97 25%	103 24%	102 21%	101 20%	103 19%

SELLER REMARKS: "Princess "is 6 months in calf from Nkosi DM 17-74 (a Segera 494 descendant) Show Gun (Sire), Top Gun and Marula features on her side and Incredibull, Grasmere GF 145U on the Dam side with C 11-78 as her Dam. A true royalty!

LOT 7 (F)



DLV 150052

DE LA VIDA DLV 150052

Kuddeboek	SP
Geb. dtm	2015-11-09
Oud.	8,4 jaar
Inteling	2%
DNS	U533542
OEK	35m
Kalwers	5
Geweeg	2
Gem. SI	114
TKP	420d

DLV 100005 SP

DE LA VIDA ROCKY

Spn Mat. 125

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomics		

B 040042 SP

BORGREN B 04 42

Spn Mat. 82

CFH 070220 SP

ELANDSPRUIT ARABELLA

Oud. 16j | OEK 21m | TKP 461d
Kalwers 12 | Geweeg 4 | Spn. Mat. 111

Gem. SI 97 | Spn. Mat. 111

C TLM 010001 SP

KETA TLM010001 - NAPOLEON

Spn Mat. 81

DLV 100033 SP

DE LA VIDA DLV 100033

Oud. 7j | OEK 32m | TKP 424d
Kalwers 5 | Geweeg - | Spn. Mat. 90

Gem. SI - | KKG 5,5 | KKS -

Kalwings: 13-07, 14-07, 15-11,

16-12, 18-03

FN 080241 SP

FONTEINE FN08241

Oud. 8j | OEK - | TKP 404d
Kalwers 6 | Geweeg 2 | Spn. Mat. 93

Gem. SI 98 | Spn. Mat. 93

P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Laaste Kalf

Kalf ID	OLI 230019 (F)
Geb. datum	2023-05-12
Vaar ID	PRB 160030

Kalwings: 18-10, 19-10, 20-10, 22-03, 23-05

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 91

90	Kalfgemak Waarde
106	Kalfgroeい Waarde
114	Melk Waarde
91	Onderhoudswaarde
89	Vrugbaarheidswaarde

GROEI WAARDE 120

KARKAS WAARDE 110

PRODUKSIE WAARDE 100



EBV Analise 2024-03-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	85	106	114	107	88	88	105
76%	67%	64%	72%	33%	50%	36%	64%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	112	104	107	113	112	111	95	98
41%	31%	17%	40%	33%	33%	30%	29%	28%

VERKOPER OPMERKINGS: Stunning cow with the pedigree and progeny to match (granddaughter highest priced heifer at Extravaganza). Great milk and growth values. 8 Months in calf to EMD 19-15

LOT 8 (F)



AB 180202

ABBA AB180202

Kuddeboek	SP
Geb. dtm	2018-10-22
Oud.	5,5 jaar
Inteling	2%
DNS	U8781U005
OEK	36m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	350d

ABBA BORANE

Nylstroom, Limpopo
0794682996
mmcvdm5@gmail.com

P/A PROF. P.J. VAN DER MERWE,
POSBUS 76, ALMA, 0512

Kalf ID	AB 230018 (F)
Geb. datum	2023-09-15
Vaar ID	AB 191313

Kalwings: 21-10, 22-09, 23-09

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 90

101	Kalfgemak Waarde
95	Kalfgroeい Waarde
99	Melk Waarde
99	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 95

PRODUKSIE WAARDE 88



EBV Analise 2024-03-19

MXM 100101 SP

MAMBUSHI 10101

Spn Mat. 88

CL 080137 P SP

CIRCLE C CI080137

Oud. 15j | OEK 40m | TKP 548d
Kalwers 9 | Geweeg - | Spn. Mat. 111

Gem. SI - | Spn. Mat. 111

AJB 080125 SP

MOTSWIRI AJB08125

Spn Mat. 100

AB 100188 B

ABBA BO AB 100188

Oud. 7j | OEK 26m | TKP 365d
Kalwers 6 | Geweeg - | Spn. Mat. -

Gem. SI - | Spn. Mat.

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	94	95	99	107	94	93	97
69%	45%	35%	31%	24%	58%	19%	54%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	99	104	99	95	97	103	85	102
28%	22%	9%	21%	25%	24%	22%	20%	20%

VERKOPER OPMERKINGS: 5 Maande in kalf van AB 19-70

LOT 9 (F)



AW 180008 WORAN AW 180008



A. VAN DER WALT

Alma / Parys, Limpopo
0835607038
andre@diro.co.za

37 SELBORNE AVENUE LYTTLETON MANOR, PRETORIA, 0157

Last Calf

Calf ID	AW 220808 (F)
Birth Date	2022-10-28
Sire ID	MXM 126006

Calvings: 21-04, 22-10

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



Herd Book	SP
Birth date	2018-11-07
Age	5.4 years
Inbreeding	0%
DNA	U2107U002
AFC	29m
Calves	2
Weighed	0
Avg. WI	-
ICP	570d

MXM 126006 SP MAMBUSHI MXM 126006

Wean Mat. 97

Parentage	Sire	Dam
DNA	✓ ✓	
Genomic		

MXM 110008 SP MAMBUSHI 11008

Wean Mat. 56

Age 13y | AFC 38m | ICP 435d
Calves 8 | Weighed - | Wean Mat. 58
Avg. WI - | CCB 6.64 | CCW -

Calvings: 14-03, 15-01, 16-09,
17-10, 18-11, 20-02, 21-06, 22-07

CB070046 SP CHULU CB070046

Wean Mat. 99

GF98156R SP GRASMERE GF98156R

Age 25y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

FN 050035 SP FONTEINE FN 05 0035

Wean Mat. 56

M 080013 SP MCS M0813

Age 4y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 68
Avg. WI - | Wean Mat. 68

GF02148W GRASMERE GF02148W

GF99067S SP GRASMERE GF99067S

Age 24y | Avg. WI -
Calves - | Weighed -

ZK87001C ZADL ZK87001C

GF90141G GRASMERE GF90141G

Age 33y | Avg. WI -

Calves - | Weighed -

TLM 020004 SP KETA TLM020004 CAESAR

TLM 020030 SP KETA TLM020030

Age 15y | Avg. WI -

Calves 8 | Weighed -

TLM 030012 SP KETA TLM030012

CFH 050386 SP ELANDSPRUIT CFH 05 386

Age 10y | Avg. WI -

Calves 3 | Weighed -

COW VALUE		115
113	Calving Ease Value	
92	Calf Growth Value	
77	Milk Value	
117	Maintenance Value	
119	Fertility Value	

GROWTH VALUE		82
92	ADG	85

CARCASS VALUE		83
92	FCR	88

PRODUCTION VALUE		105
92	Mature Weight	86

SELLER REMARKS: 4 Maande dragtig van MXM 18-120 / MXM 20-363

LOGIX
GENETICS GENOTYPE
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	113	92	77	101	124	109	107
52%	44%	28%	30%	22%	57%	26%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	85	88	86	76	82	95	94	93
20%	21%	10%	22%	23%	22%	17%	16%	16%

LOT 10 (F)



MXM 150084 MAMBUSHI MXM 150084



Herd Book	SP
Birth date	2015-11-02
Age	8.4 years
Inbreeding	0%
DNA	U418038
AFC	35m
Calves	5
Weighed	0
Avg. WI	-
ICP	389d

MXM110737 SP MAMBUSHI 11-0737MXM

Wean Mat. 101

Parentage	Sire	Dam
DNA	✓ ✓	
Genomic		

CI 080063 DH SP CIRCLE C CI080063

Age 11y | AFC - | ICP 567d

Calves 6 | Weighed - | Wean Mat. 105

Avg. WI - | CCB - | CCW -

Calvings: 12-04, 14-03, 15-02,
16-12, 18-12, 20-01

PM02031W LILAYI PM02031W

Wean Mat. 89

KB02027W CHULU KB02027W

Age 21y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 115

Avg. WI - | Wean Mat. 115

TLM 040578 SP KETA TLM040578 - EROS

Wean Mat. 86

GF116U SP GRASMERE GF 116 U

Age 10y | AFC - | ICP 346d
Calves 5 | Weighed 1 | Wean Mat. 122

Avg. WI 111 | Wean Mat. 122

JB95027N MAMBUSHI JB95027N

PM98023R LILAYI PM98023R

Age 25y | Avg. WI -
Calves - | Weighed -

K6K2738 SP MOGWOOI K6K2738

K6K2748 SP MOGWOOI K6K2748

Age 34y | Avg. WI -
Calves - | Weighed -

GF17E GRASMERE 17 E

GF27J GRASMERE 27 J


Age 31y | Avg. WI -
Calves 1 | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	115	92	103	110	93	82	97
58%	55%	45%	45%	25%	65%	35%	64%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	99	102	89	94	100	108	78	102
24%	24%	10%	22%	26%	25%	23%	22%	22%

SELLER REMARKS: 4 Months in calf to MXM 18-120 / MXM 20-363

LOGIX
GENETICS GENOTYPE
EBV Analysis 2024-03-19



Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 11 (F)



MXM 200137
MAMBUSHI MXM 200137



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Laaste Kalf	
Kalf ID	MXM 230137 (F)
Geb. datum	2023-08-19
Vaar ID	MXM 181013

Kalwings: 23-08

Miosstatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 116

97	Kalfgemak Waarde
100	Kalfgroei Waarde
104	Melk Waarde
110	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE 98

KARKAS WAARDE 98

PRODUKSIE WAARDE 113



EBV Analise 2024-03-19

Kalf en Moeder				Vrugbaarheid				
Geb.	Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.		
101	92	100	104	107	112	109	112	
74%	57%	38%	38%	21%	57%	23%	54%	
Na-Speen Groei					Raam		Karkas	
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	102	105	92	99	99	104	97	107
24%	19%	10%	22%	21%	21%	19%	18%	17%

VERKOPER OPMERKINGS: With heifer calf MXM 23-137 sired by MXM 18-1013

LOT 12 (F)



CP 190011
MARDIE CP 190011



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	OLI 230084 (M)
Geb. datum	2023-11-06
Vaar ID	PRB 180053

Kalwings: 22-12, 23-11

Miosstatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 88

89	Kalfgemak Waarde
95	Kalfgroei Waarde
109	Melk Waarde
97	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 95

PRODUKSIE WAARDE 87



EBV Analise 2024-03-19

Kalf en Moeder				Vrugbaarheid				
Geb.	Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.		
99	83	95	109	107	88	101	101	101
56%	55%	75%	52%	40%	58%	27%	55%	55%
Na-Speen Groei					Raam		Karkas	
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	103	107	100	113	100	90	87	84
40%	36%	21%	31%	40%	39%	23%	21%	21%

VERKOPER OPMERKINGS: Feminine PRB 13-27 "Leonardo" daughter with solid EBV's, ICP of 322 days and selling with a stunning bull calf OLI 23-84 sired by PRB 18-53 Foster (Ramaphosa son). Running with W15-1009

LOT 13 (F)



MXM 170057

MAMBUSHI MXM 170057



Herd Book	SP
Birth date	2017-03-27
Age	7 years
Inbreeding	1%
DNA	U378863
AFC	32m
Calves	4
Weighed	0
Avg. WI	-
ICP	353d

CB070183 SP

CHULU CB070183

Wean Mat. 98

GF99016S SP

GRASMERE GF99016S

Age 24y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100

MXM110989 SP

MAMBUSHI 11-0989

Wean Mat. 93

MXM 100010 SP

MAMBUSHI 10010

Age 9y | AFC - | ICP 443d
Calves 5 | Weighed - | Wean Mat. 63
Avg. WI - | Wean Mat. 63

CFH 050132 DH SP

ELANDSPRUIT CFH050132

Age 10y | Avg. WI -
Calves 4 | Weighed -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdvm@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLO, 0510

Last Calf

Calf ID	MXM 220057 (F)
Birth Date	2022-11-03
Sire ID	MXM 126006

Calvings: 19-12, 20-10, 21-08, 22-11

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 113

105	Calving Ease Value
96	Calf Growth Value
86	Milk Value
101	Maintenance Value
127	Fertility Value

GROWTH VALUE -

CARCASS VALUE 88

PRODUCTION VALUE -



Calf and Mother				Fertility				
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	
99	108	96	86	94	127	121	105	
70%	59%	24%	24%	17%	56%	34%	53%	

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	88	89	98	79	85	96	94	109
18%	15%	10%	15%	17%	16%	14%	13%	13%

SELLER REMARKS: 4 Months in calf to MXM 18-120 / MXM 20-363

LOT 14 (F)



BFT 180063

SHEEPRUN SASKIA



LEBETO BORAN

Kwa-Mhlanga, Mpumalanga
0834777277
frontierafrka@gmail.com

PO BOX 850, EKANGALA, 1021

Last Calf

Calf ID	BFT 220089 (F)
Birth Date	2022-10-24
Sire ID	12-0017BBN

Calvings: 21-08, 22-10

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 121

115	Calving Ease Value
86	Calf Growth Value
118	Milk Value
118	Maintenance Value
109	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 99

PRODUCTION VALUE 118

BH 110024 SP

CIRCLE H SIZA

Wean Mat. 99

Parentage Sire Dam

DNA	✓
Genomic	

BFT 110078 C

SHEEPRUN BFT110078

Age 12y | AFC 36m | ICP 410d
Calves 9 | Weighed 4 | Wean Mat. 134
Avg. WI 104 | CCB 7.03 | CCW 36.6

Calvings: 14-11, 16-09, 17-10, 18-10,
19-10, 20-11, 21-11, 22-11, 23-11

HVT 970017 SP

OUTSPAN HVT970017

Wean Mat. 85

FN 080422 SP

FONTEINE ALICIA

Age 15y | AFC - | ICP 321d
Calves 8 | Weighed - | Wean Mat. 114
Avg. WI - | Wean Mat. 114

B 070146 SP

BORGEN B070146

Wean Mat. 108

BFT 080024 B

SHEEPRUN BFT08024

Age 3y | AFC 39m | ICP -
Calves 1 | Weighed - | Wean Mat. 128
Avg. WI - | Wean Mat. 128

Calf and Mother				Fertility				
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	
121	93	86	118	91	115	103	101	
77%	69%	73%	59%	30%	63%	40%	60%	

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	99	96	82	96	99	96	109	116
68%	29%	19%	39%	31%	30%	28%	26%	26%

SELLER REMARKS: 7 Months in calf to MXM 15-646 / MXM 16-787 / MXM 15-101

LOT 15 (M)



MXM 180151 MAMBUSHI MXM 180151



Kuddeboek	SP
Geb. dtm	2018-12-25
Oud.	5.3 jaar
Inteling	2%
DNS	U1530U062

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLO, 0510

GEBRUIK IN KUDDE (5)

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEWAARDE 129	
88	Kalfgemak Waarde
102	Kalfgroei Waarde
97	Melk Waarde
111	Onderhoudswaarde
140	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE 93	
PRODUKSIE WAARDE -	

VERKOPER OPMERKINGS: "Makôsi" Beautifull balanced Sire. An exceptional genetic opportunity, combining Chulu 07-46 with GF 156 R the dam Adrian Rall ranked the No.1 female Zambian Boran at the time.

LOT 16 (M)



MXM 190282 MAMBUSHI MXM 190282



Kuddeboek	SP
Geb. dtm	2019-11-08
Oud.	4.4 jaar
Inteling	3%
DNS	U3984U008

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLO, 0510

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEWAARDE -	
93	Kalfgemak Waarde
105	Kalfgroei Waarde
95	Melk Waarde
-	Onderhoudswaarde
128	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE 96	
PRODUKSIE WAARDE -	

VERKOPER OPMERKINGS: "Madôda" Bred from completely unique genetics and from the No.1 Zambian dam (GF 156 R) of her time. As good a Sire as we can breed. Extreme length, great muscling and superb balance.

MXM 126006 SP MAMBUSHI MXM 126006	Spn Mat. 97	CB070046 SP CHULU CB070046	Spn Mat. 99	GF02148W GRASMERE GF02148W				
Overskap Vaar Moer		Overschap Vaar Moer		GF99067S SP GRASMERE GF99067S				
DNS ✓ ✓		DNS ✓ ✓		Oud. 24j Gem. SI - Kalwers - Geweeg -				
Genomies		Genomies		ZK87001C ZADL ZK87001C				
				GF90141G GRASMERE GF90141G				
MXM 150009 SP MAMBUSHI 11-073MXM	Spn Mat. 101	MXM110737 SP MAMBUSHI 11-073MXM	Spn Mat. 101	LILAYI PM02031W KB02027W				
Oud. 8j OEK 26m TKP 357d Kalwers 7 Geweeg - Spn. Mat. 96		Oud. 8j OEK 26m TKP 357d Kalwers 7 Geweeg - Spn. Mat. 96		CHULU KB02027W Oud. 21j Gem. SI - Kalwers - Geweeg -				
Gem. SI - KKG 9.01 KKS -		Gem. SI - KKG 9.01 KKS -		CB04509A SP CHULU CB04509A				
Kalwings: 17-09, 18-12, 19-11, 20-10, 21-08, 22-07, 23-07		Kalwings: 17-09, 18-12, 19-11, 20-10, 21-08, 22-07, 23-07		GF99012S GRASMERE GF99012S				
				Oud. 24j Gem. SI - Kalwers - Geweeg -				
MXM110084 SP MAMBUSHI 11-0084MXM	Spn Mat. 95							
Oud. 9j OEK - TKP 443d Kalwers 5 Geweeg - Spn. Mat. 95								
Gem. SI - Spn. Mat. 95								
Kalf en Moeder		Vrugbaarheid						
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.				
86	99	102	97	100				
67%	47%	21%	20%	13%				
				Vers Vrugb.				
				Koei Vrugb.				
				Lanklew.				
Na-Speen Groei		Raam		Karkas				
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	95	-	91	87	94	100	93	109
11%	11%		9%	13%	12%	11%	10%	10%

MXM 126006 SP MAMBUSHI MXM 126006	Spn Mat. 97	CB070046 SP CHULU CB070046	Spn Mat. 99	GF02148W GRASMERE GF02148W				
Overschap Vaar Moer		Overschap Vaar Moer		GF99067S SP GRASMERE GF99067S				
DNS ✓ ✓		DNS ✓ ✓		Oud. 24j Gem. SI - Kalwers - Geweeg -				
Genomies		Genomies		ZK87001C ZADL ZK87001C				
				GF90141G GRASMERE GF90141G				
MXM110058 SP MAMBUSHI 11-0058MXM	Spn Mat. 89	MXM110058 SP MAMBUSHI 11-0058MXM	Spn Mat. 89	LILAYI PM02031W JB95027N				
Oud. 13j OEK - TKP 450d Kalwers 9 Geweeg - Spn. Mat. 93		Oud. 13j OEK - TKP 450d Kalwers 9 Geweeg - Spn. Mat. 93		MAMBUSHI JB95027N				
Gem. SI - KKG 5.47 KKS -		Gem. SI - KKG 5.47 KKS -		PM98023R LILAYI PM98023R				
Kalwings: 14-02, 15-11, 16-10, 17-10, 18-09, 19-11, 21-07, 22-10, 23-12		Kalwings: 14-02, 15-11, 16-10, 17-10, 18-09, 19-11, 21-07, 22-10, 23-12		Oud. 25j Gem. SI - Kalwers - Geweeg -				
				GF86054B GRASMERE GF86054B				
				GF9205J GRASMERE GF9205J				
				Oud. 31j Gem. SI - Kalwers 1 Geweeg -				
KGF 97019P C GRASMERE 19P								
Kalf en Moeder		Vrugbaarheid						
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.				
91	99	105	95	105				
68%	45%	18%	17%	8%				
				Vers Vrugb.				
				Koei Vrugb.				
				Lanklew.				
Na-Speen Groei		Raam		Karkas				
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	95	-	93	92	97	103	93	111
9%	7%		7%	8%	8%	7%	6%	6%

LOT 17 (M)

MXM 190616
 MAMBUSHI MXM 190616


Herd Book	SP
Birth date	2019-07-27
Age	4.7 years
Inbreeding	3%
DNA	U1530U006

C. VAN DER MERWE

 Alma / Parys, Limpopo
 0834777277
 mmcvdm@gmail.com

 PRIVATE BAG X 1049, POS-
 BUS 139, MODIMOLE, 0510

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested


COW VALUE 114

90	Calving Ease Value
100	Calf Growth Value
101	Milk Value
116	Maintenance Value
112	Fertility Value

GROWTH VALUE	-
CARCASS VALUE	85
PRODUCTION VALUE	-

SELLER REMARKS: "Matlapa" The Rock! Son of Miombo. From our experience the type of hard-muscled masculine bull that breeds sires! Unique unrelated Zambian genetics with very rare K6K2588.

LOT 18 (F)

17-0138MXM
 MAMBUSHI 17-0138MXM


Herd Book	SP
Birth date	2017-09-29
Age	6.5 years
Inbreeding	0%
DNA	U397885
AFC	
Calves	3
Weighed	0
Avg. WI	-
ICP	348d

C. VAN DER MERWE

 Alma / Parys, Limpopo
 0834777277
 mmcvdm@gmail.com

 PRIVATE BAG X 1049, POS-
 BUS 139, MODIMOLE, 0510

Last Calf

Calf ID	MXM 220138 (F)
Birth Date	2022-11-13
Sire ID	MXM 180002

Calvings: 20-12, 21-12, 22-11

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested


COW VALUE -

104	Calving Ease Value
90	Calf Growth Value
112	Milk Value
83	Maintenance Value
74	Fertility Value

GROWTH VALUE	85
CARCASS VALUE	87
PRODUCTION VALUE	-

SELLER REMARKS: 5 Months in calf to MXM 12-6006 / JRS 18-107

GF02159W SP
 GRASMERE GF02159W
 Wean Mat. 101

CB06505C SP
 CHULU CB06505C
 Age 18y | AFC - | ICP (donor)
 Calves - | Weighed - | Wean Mat. 93
 Avg. WI - | Wean Mat. 93

CB05010B
 CHULU CB05010B
 Wean Mat. 100

GF960080
 GRASMERE GF960080
 Age 27y | AFC - | ICP -
 Calves - | Weighed - | Wean Mat. 100
 Avg. WI - | Wean Mat. 100

GF9218IJ
 GRASMERE GF9218IJ
GF86029B
 GRASMERE GF86029B
 Age 37y | Avg. WI -
 Calves - | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	92	100	101	98	104	118	102
70%	51%	31%	28%	16%	43%	25%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	87	90	85	88	84	96	94	110
22%	15%	9%	16%	16%	16%	14%	13%	13%

TLM 020004 SP
 KETA TLM020004 CAESAR
 Wean Mat. 87

CI 080063 DH SP
 CIRCLE C CI080063
 Age 11y | AFC - | ICP 567d
 Calves 6 | Weighed - | Wean Mat. 105
 Avg. WI - | Wean Mat. 105

CB04511A SP
 CHULU CB04511A
 Wean Mat. 100

GF97019P
 GRASMERE GF97019P
 Age 27y | AFC - | ICP -
 Calves - | Weighed - | Wean Mat. -
 Avg. WI - | Wean Mat.

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	95	90	112	97	75	85	83
45%	34%	28%	29%	25%	37%	25%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
82	84	80	118	86	90	102	76	84
24%	24%	15%	25%	25%	25%	24%	23%	23%

K6K2459 SP
 MOGWONI K6K2459

KPO898 SP
 OL PEJETA KPO 898
 Age 34y | Avg. WI -
 Calves - | Weighed -
TLM 040578 SP
 KETA TLM040578 - EROS

GF116U SP
 GRASMERE GF116 U
 Age 10y | Avg. WI 111
 Calves 5 | Weighed 1

PM940505L SP
 LILAYI PM940505L
GF98031R SP
 GRASMERE GF98031R
 Age 25y | Avg. WI -
 Calves - | Weighed -
GF54B
 GRASMERE 54 B

GF92057J
 GRASMERE GF92057J
 Age 31y | Avg. WI -
 Calves 1 | Weighed -

LOT 19 (F)



JH 170039

MARONES JH170039



Kuddeboek	SP
Geb. dtm	2017-06-20
Oud.	6.8 jaar
Inteling	0%
DNS	U459508
OEK	29m
Kalwers	4
Geweeg	1
Gem. SI	98
TKP	524d

MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

Laaste Kalf

Kalf ID	JH 240010 (M)
Geb. datum	2024-03-13
Vaar ID	MULTIPLE SIRES

Kalwings: 19-11, 21-01, 22-06, 24-03

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 92

112	Kalfgemak Waarde
67	Kalfgroei Waarde
79	Melk Waarde
115	Onderhoudswaarde
117	Vrugbaarheidswaarde

GROEI WAARDE 72

KARKAS WAARDE 72

PRODUKSIE WAARDE 82



EBV Analysis 2024-03-19

Kalf en Moeder				Vrugbaarheid			
Geb.	Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
138	129	67	79	75	125	105	111
77%	75%	77%	71%	49%	64%	43%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
66	73	74	88	74	76	59	97	92
34%	45%	29%	52%	49%	48%	39%	37%	36%

VERKOPER OPMERKINGS: With Bull calf JH 24-10 (Sire NCT 16-35)

LOT 20 (F)



JJP 210017

JOLOPAHE NUCCI



J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahé@senco.co.za

POSBUS 14, SETTLERS, 0430

KOEIWAARDE 98

95	Kalfgemak Waarde
105	Kalfgroei Waarde
106	Melk Waarde
93	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 108

KARKAS WAARDE 105

PRODUKSIE WAARDE 100

JJP 180508 SP

JOLOPAHE JJP 180508

Spn Mat. 113

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomes		

JJP 160008 SP

JOLOPAHE JJP 160008

Oud. 7j | OEK 35m | TKP 442d
Kalwers 4 | Geweeg 1 | Spn. Mat. 99
Gem. SI 87 | KKG - | KKS 56.5

Kalwings: 19-04, 20-10, 21-11,
22-12

JJP 130032 SP

JOLOPAHE JJP 130032

Oud. 10j | OEK 31m | TKP 410d
Kalwers 7 | Geweeg 3 | Spn. Mat. 95
Gem. SI 92 | Spn. Mat. 95

Kalf en Moeder				Vrugbaarheid			
Geb.	Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
95	96	105	106	100	87	108	99
73%	51%	54%	44%	32%	38%	27%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	111	115	105	107	99	108	104	109
29%	29%	29%	32%	33%	32%	28%	26%	25%

VERKOPER OPMERKINGS: Jolopahé bied met trots hierdie dragtige vers aan. Sy kom uit JJP 18-508 Taboets. Loop saam met HOT 14-19


LOT 21 (F)



MXM 190115

MAMBUSHI MXM 190115

Herd Book	SP
Birth date	2019-09-03
Age	4.6 years
Inbreeding	4%
DNA	U1530U030
AFC	39m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 220707 (M)
Birth Date	2022-12-02
Sire ID	18-0120MXM

Calvings: 22-12

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 103

95	Calving Ease Value
93	Calf Growth Value
90	Milk Value
112	Maintenance Value
112	Fertility Value

GROWTH VALUE 71

CARCASS VALUE 76

PRODUCTION VALUE 91



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95 74%	97 57%	93 38%	90 36%	88 22%	105 58%	109 24%	114 52%
Post-Wean Growth				Frame		Carcass	
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat
97 26%	82 19%	89 6%	90 15%	70 22%	73 21%	88 19%	90 17%
Wean Mat.							
73 21%							

SELLER REMARKS: 2 Months in calf to JRS 18-107


LOT 22 (F)



LJB 200025

LJB LJB 200025

Herd Book	SP
Birth date	2020-11-12
Age	3.4 years
Inbreeding	0%
DNA	U6692U038
AFC	35m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



971 UKULIMA (PTY) LTD

Alma, Limpopo
0785398792
pieter@971ukulima.com

THE CROWN RANCH, C/O LLOYD DENT AND PIETER STRYDOM, UKULIMA FARM, ALMA, 0512

Last Calf	
Calf ID	CV 230056 (F)
Birth Date	2023-10-18
Sire ID	HOT 190015

Calvings: 23-10

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 101

81	Calving Ease Value
112	Calf Growth Value
105	Milk Value
116	Maintenance Value
84	Fertility Value

GROWTH VALUE 117

CARCASS VALUE 105

PRODUCTION VALUE 107

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
74 63%	105 61%	112 49%	105 49%	107 41%	83 61%	81 30%	111 58%
Post-Wean Growth				Frame		Carcass	
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat
111 36%	114 38%	104 32%	85 36%	114 42%	110 41%	111 38%	119 36%
Wean Mat.							
110 41%							

SELLER REMARKS: Vroulike vers met koei waarde Index van 107 en Groei waarde van 118. Met verskalf kalf CV 23-56 (Sire HOT 19-15) kalf se vaar getele uit Zelma en Boston van Hotspot.

LOT 23 (F)



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-BUS 1137, LOUIS TRICHARDT, 0920



Miostationen

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

BD 210576
ZOUTPANSBERG BD 210576

Kuddeboek	SP
Geb. dtm	2021-05-08
Oud.	2.9 jaar
Inteling	1%
DNS	U5336U004

JH 120093 SP

MARONES JHI20093

Spn Mat. 129

Ouerskap	Vaar	Moer
DNS	✓	
Genomics		

BD 160373 SP

ZOUTPANSBERG BD 160373

Oud. 4j | OEK 35m | TKP 513d
Kalwers 2 | Geweeg 2 | Spn. Mat. 117
Gem. SI 107 | KKG - | KKS 39.3

Kalwings: 19-12, 21-05

E 100061 SP

TAMBARAINE 100061

Spn Mat. 126

BD 130276 SP

ZOUTPANSBERG BD 130276

Oud. 8j | OEK 38m | TKP 423d
Kalwers 4 | Geweeg 3 | Spn. Mat. 97
Gem. SI 103 | Spn. Mat. 97

KB32X SP
KETA KB X 32
TLM 030059 SP
KETA TLM 03 59
Oud. 14j | Gem. SI 109
Kalwers 8 | Geweeg 5
TLM 050526 SP
KETA TLM 05 526 - KONING

DVB 090006 SP
DIAMANT-V 09 006
Oud. 6j | OEK 39m | TKP 467d
Kalwers 3 | Geweeg 2 | Spn. Mat. 132
Gem. SI 107 | Spn. Mat. 132

E 100212 SP
KETA TLM 02 12
KB23W SP
KETA KB 23 W
Oud. 13j | Gem. SI 102
Kalwers 10 | Geweeg 4

TLM 020004 SP
KETA TLM 020004 CESAR
AAA 080010 HH SP
TRIPLE A AAA 080010

Oud. 15j | Gem. SI 96
Kalwers 12 | Geweeg 11

EBV Analise 2024-03-19

LOGIX	EBV Analise 2024-03-19	Kalf en Moeder				Vrugbaarheid			
		Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	88	97	123	104	82	88	100		
73%	50%	72%	51%	48%	42%	29%	48%		

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	100	105	124	103	89	97	80	89
36%	44%	24%	38%	49%	47%	38%	36%	35%

VERKOPER OPMERKINGS: Excellent EBV's for milk (124). 6 Months in calf to CFH 12-327 / JH 12-93

LOT 24 (F)



HA 210062
CORACIAS HA 21 62



P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
hebsw@gmail.com

POSBUS 56184, ARCADIA, PRETORIA, 0007

Kuddeboek	SP
Geb. dtm	2021-10-19
Oud.	2.5 jaar
Inteling	0%
DNS	U8405U022

KOEIWAARDE 112

111	Kalfgemak Waarde
92	Kalfgroei Waarde
92	Melk Waarde
116	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 84

KARKAS WAARDE 87

PRODUKSIE WAARDE 104

C 130036 SP

BYRNE VALLEY SHOW GUN

Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomics		

AE 170051 SP

AFRICAN ELITE AE1751

Oud. 6j | OEK 27m | TKP 412d
Kalwers 4 | Geweeg - | Spn. Mat. 76
Gem. SI - | KKG - | KKS -

Kalwings: 19-11, 20-10, 21-10,
23-04

Z 060056 SP

HLANZENI Z0656 - TOP GUN

Spn Mat. 96

KPO794 SP
OL PEJETA 794

K6K2386 SP
MOGWONI 2386

Oud. 31j | Gem. SI -

Kalwers - | Geweeg -

25 SP
MARULA 25

4504 SP
OL PEJETA 4504

Oud. 26j | Gem. SI -

Kalwers - | Geweeg -

M 080009 SP
MCS THABO

CFH 080131 SP
ELANDSPRUIT CFH 08 0131

Oud. 11j | Gem. SI 91

Kalwers 7 | Geweeg 1

M 080009 SP
MCS THABO

FN 070172 SP
FONTEINE FN07172

Oud. 10j | Gem. SI -

Kalwers 7 | Geweeg -

LOGIX	EBV Analise 2024-03-19	Kalf en Moeder				Vrugbaarheid			
		Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	108	92	92	94	108	21%	45%	107	102
73%	52%	32%	34%	21%	42%	24%	48%		

LOGIX	EBV Analise 2024-03-19	Na-Speen Groei			Raam			Karkas		
		Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	87	91	87	89	88	89	89	96	96	96
22%	19%	10%	25%	21%	20%	20%	18%	17%	16%	

VERKOPER OPMERKINGS: "Angavu - shinning one" was already 2.8 in calf on 22 February from Nkosi DM 17-74 (a Segera 494 descendant). Show Gun C130036 is her Sire and AE17-51 her Dam. She will continue to shine on your farm.

LOT 25 (F)



AW 200882

WORAN AW 200882



Herd Book	SP
Birth date	2020-12-21
Age	3.3 years
Inbreeding	8%
DNA	U3984U004
AFC	35m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

MXM 150101 SP
MAMBUSHI MAGETLA
Wean Mat. 96
Parentage Sire Dam
DNA ✓ ✓
Genomic

AW 170082 SP
WORAN AW 170082
Age 6y AFC 47m ICP 504d
Calves 3 Weighed - Wean Mat. 105
Avg. WI - CCB - CCW -
Calvings: 20-12, 21-12, 23-09

MXM10888 SP
MAMBUSHI 11-0888
Wean Mat. 97

MXM110070 SP
MAMBUSHI 11-0070MXM
Age 13y AFC - ICP 488d
Calves 8 Weighed - Wean Mat. 92
Avg. WI - Wean Mat. 92

MXM100404 SP
MAMBUSHI 10-0404MXM
Wean Mat. 104

MXM110082 SP
MAMBUSHI 11-0082MXM
Age 13y AFC - ICP 482d
Calves 7 Weighed - Wean Mat. 94
Avg. WI - Wean Mat. 94

A. VAN DER WALT

Alma / Parys, Limpopo
0835607038
andre@diro.co.za

37 SELBORNE AVENUE LYTTELTON MANOR, PRETORIA, 0157

Last Calf	
Calf ID	AW 230882 (F)
Birth Date	2023-11-10
Sire ID	MXM 126006

Calvings: 23-11

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE	119
103	Calving Ease Value
97	Calf Growth Value
101	Milk Value
113	Maintenance Value
115	Fertility Value
GROWTH VALUE	
CARCASS VALUE	
PRODUCTION VALUE	

SELLER REMARKS: With heifer calf AW 23-882 sired by MXM 12-6006



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	95	97	101	101	97	120	116
52%	42%	34%	22%	11%	41%	19%	48%
Post-Wean Growth				Frame		Carcass	
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat
102	90	94	89	90	89	96	93
18%	10%	6%	12%	12%	11%	10%	9%

LOT 26 (M)



MXM 190202

MAMBUSHI MXM 190202



Herd Book	SP
Birth date	2019-08-04
Age	4.7 years
Inbreeding	7%
DNA	U1530U021

MXM 140313 SP
MAMBUSHI MXM140313 MOSHIFA
Wean Mat. 107

MXM110087 SP
MAMBUSHI 11-0087MXM
Age 10y AFC - ICP 492d

Calves 6 | Weighed - | Wean Mat. 104
Avg. WI - | CCB 6.06 | CCW -
Calvings: 13-12, 14-11, 16-03, 17-10,
19-08, 20-09

MXM100404 SP
MAMBUSHI 10-0404MXM
Wean Mat. 104

MXM110084 SP
MAMBUSHI 11-0084MXM
Age 9y AFC - ICP 443d

Calves 5 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

GF02159W SP
GRASMERE GF02159W
Wean Mat. 101

GF02057W
GRASMERE GF02057W
Wean Mat. 101

Age 21y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 106
Avg. WI - | Wean Mat. 106

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	97	93	106	93	111	123	106
70%	49%	29%	18%	19%	44%	23%	48%
Post-Wean Growth				Frame		Carcass	
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat
97	93	-	95	82	88	100	95
18%	16%		10%	20%	19%	17%	15%

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm@gmail.com

PRIVATE BAG X 1049, POS-BUS 139, MODIMOLE, 0510

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE	114
101	Calving Ease Value
93	Calf Growth Value
106	Milk Value
104	Maintenance Value
121	Fertility Value
GROWTH VALUE	
CARCASS VALUE	
PRODUCTION VALUE	

SELLER REMARKS: "Mkhuze" A beast of a bull. Son of the exceptional "Moshifa", sold to Hurwitz Farming for R 880K in 2019. Line-bred from our 159W-Line.

LOT 27 (M)



MXM 190232
MAMBUSHI MXM 190232



Kuddeboek	SP
Geb. dtm	2019-09-02
Oud.	4.6 jaar
Inteling	1%
DNS	U1530U023

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 122

99	Kalfgemak Waarde
99	Kalfgroei Waarde
97	Melk Waarde
108	Onderhoudswaarde
129	Vrugbaarheidswaarde

GROEI WAARDE 83

KARKAS WAARDE 91

PRODUKSIE WAARDE 112



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	98	99	97	99	121	127	110
71%	51%	32%	25%	22%	46%	24%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	89	91	94	77	89	98	90	121
20%	18%	9%	11%	22%	21%	19%	17%	16%

VERKOPER OPMERKINGS: "Manjaro" A Superb son of "Moshifa" (Sold to Hurwitz Farming for R 880k in 2019). The example of a Sire: 100% Correct, Perfect Balance, Great Masculinity.

LOT 28 (F)



WA 210042
ALLERS WA210042



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOOMSPRUIT, 0560

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 117

123	Kalfgemak Waarde
88	Kalfgroei Waarde
89	Melk Waarde
121	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 99

KARKAS WAARDE 101

PRODUKSIE WAARDE 114

WA 120261 SP
ALLERS WA120261

Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomics		

WA 170037 SP
ALLERS WA170037

Spn Mat. 73

Oud. 6j | OEK 26m | TKP 366d
Kalwers 5 | Geweeg 2 | Spn. Mat. 73
Gem. SI 97 | KKG 7.57 | KKS 49.9
Kalwings: 19-11, 20-12, 21-11, 22-11,
23-12

FN 060064 SP
FONTEINE FN 0664

Spn Mat. 115

FN 100587 SP
FONTEINE FN 100587

Oud. 5j | OEK 25m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 106
Gem. SI - | Spn. Mat. 106

MC 120098 SP
MCS MC1298

Spn Mat. 75

FN 140121 SP
FONTEINE FN 14 121

Oud. 9j | OEK 34m | TKP 367d
Kalwers 7 | Geweeg - | Spn. Mat. 82
Gem. SI - | Spn. Mat. 82

2812 SP
GIANNI 2812

PB/9831 SP

DELAMERE 304
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040017 SP

FONTEINE FN 04 17

Oud. 14j | Gem. SI 115

Kalwers 7 | Geweeg 1

M 080009 SP

MCS THABO

FN 080258 SP

FONTEINE FN08258

Oud. 11j | Gem. SI -

Kalwers 7 | Geweeg -

FN 090663 SP

FONTEINE FN09394

Oud. 7j | Gem. SI -

Kalwers 2 | Geweeg -

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
118	127	88	89	108	115	97	116
75%	53%	72%	44%	29%	43%	29%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
82	100	105	81	89	92	100	106	99
62%	26%	15%	29%	29%	28%	26%	24%	24%

VERKOPER OPMERKINGS: Beautifull, well rounded heifer with strong Fonteine breeding. Going back to K6K2459, K6K3094 and KPO786. 5 Months in calf to W 18-172

LOT 31 (M)



MXM 190656

MAMBUSHI MXM 190656



Kuddeboek	SP
Geb. dtm	2019-10-24
Oud.	4.5 jaar
Inteling	13%
DNS	U1530U016

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdvm@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 123

91	Kalfgemak Waarde
100	Kalfgroei Waarde
112	Melk Waarde
107	Onderhoudswaarde
127	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 96

PRODUKSIE WAARDE -

MXM 150343 SP

MAMBUSHI MXM 150343

Spn Mat. 115

Ouerskap Vaar Moer

DNS	✓	✓
Genomies		

MXM 170067 SP

MAMBUSHI MXM 170067

Oud. 6j | OEK 29m | TKP 348d
Kalwers 5 | Geweeg - | Spn. Mat. 109

Gem. SI - | KKG - | KKS -

Kalwings: 19-10, 20-11, 21-08,
22-08, 23-08

Oud. 6j | OEK 29m | TKP 348d
Kalwers 5 | Geweeg - | Spn. Mat. 109

Gem. SI - | KKG - | KKS -

Kalwings: 19-10, 20-11, 21-08,
22-08, 23-08

MXM100404 SP

MAMBUSHI 10-0404MXM

MXM100404 SP

MAMBUSHI 10-0404MXM

Spn Mat. 104

CI 080137 P SP

CIRCLE C CI080137

Oud. 15j | OEK 40m | TKP 548d
Kalwers 9 | Geweeg - | Spn. Mat. 111

Gem. SI - | Spn. Mat. 111

MXM100404 SP

MAMBUSHI 10-0404MXM

Spn Mat. 104

MXM110057 SP

MAMBUSHI 11-0057MXM

Oud. 13j | OEK - | TKP 424d
Kalwers 9 | Geweeg - | Spn. Mat. 98

Gem. SI - | Spn. Mat. 98

MXM110057 SP

MAMBUSHI 11-0057MXM

Spn Mat. 104



EBV Analise 2024-03-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir. Geb. Mat. Spn. Dir. Spn. Mat. Skr. Omtr. Vers Vrugb. Koei Vrugb. Lanklew.

95	92	100	112	103	119	126	107
68%	47%	26%	23%	14%	40%	23%	43%

Na-Speen Groei

Raam

Karkas

Na-Speen GDT VOV Volw. Gewig Hoogte Lengte OSO Vet Mar

104	98	102	94	93	96	100	93	112
17%	12%	5%	14%	14%	14%	12%	11%	11%

LOT 32 (M)



MXM 190878

MAMBUSHI MXM190878



KOEIWAARDE 110

101	Kalfgemak Waarde
97	Kalfgroei Waarde
98	Melk Waarde
107	Onderhoudswaarde
113	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 96

PRODUKSIE WAARDE -

12-0202MXM SP

MAMBUSHI 12-0202

Spn Mat. 104

Ouerskap Vaar Moer

DNS	✓	✓
Genomies		

12-0122MXM SP

MAMBUSHI 12-0122MXM

Oud. 12j | OEK - | TKP 534d
Kalwers 3 | Geweeg - | Spn. Mat. 92

Gem. SI - | KKG - | KKS -

Kalwings: 19-12, 20-11, 22-11

GF02159W SP

GRASMERE GF02159W

Spn Mat. 101

AU05050B SP

AKAUSHI AU05050B

Oud. 18j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 107

Gem. SI - | Spn. Mat. 107

CB05010B

CHULU CB05010B

Spn Mat. 100

CB05529B SP

CHULU CB05529B

Spn Mat. 100

Oud. 18j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 83

Gem. SI - | Spn. Mat. 83

GF08071R

GRASMERE GF08071R

GF95040M

GRASMERE GF95040M

Oud. 28j | Gem. SI -
Kalwers - | Geweeg -

AU00032T

AKAUSHI AU00032T

AU00047T

AKAUSHI AU00047T

Oud. 24j | Gem. SI -
Kalwers - | Geweeg -

PM14R SP

LILAYI PM14R

GF960520 SP

GRASMERE GF960520

Oud. 27j | Gem. SI -
Kalwers 1 | Geweeg -

K6K2459 SP

MOGWONI K6K2459

GF02126W

GRASMERE GF02126W

Oud. 21j | Gem. SI -
Kalwers - | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir. Geb. Mat. Spn. Dir. Spn. Mat. Skr. Omtr. Vers Vrugb. Koei Vrugb. Lanklew.

98	102	97	98	96	109	115	99
45%	40%	30%	22%	16%	34%	21%	44%

Na-Speen Groei

Raam

Karkas

Na-Speen GDT VOV Volw. Gewig Hoogte Lengte OSO Vet Mar

98	97	99	94	92	92	101	99	110
20%	15%	10%	17%	16%	16%	14%	14%	13%

VERKOPER OPMERKINGS: "Moremi" a hard-muscled, smaller framed barrel of a bull. Typical low-maintenance, "always-in-condition" bull. Ideal for early opening of heifers.

LOT 33 (F)



C. VAN DER MERWE


Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 230505 (M)
Birth Date	2023-09-27
Sire ID	18-0120MXM

Calvings: 21-12, 22-10, 23-09

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



18-0119MXM MAMBUSHI 18-0119MXM

Herd Book	SP
Birth date	2018-08-02
Age	5.7 years
Inbreeding	2%
DNA	U6511U006
AFC	
Calves	3
Weighed	0
Avg. WI	-
ICP	323d

MXM100515 SP MAMBUSHI 100515 MARU

Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	
Genomic		

12-0119MXM SP MAMBUSHI 12-0119MXM

Age 12y | AFC - | ICP 362d
Calves 5 | Weighed - | Wean Mat. 95
Avg. WI - | CCB - | CCW -
Calvings: 19-11, 20-11, 21-12, 22-11,
23-10

CB04532A SP CHULU CB04532A

Wean Mat. 93

AU05050B SP AKAUSHI AU05050B

Age 18y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 107
Avg. WI - | Wean Mat. 107

PM02031W

LILAYI PM02031W
Wean Mat. 89

KB03040X

CHULU KB03040X

Age 21y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100

GF95123M SP GRASMERE GF95123M

GF98131R SP
GRASMERE GF98131R

Age 25y | Avg. WI -
Calves - | Weighed -

AU00032T
AKAUSHI AU00032T

AU00047T
AKAUSHI AU00047T

Age 24y | Avg. WI -
Calves - | Weighed -

JB95027N
MAMBUSHI JB95027N

PM98023R
LILAYI PM98023R

Age 25y | Avg. WI -
Calves - | Weighed -

PM14R SP
LILAYI PM14R

GF00010T SP
GRASMERE GF00010T

Age 23y | Avg. WI -
Calves - | Weighed -

COW VALUE 121

109	Calving Ease Value
98	Calf Growth Value
90	Milk Value
116	Maintenance Value
118	Fertility Value

GROWTH VALUE	-
98	95
118	95

CARCASS VALUE 95

PRODUCTION VALUE -

SELLER REMARKS: 3 Months in calf to JRS 18-107



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	109	98	90	102	97	126	113
61%	62%	26%	24%	14%	55%	32%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	94	95	86	91	95	99	92	114
15%	13%	9%	16%	15%	14%	13%	12%	11%

LOT 34 (F)



MXM 150016 MAMBUSHI MXM 150016

Herd Book	SP
Birth date	2015-02-03
Age	9.2 years
Inbreeding	0%
DNA	U378891
AFC	32m
Calves	7
Weighed	0
Avg. WI	-
ICP	378d

MXM110737 SP MAMBUSHI 11-0737MXM

Wean Mat. 101

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PM02031W

LILAYI PM02031W
Wean Mat. 89

KB02027W

CHULU KB02027W

Age 21y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 115
Avg. WI - | Wean Mat. 115

M 080009 SP

MCS THABO

Wean Mat. 69

CFH 080209 SP

ELANDSPRUIT CFH080209

Age 16y | AFC - | ICP 411d
Calves 12 | Weighed - | Wean Mat. 107
Avg. WI - | Wean Mat. 107

JB95027N

MAMBUSHI JB95027N

PM98023R

LILAYI PM98023R

Age 25y | Avg. WI -
Calves - | Weighed -

TLM 030012 SP

KETA TLM030012

CFH 05386 SP

ELANDSPRUIT CFH 05 386

Age 10y | Avg. WI -
Calves 3 | Weighed -

FE 960075 SP

FORRESTER 96/75

Z 950018 SP

HLANZENI Z 95 18

Age 21y | Avg. WI -
Calves 7 | Weighed -

COW VALUE 125

95	Calving Ease Value
97	Calf Growth Value
98	Milk Value
121	Maintenance Value
125	Fertility Value

GROWTH VALUE 91

CARCASS VALUE 93

PRODUCTION VALUE 117

SELLER REMARKS: With bull calf MXM 23-606 sired by MXM 18-0120

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	103	97	98	112	121	121	107
76%	70%	43%	41%	22%	63%	40%	64%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	93	93	80	95	101	97	92	101
24%	19%	7%	23%	22%	21%	18%	16%	16%

LOT 35 (F)



PRB 180040
PEINKE CELINE-PRB180040

Kuddeboek	SP
Geb. dtm	2018-10-10
Oud.	5.5 jaar
Inteling	0%
DNS	U458052
OEK	36m
Kalwers	3
Geweeg	1
Gem. SI	100
TKP	350d



P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOOMSPRUIT, 0560

Laaste Kalf

Kalf ID	OLI 230037 (F)
Geb. datum	2023-09-21
Vaar ID	DBC 170023

Kalwings: 21-10, 22-11, 23-09

Miostationen

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 108

110	Kalfgemak Waarde
98	Kalfgroei Waarde
107	Melk Waarde
95	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 100

108	KARKAS WAARDE
106	PRODUKSIE WAARDE

VERKOPER OPMERKINGS: Deep red cow out of NDA9 and K6K2997 with exceptional selection values. ICP of 350 days and RI of 104. Selling with heifer calf OLI23-37 sired by DBC17-23'Rossouw'. Running with W15-1009.

LOT 36 (F)



OA 160016
ANOT OA 160016



ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557

Laaste Kalf

Kalf ID	OA 240004 (F)
Geb. datum	2024-02-17
Vaar ID	FN 180005

Kalwings: 19-07, 20-06, 21-11, 22-11, 24-02

Miostationen

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 110

109	Kalfgemak Waarde
97	Kalfgroei Waarde
92	Melk Waarde
107	Onderhoudswaarde

GROEI WAARDE 97

92	KARKAS WAARDE
107	PRODUKSIE WAARDE

VERKOPER OPMERKINGS: An exceptional deep red cow with great balance and great udder with ample milk. She goes back to sought after "Fonteine" genetics with sire FN 09-348 and FN 10-551 on the dam side. With heifer calf OA 24-04 (Sire FN 18-05)

MHB 060024 SP

MOLL'S-HOOP GRIFFEN

Spn Mat. 105

Ouerskap Vaar Moer

DNS	✓	✓
Genomes		

B 040017 SP

BORGREN B 04 17

Oud. 18j | OEK 33m | TKP 381d
Kalwers 12 | Gewee 3 | Spn. Mat. 113
Gem. SI 95 | KKG 5.33 | KKS 37.2

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

Kalwings: 06-11, 08-08, 11-01,
12-05,

LOT 37 (F)


LJB 210040

LJB LJB 210040



971 UKULIMA (PTY) LTD

Alma, Limpopo
0785398792
pieter@97ukulima.com

THE CROWN RANCH, C/O LLOYD DENT AND PIETER STRYDOM, UKULIMA FARM, ALMA, 0512

Last Calf

Calf ID	CV 240058 (M)
Birth Date	2024-02-07
Sire ID	LJB 210041

Calvings: 24-02

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 111

82	Calving Ease Value
120	Calf Growth Value
112	Milk Value
97	Maintenance Value
101	Fertility Value

GROWTH VALUE 123

CARCASS VALUE 117

PRODUCTION VALUE 118

SELLER REMARKS: Klein dogter van FN 06-64. Koei het uitstekende Koei waarde en Groei waarde van 122 en 123. Bull calf CV 24-58 (Sire LJB 21-41)

LOT 38 (F)


JH 210029

MARONES JH210029



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-BUS 1168, ELLISRAS, 0555

COW VALUE 86

88	Calving Ease Value
106	Calf Growth Value
119	Milk Value
85	Maintenance Value
85	Fertility Value

GROWTH VALUE 117

CARCASS VALUE 109

PRODUCTION VALUE 94

SELLER REMARKS: 6.5 Months in calf to BTR 21-25



Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

KCTL180261 SP

K KCTL180261

Wean Mat. 116

Parentage Sire Dam

DNA ✓ ✓

Genomic

KCTL180256 C

K KCTL180256

Age 5y | AFC 32m | ICP 607d
Calves 2 | Weighed - | Wean Mat. 108

Avg. WI - | CCB - | CCW -

Calvings: 21-06, 23-01

B 060012 SP

BORGEN B 06 12

Wean Mat. 109

JT 130139 C

JARTA JT 130139

Age 5y | AFC 31m | ICP 414d
Calves 3 | Weighed 1 | Wean Mat. 131

Avg. WI 108 | Wean Mat. 131

FN 060064 SP

FONTEINE FN0664

Wean Mat. 115

JT 090012 B

JARTA TOP DECK 1

Age 11y | AFC 36m | ICP 492d
Calves 7 | Weighed - | Wean Mat. 101

Avg. WI - | Wean Mat. 101

K6K3094 SP
MOGWONI 3094 (8MK163)

F3243 SP
SEGERA 3243
Age 3y | Avg. WI -
Calves - | Weighed -

JT 100022 SP
JARTA JEEP

JT 120050 B

JARTA CRUNCHIE 50
Age 9y | Avg. WI 99
Calves 7 | Weighed 2

2812 SP

GIANNI 2812

PB/9831 SP

DELAMERE 304
Age 30y | Avg. WI -
Calves - | Weighed -

TLM 020006 SP
KETA TLM020006 - LOBASE

FN 060244 A

FONTEINE TOPDECK
Age 8y | Avg. WI -
Calves 4 | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	96	120	112	136	109	92	107
61%	52%	35%	34%	42%	38%	24%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
118	129	123	101	118	125	124	82	96
32%	37%	37%	26%	43%	41%	38%	34%	34%

CI 080034 SP

CIRCLE C CI080034

Wean Mat. 103

CFH 120327 SP
ELANDSPRUIT CFH120327
Wean Mat. 112

Parentage Sire Dam

DNA ✓ ✓

Genomic

CFH 060873 SP

ELANDSPRUIT CFH060873

Age 13y | AFC 36m | ICP 374d
Calves 8 | Weighed - | Wean Mat. 90

Avg. WI - | Wean Mat. 90

JH 120117 SP

MARONES JH120117

Wean Mat. 126

JH 120017 SP

MARONES JH120017

Age 12y | AFC 32m | ICP 388d
Calves 9 | Weighed 4 | Wean Mat. 116

Avg. WI 110 | Wean Mat. 116

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Age 15y | Avg. WI -
Calves 6 | Weighed -

HVT 99001 SP

OUTSPAN HVT 99 01

HVT 950013 SP

OUTSPAN HVT950013

Age 19y | Avg. WI -

Calves 9 | Weighed -

CI 080300 SP

CIRCLE C COJACK

JH 100005 SP

MARONES JH100005

Age 5y | Avg. WI -

Calves - | Weighed -

JH 060004 SP

MARONES JH060004

JH 090007 SP

MARONES JH 09 0007

Age 12y | Avg. WI 95

Calves 7 | Weighed 3

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
76	112	106	119	82	73	92	108
73%	58%	75%	59%	48%	50%	35%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	108	99	114	117	111	109	109	98
35%	44%	29%	48%	48%	47%	43%	40%	40%

LOT 39 (F)



MXM 150019

MAMBUSHI MXM 150019



Kuddeboek	SP
Geb. dtm	2015-08-07
Oud.	8.7 jaar
Inteling	2%
DNS	U378899
OEK	26m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	451d

MXM100484 SP

MAMBUSHI 10-0484MXM

Spn Mat. 80

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM110077 SP

MAMBUSHI 11-0077MXM

Oud. 13j | OEK - | TKP 416d
Kalwers 9 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG 5.36 | KKS -
Kalwings: 13-07, 14-09, 15-08,
16-10, 17-12, 19-03, 20-03, 21-01,
22-08

CB04507A

CHULU CB04507A
Spn Mat. 102

GF020129W SP

GRASMERE GF02129W
Oud. 21j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

CB05010B

CHULU CB05010B
Spn Mat. 100

GF99121S

GRASMERE GF99121S
Oud. 24j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

PM94005L SP

LILAYI PM94005L
GF27R

GRASMERE 27R
Oud. 26j | Gem. SI -
Kalwers - | Geweeg -

GF95123M SP

GRASMERE GF95123M

GF96124O SP

GRASMERE GF96124O
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -

PM14R SP

LILAYI PM14R

GF960520 SP

GRASMERE GF960520
Oud. 27j | Gem. SI -
Kalwers 1 | Geweeg -

GF89017E

GRASMERE GF89017E

GF89205J

GRASMERE GF89205J

Oud. 31j | Gem. SI -

Kalwers - | Geweeg -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Laaste Kalf

Kalf ID	MXM 220019 (F)
Geb. datum	2022-09-01
Vaar ID	MXM 160787

Kalwings: 17-09, 19-02, 20-09, 21-10, 22-09

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 138

99	Kalfgemak Waarde
117	Kalfgroeи Waarde
83	Melk Waarde
116	Onderhoudswaarde
131	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 97

PRODUKSIE WAARDE 134

LOGIX
GENOTYPE GENOTYPE
EBV Analise 2024-03-19

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	109	117	83	101	134	114	122
77%	73%	51%	40%	45%	64%	38%	59%

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	103	102	87	106	103	113	85	142
30%	42%	8%	23%	45%	44%	43%	41%	40%

Raam

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	103	102	87	106	103	113	85	142
30%	42%	8%	23%	45%	44%	43%	41%	40%

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	103	102	87	106	103	113	85	142
30%	42%	8%	23%	45%	44%	43%	41%	40%

VERKOPER OPMERKINGS: 5 Months in calf to MXM 18-120 / MXM 20-363 / JRS 18-107								
---	--	--	--	--	--	--	--	--

LOT 40 (F)



JJP 210035

JOLOPAHE NOOLA



J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahе@senco.co.za

POSBUS 14, SETTLERS, 0430

KOEIWAARDE 100

88	Kalfgemak Waarde
105	Kalfgroeи Waarde
117	Melk Waarde
89	Onderhoudswaarde
104	Vrugbaarheidswaarde

GROEI WAARDE 115

KARKAS WAARDE 110

PRODUKSIE WAARDE 105

LOGIX
GENOTYPE GENOTYPE
EBV Analise 2024-03-19

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	85	105	117	103	108	101	101
73%	50%	54%	45%	33%	40%	29%	45%

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	113	112	109	116	110	116	97	114
30%	29%	28%	33%	33%	32%	29%	27%	26%

Raam

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	113	112	109	116	110	116	97	114
30%	29%	28%	33%	33%	32%	29%	27%	26%

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	113	112	109	116	110	116	97	114
30%	29%	28%	33%	33%	32%	29%	27%	26%

VERKOPER OPMERKINGS: Jolopahе bied met trots hierdie dragtige vers aan. Sy kom uit JJP 18-508 Taboets. Loop saam met HOT 14-19

LOT 41 (F)



MXM 210819 MAMBUSHI MXM 210819



Herd Book	SP
Birth date	2021-10-04
Age	2.5 years
Inbreeding	3%
DNA	U6511U053

MXM 150353 SP
MAMBUSHI MXM 150353

Wean Mat. 82

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 140819 SP
MAMBUSHI MXM 140819

Age 9y | AFC 26m | ICP 430d
Calves 6 | Weighed - | Wean Mat. 87
Avg. WI - | CCB 7.87 | CCW -
Calvings: 16-11, 17-11, 19-09,
20-09, 21-10, 22-09

MXM100424 SP
MAMBUSHI 10-0424MXM

Wean Mat. 80

CFH 070343 SP
ELANDSPRUIT CFH070343

Age 9y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 85
Avg. WI - | Wean Mat. 85

MXM110989 SP
MAMBUSHI 11-0989

Wean Mat. 93

MXM110068 SP
MAMBUSHI 11-0068MXM

Age 13y | AFC - | ICP 436d
Calves 8 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

PM20231W
LILAYI PM02031W
GF98029R SP
GRASMERE GF98029R
Age 25y | Avg. WI -
Calves 1 | Weighed -
MHB 040023 SP
MOLL'S-HOOP KING

Z 98026 SP

HLANZENI Z98026
Age 16y | Avg. WI 110
Calves 5 | Weighed 1
CB04532A SP
CHULU CB04532A

GF990315
GRASMERE GF990315
Age 24y | Avg. WI -
Calves - | Weighed -

PM20231W

LILAYI PM02031W
GF01115U
GRASMERE GF01115U
Age 22y | Avg. WI -
Calves - | Weighed -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

COW VALUE 121

101	Calving Ease Value
106	Calf Growth Value
85	Milk Value
104	Maintenance Value
127	Fertility Value

GROWTH VALUE -

CARCASS VALUE 98

PRODUCTION VALUE -

LOGIX
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	106	106	85	113	126	116	116
71%	49%	32%	30%	20%	43%	25%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	94	89	96	83	98	103	85	117
18%	17%	10%	14%	20%	19%	17%	16%	15%

SELLER REMARKS: 1.8 Months in calf to JRS 18-107 / MXM 18-120 / MXM 20-363



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 42 (F)



GF 170256 HAGESDAM GF 170256



Herd Book	SP
Birth date	2017-10-25
Age	6.5 years
Inbreeding	1%
DNA	U10368U004
AFC	30m
Calves	4
Weighed	2
Avg. WI	98
ICP	418d

GF 100068 SP

WALT GF100068

Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	
Genomic		

F 130205 C

HAGESDAM F 130205

Age 7y | AFC 24m | ICP 504d
Calves 4 | Weighed - | Wean Mat. 93
Avg. WI - | CCB - | CCW -
Calvings: 15-10, 16-11, 17-10, 19-12

TLM 030012 SP
KETA TLM030012

Wean Mat. 62

GF 070014 HH SP
WALT BROOKS NTOMBAZANA

Age 16y | AFC 26m | ICP 403d
Calves 14 | Weighed - | Wean Mat. 109
Avg. WI 102 | Wean Mat. 109

TLM 050522 SP

KETA TLM 05 522

Wean Mat. 81

F 090361 B
HAGESDAM F090361

Age 4y | AFC 23m | ICP 378d
Calves 3 | Weighed - | Wean Mat. 113
Avg. WI - | Wean Mat. 113

K6K2738 SP
MOGWONI K6K2738

KPO4202 SP
OL PEJETA KPO 4202

Age 34y | Avg. WI -
Calves - | Weighed -

KB32X SP

KETA KB X 32

TLM 040025 SP

KETA TLM 04 25
Age 19y | Avg. WI -
Calves 7 | Weighed -

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 000010 SP

KETA TLM 00 10
Age 15y | Avg. WI 94
Calves 11 | Weighed 4

B 050028 SP

BORGEN B050028

CFH 050352 A

ELANDSPRUIT CHF 05 352

Age 8y | Avg. WI -

Calves 5 | Weighed -

P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

Last Calf	
Calf ID	OLI 230032 (F)
Birth Date	2023-09-19
Sire ID	PRB 180053

Calvings: 20-04, 21-05, 22-09, 23-09

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Cow with Great length, milk and selling with remarkable heifer calf OLI 23-32 Sired by PRB 18-53 Foster (Ramaphosa son). Loop by W 15-1009

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	102	93	82	91	108	105	97
78%	73%	56%	59%	40%	60%	34%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	90	92	89	93	93	98	85	87
42%	35%	35%	31%	41%	39%	35%	31%	30%

LOT 43 (F)



JH 190003

MARONES JH190003



ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557

Laaste Kalf

Kalf ID	OA 230016 (F)
Geb. datum	2023-07-08
Vaar ID	WIT 170046

Kalwings: 21-07, 22-08, 23-07

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

QR

KOEIWAARDE 79

88	Kalfgemak Waarde
91	Kalfgroei Waarde
100	Melk Waarde
101	Onderhoudswaarde
89	Frugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 89
PRODUKSIE WAARDE 82

VERKOPER OPMERKINGS: Super fertile young POENA with ICP 362. Boasting with well-known and sought after genetics of Buster, HVT 99 01 (Tim) and JH 04 04. She will be an asset to any herd like she was in ours. 7 Months in calf to FN 18-05 (Excellent Bont Bull)

LOT 44 (F)



BD 210605

ZOUTPANSBERG BD 210605



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-
BUS 1137, LOUIS TRICHARDT, 0920

KOEIWAARDE 106

116	Kalfgemak Waarde
85	Kalfgroei Waarde
114	Melk Waarde
93	Onderhoudswaarde
111	Frugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 96
PRODUKSIE WAARDE 107

VERKOPER OPMERKINGS: Top class fertility with Dam ICP 364/10. 6 Months in calf JH 12-93



Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

CI 080034 SP

CIRCLE C CI080034

Spn Mat. 103

CFH 120327 SP

ELANDSPRUIT CFH120327

Spn Mat. 112

Ouerskap Vaar Moer

DNS	✓	✓
Genomies		

Genomies

JH 140113 SP

MARONES JH140113

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

Kalwings: 18-01, 19-01, 19-12,

20-10, 21-11, 22-10, 23-10

Oud. 9j | OEK 36m | TKP 351d

Kalwers 7 | Geweeg 4 | Spn. Mat. 90

Gem. SI 95 | KKG - | KKS 38.4

LOT 45 (F)


JH 210045
MARONES JH210045


Herd Book	SP
Birth date	2021-06-11
Age	2.8 years
Inbreeding	0%
DNA	U13657U021

CFH 120327 SP
ELANDSPRUIT CFH120327

Wean Mat. 112

Parentage	Sire	Dam
DNA	✓ ✓	
Genomic		

JH 170076 SP
MARONES JH170076

Age 6y | AFC 30m | ICP 389d
Calves 4 | Weighed 4 | Wean Mat. 114
Avg. WI 104 | CCB - | CCW 58

Calvings: 20-04, 21-06, 22-06,

23-06

Age 11y | AFC 32m | ICP 427d
Calves 8 | Weighed 6 | Wean Mat. 93
Avg. WI 90 | Wean Mat. 93

G JH 090091 SP
MARONES JH090091

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Age 15y | Avg. WI -

Calves 6 | Weighed -

HVT 99001 SP

OUTSPAN HVT950013

Age 19y | Avg. WI -

Calves 9 | Weighed -

25 SP

MARULA 25

ZTF8599 SP

SEGERA 8599

Age 24y | Avg. WI -

Calves - | Weighed -

G JH 060004 SP

MARONES JH060004

JH 070008 SP

MARONES SHIRAZ

Age 15y | Avg. WI 95

Calves 12 | Weighed 8

MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

COW VALUE 100

107	Calving Ease Value
89	Calf Growth Value
112	Milk Value
116	Maintenance Value
86	Fertility Value

GROWTH VALUE 101
CARCASS VALUE 94
PRODUCTION VALUE 100

SELLER REMARKS: 5.5 Months in calf to BTR 21-25

LOGIX
GROWTH & CARCASS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	126	89	112	88	81	89	105
74%	58%	75%	59%	48%	51%	35%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	88	75	85	106	100	91	105	97
35%	44%	27%	47%	48%	47%	42%	39%	39%


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 46 (F)


HA 220020
CORACIAS HA 220020


Herd Book	SP
Birth date	2022-04-13
Age	2 years
Inbreeding	0%
DNA	U9887U001

MXM100515 SP
MXM100515 MARU

Wean Mat. 100

Parentage	Sire	Dam
DNA	✓ ✓	
Genomic		

W 170558 SP
MODEL W 170558

Age 6y | AFC 24m | ICP 400d
Calves 4 | Weighed 4 | Wean Mat. 111
Avg. WI - | CCB - | CCW -
Calvings: 19-12, 21-01, 22-04,
23-04

Wean Mat. 93

CB04532A SP

CHULU CB04532A

Wean Mat. 93

AU05050B SP

AKAUSHI AU05050B

Wean Mat. 107

Age 18y | AFC 24m | ICP 400d
Calves - | Weighed - | Wean Mat. 107
Avg. WI - | Wean Mat. 107
Z 060051 SP

HLANZENI Z0651 - MR MILLION

Wean Mat. 116

W 110072 SP

MODEL W110072

Age 9y | AFC 31m | ICP 423d
Calves 5 | Weighed 5 | Wean Mat. 110
Avg. WI - | Wean Mat. 110
GF95123M SP

GRASMERE GF95123M

GF98131R SP

GRASMERE GF98131R

Age 25y | Avg. WI -

Calves - | Weighed -

AU00032T

AKAUSHI AU00032T

AU00047T

AKAUSHI AU00047T

Age 24y | Avg. WI -

Calves - | Weighed -

KPO794 SP

OL PEJETA 794

K6K2386 SP

MOGWONI 2386

Age 31y | Avg. WI -

Calves - | Weighed -

CI 070034 SP

CIRCLE C CI070034-JUNIOR

CI 080114 SP

CIRCLE C CI080114

Age 15y | Avg. WI -

Calves 9 | Weighed -

P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
hebsw@gmail.com

POSBUS 56184, ARCADIA, PRETORIA, 0007


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: "Kenzam" is an excellent blend of the best Zambian and Kenyan bloodlines boasting names such as Maru MXM 10-515 (Sire), Chulu CB04532A, Mr Million Z0651 and WI17-558 (DAM). She is 2.8 months in calf from Nkosi DM 17-74 (a Segera 494 descendant).

LOGIX
GROWTH & CARCASS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	102	102	99	95	105	122	94
58%	50%	33%	34%	25%	41%	30%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	106	105	98	105	104	100	89	113
26%	24%	16%	28%	26%	25%	23%	22%	21%

LOT 47 (F)



GB 210060
KOLSKOOT GB 210060



Kuddeboek	SP
Geb. dtm	2021-11-23
Oud.	2.4 jaar
Inteling	2%
DNS	ZOCA202357104

GB 180007 SP
KOLSKOOT GB 180007

Spn Mat. 118

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

G_r EG 080001 SP
ADELSON KEISER 801

Spn Mat. 121

EG 050006 SP
ADELSON EG 05 06 BLOMME

Oud. 10j | OEK - | TKP 415d
Kalwers 7 | Geweeg 4 | Spn. Mat. 110
Gem. SI 104 | Spn. Mat. 110

EG 110034 SP
ADELSON EG 110034

Spn Mat. 93

GB 160047 B
KOLSKOOT GB 160047

Oud. 7j | OEK 31m | TKP 401d
Kalwers 4 | Geweeg 4 | Spn. Mat. 106
Gem. SI 105 | Spn. Mat. 106

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U

Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

HVT 950003 SP
OUTSPAN HVT950003

Z 000150 SP
HLANZENI Z 00 51 KOLJANDER

Oud. 15j | Gem. SI 122

Kalwers 11 | Geweeg 1

TLM 050526 SP
KETA TLM 05 526 - KONING

EG 070003 SP
ADELSON 703 SNEETJIE

Oud. 5j | Gem. SI 98

Kalwers 3 | Geweeg 1

CFH 080063 SP
ELANDSPRUIT CFH 08 0063

GB 000303 A
KOLSKOOT GB00903A

Oud. 9j | Gem. SI -

Kalwers 7 | Geweeg -

P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOOMSPRUIT, 0560

KOEIWAARDE 89

99	Kalfgemak Waarde
82	Kalfgroeи Waarde
107	Melk Waarde
117	Onderhoudswaarde
88	Vrugbaarheidswaarde

GROEI WAARDE 78

KARKAS WAARDE 74

PRODUKSIE WAARDE 81

LOGIX
EBV Analise 2024-03-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94 70%	104 48%	82 69%	107 46%	87 44%	87 41%	87 26%	106 46%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87 30%	92 40%	98 15%	84 28%	90 45%	81 43%	81 41%	105 38%	89 37%

VERKOPER OPMERKINGS: Exceptional polled heifer with feminine wedge and strong hooves, bred out of the trusted PM 14 R and K6K2459 combination. 5 Months in calf to W 18-172



Miostatien

Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

LOT 48 (M)



MXM 181021
MAMBUSHI MXM 181021



Kuddeboek	SP
Geb. dtm	2018-08-09
Oud.	5.7 jaar
Inteling	1%

DNS U1530U059

MXM100404 SP

MAMBUSHI 10-0404MXM

Spn Mat. 104

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM110064 SP

MAMBUSHI 11-0064MXM

Oud. 13j | OEK - | TKP 486d

Kalwers 7 | Geweeg - | Spn. Mat. 107
Gem. SI - | KKG 5.36 | KKS -

Kalwings: 14-02, 16-01, 17-09,
18-08, 19-12, 21-01, 22-02

GF02159W SP
GRASMERE GF98071R

GF95040M
GRASMERE GF95040M

Oud. 28j | Gem. SI -

Kalwers - | Geweeg -

AU00032T
AKAUSHI AU00032T

AU00047T
AKAUSHI AU00047T

Oud. 24j | Gem. SI -

Kalwers - | Geweeg -

PM94005L SP
LILAYI PM94005L

GF98031R SP
GRASMERE GF98031R

Oud. 25j | Gem. SI -

Kalwers - | Geweeg -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdvm@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

1 MEDE-EIENAAR(S)
1 MEDE-GEBRUIKER(S)

Miostatien
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

KOEIWAARDE 109

106	Kalfgemak Waarde
92	Kalfgroeи Waarde
112	Melk Waarde
99	Onderhoudswaarde
112	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 99

PRODUKSIE WAARDE -

LOGIX
EBV Analise 2024-03-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105 55%	101 53%	92 31%	112 26%	98 14%	109 44%	119 24%	90 53%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97 18%	100 11%	-	98 11%	96 14%	100 13%	102 12%	94 10%	115 10%

VERKOPER OPMERKINGS: "Mahohbok" A larger than life sire in all aspects. A Line bred son of Mpika... the 159 W son, which had a profound effect on our Boran!!!

LOT 49 (F)


AW 210208
WORAN AW 210208

Herd Book	SP
Birth date	2021-10-22
Age	2.5 years
Inbreeding	3%
DNA	U6718U029

MXM 161001 SP
MAMBUSHI MOKO

Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

AW 170208 SP

WORAN AW 170208

Age 6y | AFC 37m | ICP 355d
Calves 2 | Weighed - | Wean Mat. 80
Avg. WI - | CCB - | CCW -

Calvings: 20-11, 21-10

MXM110686 SP

MAMBUSHI 11-0686MXM

Wean Mat. 93

MXM 130236 SP

MAMBUSHI MXM 130236

Age 10y | AFC 36m | ICP 515d
Calves 6 | Weighed 1 | Wean Mat. 85
Avg. WI 107 | Wean Mat. 85

MXM 100111 SP

MAMBUSHI 10111

Wean Mat. 95

MC 120208 SP

MCS MC12208

Age 6y | AFC 34m | ICP 364d
Calves 3 | Weighed - | Wean Mat. 66
Avg. WI - | Wean Mat. 66

CB04511A SP
CHULU CB04511A
GF03074X SP
GRASMERE GF03074X

Age 20y | Avg. WI -
Calves 1 | Weighed -
MXM 100191 SP
MAMBUSHI 10191

MXM 100200 SP
MAMBUSHI 100200
Age 8y | Avg. WI -
Calves 4 | Weighed -
TLM 020004 SP

KETA TLM020004 CAESAR
CI 080063 DH SP

CIRCLE C CI080063
Age 1ly | Avg. WI -
Calves 6 | Weighed -
CI 080142 SP

CIRCLE C CI080142
MC 100069 SP
MCS MC10069

Age 13y | Avg. WI 90
Calves 9 | Weighed 1

A. VAN DER WALT

Alma / Parys, Limpopo
0835607038
andre@diro.co.za

37 SELBORNE AVENUE LYTTELTON MANOR, PRETORIA, 0157

COW VALUE		98
110	Calving Ease Value	
102	Calf Growth Value	
84	Milk Value	
96	Maintenance Value	
100	Fertility Value	
GROWTH VALUE		-
CARCASS VALUE		105
PRODUCTION VALUE		-

SELLER REMARKS: 1.6 Months in calf to JRS 18-107 / MXM 18-120 / MXM 20-363

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



LOT 50 (F)


BD 200551
ZOUTPANSBERG BD 200551

Herd Book	SP
Birth date	2020-09-23
Age	3.5 years
Inbreeding	0%
DNA	U7747U028
AFC	29m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboertery@gmail.com

P/A MNR. BRAAM DEKKER, POS-BUS 1137, LOUIS TRICHARDT, 0920

Last Calf

Calf ID	BD 230664 (M)
Birth Date	2023-02-18
Sire ID	MULTIPLE SIREs

Calvings: 23-02

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE

114

71	Calving Ease Value
129	Calf Growth Value
93	Milk Value
110	Maintenance Value

GROWTH VALUE

112

CARCASS VALUE

113

PRODUCTION VALUE

116

SELLER REMARKS: She is in calf with her second calf. Excellent fertility in the mother line with Dam ICP 365/10. 5 Months in calf to MXM 16-292 / VST 19-7

VST 160093 SP

TRAP VST16093

Wean Mat. 94

Parentage	Sire	Dam
DNA	✓	
Genomic		

MHB 060024 SP

MOLL'S-HOOP GRIFFEN

Wean Mat. 105

MHB 100027 SP

MOLL'S-HOOP ODETTE

Age 6y | AFC 25m | ICP 459d
Calves 4 | Weighed 4 | Wean Mat. 90
Avg. WI 102 | Wean Mat. 90

SPJ 070006 SP

FRONTIER SPJ070006 - PRINS

Wean Mat. 108

FN 090638 SP

FONTEINE FN09638

Age 7y | AFC 32m | ICP 368d
Calves 5 | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
64	99	129	93	95	108	98	101
75%	54%	76%	53%	48%	42%	28%	52%

Post-Wean Growth

Frame

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
126	103	97	92	111	110	102	98	107
44%	44%	27%	32%	49%	47%	45%	42%	41%



LOT 53 (F)



GB 190011 KOLSKOOT GB 190011

Herd Book	SP
Birth date	2019-03-26
Age	5 years
Inbreeding	2%
DNA	ZOCA202121600
AFC	
Calves	3
Weighed	0
Avg. WI	-
ICP	362d

EG 110034 SP
ADELSON EG 110034

Wean Mat. 93

Parentage Sire Dam

DNA	✓	✓
Genomic		

ZA 150017 SP
ZAWADI ZA 150017

Age 8y | AFC 41m | ICP 422d
Calves 4 | Weighed 2 | Wean Mat. 103
Avg. WI 107 | CCB 8.29 | CCW 58.6

Calvings: 19-03, 20-04, 21-07,
22-09

TLM 050526 SP

KETA TLM 05 526 - KONING
Wean Mat. 109

EG 070003 SP
ADELSON 703 SNEETJIE

Age 5y | AFC 30m | ICP 596d
Calves 3 | Weighed 1 | Wean Mat. 76
Avg. WI 98 | Wean Mat. 76

MXM100484 SP

MAMBUSHI 10-0484MXM
Wean Mat. 80

MXM100048 SP

MAMBUSHI 10-0048MXM
Wean Mat. 80

Age 8y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105

TLM 020001 SP
KETA TLM 020001 - BUFFEL

TLM 020017 SP
KETA TLM 02 17

Age 12y | Avg. WI 103
Calves 9 | Weighed 4

PM14R SP
LILAYI PM14R

EG 040003 SP
ADELSON EG 04 03 OUSUS

Age 19y | Avg. WI 97

Calves 11 | Weighed 7

CB04507A

CHULU CB04507A

GF020129W SP
GRASMERE GF02129W

Age 21y | Avg. WI -

Calves - | Weighed -

CB05010B

CHULU CB05010B

GF98033R SP
GRASMERE GF98033R

Age 25y | Avg. WI -

Calves 1 | Weighed -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 230626 (M)
Birth Date	2023-12-17
Sire ID	18-0120MXM

Calvings: 21-12, 22-12, 23-12

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 99

82	Calving Ease Value
114	Calf Growth Value
98	Milk Value
105	Maintenance Value
94	Fertility Value

GROWTH VALUE 76

CARCASS VALUE 74

PRODUCTION VALUE 90

LOGIX
GENOTYPES GENOMICS
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
57 74%	120 57%	114 55%	98 51%	90 49%	82 46%	95 30%	116 56%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105 36%	90 46%	105 17%	95 30%	92 49%	79 48%	70 46%	96 44%	110 44%

SELLER REMARKS: Met bulkalf MXM 23-626 van MXM 18-120

LOT 54 (F)



HA 200021 CARACIAS SUNSHINE

Herd Book	SP
Birth date	2020-08-08
Age	3.7 years
Inbreeding	0%
DNA	UI3172U001
AFC	30m
Calves	2
Weighed	0
Avg. WI	-
ICP	401d

C 130036 SP

BYRNE VALLEY SHOW GUN

Wean Mat. 107

Parentage Sire Dam

DNA	✓	✓
Genomic		

W 170531 SP

WI170531

Age 5y | AFC 32m | ICP -

Calves 7 | Weighed 2 | Wean Mat. 115

Avg. WI - | CCB - | CCW -

Calvings: 20-08

Z 060056 SP

HLANZENI Z0656 - TOP GUN

Wean Mat. 96

Z 060015 SP

HLANZENI Z0615

Wean Mat. 124

CTM 150018 SP

CHAN-TE-MAR CTM150018

Wean Mat. 106

Age 9y | AFC 35m | ICP 429d
Calves 6 | Weighed - | Wean Mat. 106
Avg. WI - | Wean Mat. 106

KPO794 SP
OL PEJETA 794

K6K2386 SP
MOGWONI 2386

Age 3ly | Avg. WI -
Calves - | Weighed -

25 SP
MARULA 25

4504 SP
OL PEJETA 4504

Age 26y | Avg. WI -

Calves - | Weighed -

CI 080030 SP

CIRCLE C COJACK

CI 090011 SP

CIRCLE C ASTRID

Age 15y | Avg. WI 98

Calves 10 | Weighed 4

CFH 090061 SP

ELANDSPRUIT CHF090061 - HAPOOR

CFH 080267 SP

ELANDSPRUIT EMMA

Age 15y | Avg. WI 96

Calves 13 | Weighed 6

P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
hebsw@gmail.com

POSBUS 56184, ARCADIA, PRETORIA, 0007

Last Calf

Calf ID	HA 240019 (F)
Birth Date	2024-03-10
Sire ID	DM 170074

Calvings: 23-02, 24-03

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 104

99	Calving Ease Value
96	Calf Growth Value
111	Milk Value
94	Maintenance Value

GROWTH VALUE 95

CARCASS VALUE 100

PRODUCTION VALUE 101

LOGIX
GENOTYPES GENOMICS
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102 55%	94 48%	96 37%	111 37%	101 24%	110 61%	107 30%	103 52%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97 24%	99 22%	100 12%	103 27%	101 24%	102 24%	103 21%	93 20%	100 19%

SELLER REMARKS: "Sunshine" has a true Boran temperament and names like Incredibull, Astrid, Cojack, Top Gun, Show Gun and CTM 150018 features in her pedigree. A true stinner! Sire is C130036 and Dam is CTM 150018. With heifer calf HA 24-19 sired by Nkosi DM 17-74 (a Segera 494 descendant).

LOT 55 (F)



JJP 210016
JOLOPAHE MISO



Kuddeboek	SP
Geb. dtm	2021-11-16
Oud.	2.4 jaar
Inteling	2%
DNS	ZOCA202360752

JJP 180508 SP

JOLOPAHE JJP 180508

Spn Mat. 113

Ouerskap Vaar Moer

DNS	✓	✓
-----	---	---

Genomies

JJP 160017 SP

JOLOPAHE JJP 160017

Oud. 7j | OEK 35m | TKP 376d
Kalwers 4 | Geweeg - | Spn. Mat. 124
Gem. SI - | KKG - | KKS -

Kalwings: 19-10, 20-10, 21-11, 22-11

DVB 100027 SP

DIAMANT-V 1027

JJP 130545 SP

JOLOPAHE JJP 130545

Spn Mat. 110

CFH 140278 SP

ELANDSPRUIT CFH140278

Oud. 9j | OEK 40m | TKP 355d
Kalwers 7 | Geweeg 5 | Spn. Mat. 121
Gem. SI 110 | Spn. Mat. 121

CFH 060806 SP

ELANDSPRUIT CFH06806

Spn Mat. 116

TLM 050503 SP
KETA TLM 05 503
TT 090006 SP
THARI TT0906
Oud. 5j | Gem. SI 109
Kalwers 3 | Geweeg 2
E 060005 SP
TAMBARAINE E 06 05
CFH 090010 SP
ELANDSPRUIT CFH090070
Oud. 6j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 000010 SP
OUTSPAN HVTO000010

Z 990280 SP
HLANZENI Z 99 280

Oud. 10j | Gem. SI -

Kalwers 5 | Geweeg -

TLM 050526 SP
KETA TLM 05 526 - KONING

TLM 022049 SP
KETA TLM 02 49

Oud. 14j | Gem. SI 100

Kalwers 5 | Geweeg 3

J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahae@senco.co.za

POSBUS 14, SETTLERS, 0430



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 102

96	Kalfgemak Waarde
102	Kalfgroei Waarde
119	Melk Waarde
82	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 123

KARKAS WAARDE 114

PRODUKSIE WAARDE 110

LOGIX
GENOTICS CENTER
EBV Analise 2024-03-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	93	102	119	109	105	108	107
73%	51%	54%	41%	35%	42%	30%	46%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	122	120	118	113	106	116	103	112
32%	31%	30%	31%	36%	34%	31%	28%	28%

VERKOPER OPMERKINGS: YOOO YOOO...! BONT BONT BONT....!!! Dogter van JJP 18-508 Taboets..... The Man!! Loop saam met HOT 14-19

LOT 56 (F)



JH 210057
MARONES JH210057



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

Kuddeboek	SP
Geb. dtm	2021-06-21
Oud.	2.8 jaar
Inteling	3%
DNS	U13657U022

JH 170108 SP

MARONES JH170108

Spn Mat. 84

Ouerskap Vaar Moer

DNS	✓	✓
-----	---	---

Genomies

JH 180066 SP

MARONES JH180066

Oud. 5j | OEK 33m | TKP 455d
Kalwers 3 | Geweeg 2 | Spn. Mat. 122
Gem. SI 124 | KKG - | KKS 47.4

Kalwings: 21-06, 22-10, 23-12

B 090542 SP

BORGEN B 090542

Spn Mat. 56

JH 140001 HH SP

MARONES JH140001

Oud. 9j | OEK 30m | TKP 507d
Kalwers 6 | Geweeg 3 | Spn. Mat. 86
Gem. SI 88 | Spn. Mat. 86

CFH 120327 SP

ELANDSPRUIT CFH120327

Spn Mat. 112

JH 110017 SP

MARONES JH110017

Oud. 13j | OEK 33m | TKP 412d
Kalwers 9 | Geweeg 7 | Spn. Mat. 103
Gem. SI 106 | Spn. Mat. 103

K6K3534 SP

MOGWONI K6K3534

V7Y7873 SP

KISIMA V7Y7873

Oud. 29j | Gem. SI -

Kalwers - | Geweeg -

CI 080030 SP

CIRCLE C COJACK

JH 090082 SP

MARONES JH090082

Oud. 4j | Gem. SI -

Kalwers - | Geweeg -

CI 080034 SP

CIRCLE C CI080034

CFH 060873 SP

ELANDSPRUIT CFH06873

Oud. 13j | Gem. SI -

Kalwers 8 | Geweeg -

GH JH 060004 SP

MARONES JH060004

B 010020 SP

OUTSPAN B 01 020

Oud. 18j | Gem. SI -

Kalwers 4 | Geweeg -

LOGIX
GENOTICS CENTER
EBV Analise 2024-03-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	105	98	99	87	75	89	110
73%	51%	73%	51%	47%	45%	28%	47%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	91	81	112	96	99	87	109	97
32%	42%	37%	41%	47%	46%	42%	39%	38%

VERKOPER OPMERKINGS: 5.5 Months in calf to BTR 21-25

LOT 57 (F)



JF 170004

ACHILLES JF 170004

Herd Book	C
Birth date	2017-08-20
Age	6.6 years
Inbreeding	2%
DNA	U422564
AFC	33m
Calves	3
Weighed	1
Avg. WI	100
ICP	612d

AJB 100016 SP

MOTSWIRI AJB10016

Wean Mat. 84

Parentage Sire Dam

DNA	✓
Genomic	

JF 140009 B

ACHILLES JF14009

Age 6y | AFC 35m | ICP 459d
Calves 3 | Weighed 3 | Wean Mat. 103
Avg. WI 100 | CCB 6.77 | CCW 50

Calvings: 17-08, 18-10, 20-02

B 040010 SP

BORGREN B 04 10

Wean Mat. 89

TLM 050007 SP

KETA TLM050007

Age 10y | AFC 15m | ICP 385d
Calves 6 | Weighed 1 | Wean Mat. 88
Avg. WI 94 | Wean Mat. 88

AB 100184 SP

ABBA BO 100184

Wean Mat. 108

JF 100017 A

JF10017

Age 5y | AFC - | ICP 414d
Calves 3 | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105

HVT 950024 SP

OUTSPAN HVT950024

B 990904 SP

BORGREN B990904

Age 16y | Avg. WI -

Calves 6 | Weighed -

K6K2459 SP

MOGWONI K6K2459

ZF3675 SP

SEGERA ZF 3675

Age 3ly | Avg. WI -

Calves 1 | Weighed -

PM14R SP

LILAY PM14R

TLM 050054 SP

KETA TLM050054

Age 10y | Avg. WI -

Calves 4 | Weighed -

HVT 950021 SP

OUTSPAN HVT950021

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf

Calf ID	MXM 230535 (M)
Birth Date	2023-09-25
Sire ID	19-0515MXM

Calvings: 20-05, 22-02, 23-09

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 95

119	Calving Ease Value
83	Calf Growth Value
94	Milk Value
109	Maintenance Value
94	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 92

PRODUCTION VALUE 93

PT 150002

PRATOS PT 150002

Herd Book SP

PRATOS PT120015

PT 120015 SP

PRATOS PT120015

Wean Mat. 72

Parentage Sire Dam

DNA	✓	✓
Genomic		

TLM 050503 SP

KETA TLM 05 503

Wean Mat. 97

BA 080086 SP

BA BA 080086

Age 15y | AFC - | ICP 422d
Calves 10 | Weighed - | Wean Mat. 49
Avg. WI - | Wean Mat. 49

N 070016 SP

EERSTEGLUK-BAAS N16 - ROY

Wean Mat. 50

K6K2459 SP

MOGWONI K6K2459

KPO1680 SP

OL PEJETA 1680

Age 32y | Avg. WI -

Calves - | Weighed -

TLM 020038 SP

KETA TLM020038

BA 050030 SP

BA SHAKIRA

Age 16y | Avg. WI 99

Calves 9 | Weighed 2

N 040003 SP

EERSTEGLUK-BAAS N 04 03-YSTE

N 040002 SP

EERSTEGLUK-BAAS N 04 02

Age 18y | Avg. WI 86

Calves 12 | Weighed 8

HVT 950021 SP

OUTSPAN HVT950021

TLM 030056 SP

KETA TLM 03 56

Age 20y | Avg. WI 103

Calves 13 | Weighed 9

P.S. BRITS

Naboomspruit, Limpopo
0849821122

michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Last Calf

Calf ID	OLI 220041 (F)
Birth Date	2022-09-29
Sire ID	PRB 160030

Calvings: 17-12, 18-10, 19-11, 21-04, 22-09

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 84

113	Calving Ease Value
87	Calf Growth Value
67	Milk Value
117	Maintenance Value

GROWTH VALUE 73

CARCASS VALUE 72

PRODUCTION VALUE 75

BAR 120100 SP

BAR-CIRCLE BAR-CIRCLE ROY

Age 11y | AFC 33m | ICP 434d
Calves 8 | Weighed 1 | Wean Mat. 68
Avg. WI 100 | CCB 5.8 | CCW -

Calvings: 15-03, 16-11, 17-11, 19-03,

20-07, 21-05, 22-04, 23-07

QT 090009 SP

MEYBOR QT0909

Age 7y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 108
Avg. WI - | Wean Mat. 108

Calf and Mother

Fertility

Birth Dir.	128
56%	58%

Birth Mat.	87
58%	58%

Wean Dir.	67
71%	71%

Scr. Circ.	74
32%	32%

Heifer Fert.	88
45%	45%

Cow Fert.	90
29%	29%

Longev.	100
60%	60%

SELLER REMARKS: TLM 05-503 "Nitro "and N07-16 "Roy "granddaughter, larger framed with good depth, width and motherliness going back to KIM39, KPO741 and KPO11. 9 Months in calf to PRB 18-53/DBC 17-23

LOT 59 (F)



MXM 210016

MAMBUSHI MXM 210016

Kuddeboek	SP
Geb. dtm	2021-11-01
Oud.	2.4 jaar
Inteling	4%
DNS	U7458U002

MXM 150353 SP

MAMBUSHI MXM 150353

Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM 150016 SP

MAMBUSHI MXM 150016

Oud. 9j | OEK 32m | TKP 378d
Kalwers 7 | Geweeg - | Spn. Mat. 98
Gem. SI - | KKG 10.3 | KKS -
Kalwings: 17-09, 18-10, 19-12,
20-11, 21-11, 22-11, 23-12

MXM100424 SP

MAMBUSHI 10-0424MXM

Spn Mat. 80

CFH 070343 SP

ELANDSPRUIT CFH070343

Oud. 9j | OEK - | TKP (donor)
Kalwers 3 | Geweeg - | Spn. Mat. 85
Gem. SI - | Spn. Mat. 85

MXM110737 SP

MAMBUSHI 11-0737MXM

Spn Mat. 101

MXM 100022 SP

MAMBUSHI 10022

Oud. 9j | OEK 38m | TKP 381d
Kalwers 5 | Geweeg - | Spn. Mat. 92
Gem. SI - | Spn. Mat. 92

PM02031W
LILAYI PM02031W
GF98029R SP
GRASMERE GF98029R
Oud. 25j | Gem. SI -
Kalwers 1 | Geweeg -
MHB 040023 SP
MOLL'S-HOOP KING

Z 98026 SP

HLANZENI Z98026
Oud. 16j | Gem. SI 110
Kalwers 5 | Geweeg 1

PM02031W
LILAYI PM02031W

KB02027W

CHULU KB02027W

Oud. 21j | Gem. SI -
Kalwers 1 | Geweeg -

M 080009 SP

MCS THABO

CFH 080209 SP

ELANDSPRUIT CFH080209

Oud. 16j | Gem. SI -

Kalwers 12 | Geweeg -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

KOEIWAARDE 115

98	Kalfgemak Waarde
100	Kalfgroeи Waarde
90	Melk Waarde
114	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 95

PRODUKSIE WAARDE -

LOGIX
EBV Analise 2024-03-19

Kalf en Moeder

Geb.	Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	105	100	90	114	114	110	110	110
71%	47%	34%	30%	19%	41%	26%	46%	46%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	96	94	88	89	99	101	87	104
18%	17%	6%	17%	19%	19%	16%	15%	14%

VERKOPER OPMERKINGS: 1.8 Months in calf to JRS 18-107 / MXM 18-120 / MXM 20-363



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 60 (F)



JL 210003

OPKOMS JL210003

Kuddeboek	SP
Geb. dtm	2021-03-12
Oud.	3.1 jaar
Inteling	1%
DNS	U4936U003
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

BS 150012 SP

MOUNTAIN VIEW BS 150012

Spn Mat. 102

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JL 120001 SP

OPKOMS JL 120001 - EERSTELING

Oud. 11j | OEK 36m | TKP 384d
Kalwers 8 | Geweeg - | Spn. Mat. 81
Gem. SI - | KKG - | KKS -
Kalwings: 15-11, 16-11, 17-10, 18-12,
20-01, 21-03, 22-03, 23-03

TLM 050526 SP

KETA TLM 05 526 - KONING

Spn Mat. 109

BS 080012 SP

MOUNTAIN VIEW 0812

Oud. 6j | OEK - | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 91
Gem. SI - | Spn. Mat. 91

Z 060051 SP

HLANZENI Z0651 - MR MILLION

Spn Mat. 116

B 090536 SP

BORGEN B 090536

Oud. 14j | OEK 35m | TKP 448d
Kalwers 9 | Geweeg - | Spn. Mat. 52
Gem. SI - | Spn. Mat. 52

TLM 020001 SP
KETA TLM020001 - BUFFEL

TLM 020017 SP

KETA TLM 02 17
Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4

TLM 020024 SP

KETA TLM020024

Z 012023 SP

HLANZENI Z 01 203

Oud. 16j | Gem. SI -

Kalwers 9 | Geweeg -

KP0794 SP

OL PEJETA 794

K6K2386 SP

MOGWOOXI 2386

Oud. 31j | Gem. SI -

Kalwers - | Geweeg -

K6K3460 SP

MOGWOOXI K6K3460

V7Y9301 SP

KISIMONI 9301

Oud. 28j | Gem. SI -

Kalwers - | Geweeg -

971 UKULIMA (PTY) LTD

Alma, Limpopo
0785398792
pieter@971ukulima.com

Laaste Kalf	
Kalf ID	CV 240065 (M)
Geb. datum	2024-01-02
Vaar ID	LJB 210041

Kalwings: 24-01

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Vroulike eerste kalf koei. Aan vaar se kant gaan terug na Koning en moer se kant Mr Million.

Bull calf CV 24-65 (Sire LJB 21-41)

LOGIX
EBV Analise 2024-03-19

Kalf en Moeder

Geb.	Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	108	94	90	95	88	109	96	96
56%	56%	47%	40%	37%	45%	33%	53%	53%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	95	98	98	88	81	82	93	91
36%	35%	21%	34%	37%	36%	31%	29%	29%

LOT 61 (F)


MXM 160112
MAMBUSHI MXM 160112

Herd Book	SP
Birth date	2016-10-08
Age	7.5 years
Inbreeding	13%
DNA	U364671
AFC	37m
Calves	5
Weighed	0
Avg. WI	-
ICP	376d

MXM100424 SP
MAMBUSHI 10-0424MXM

Wean Mat. 80

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM110068 SP
MAMBUSHI 11-0068MXM

Age 13y | AFC - | ICP 436d
 Calves 8 | Weighed - | Wean Mat. 95
 Avg. WI - | CCB 6.37 | CCW -
 Calvings: 14-03, 15-01, 16-10,
 17-09, 18-12, 20-06, 21-05, 22-07

PM02031W
LILAYI PM02031W

Wean Mat. 89

GF98029R SP
GRASMERE GF98029R

Age 25y | AFC - | ICP (donor)
 Calves 1 | Weighed - | Wean Mat. 90
 Avg. WI - | Wean Mat. 90

PM02031W
LILAYI PM02031W

Wean Mat. 89

GF01115U
GRASMERE GF 01115U

Age 22y | AFC - | ICP -
 Calves - | Weighed - | Wean Mat. 101
 Avg. WI - | Wean Mat. 101

JB95027N
MAMBUSHI JB95027N

PM98023R
LILAYI PM98023R
Age 25y | Avg. WI -
 Calves - | Weighed -

ZK87001C
ZADL ZK87001C

GF91058H
GRASMERE GF91058H
Age 32y | Avg. WI -
 Calves - | Weighed -

JB95027N
MAMBUSHI JB95027N

PM98023R
LILAYI PM98023R
Age 25y | Avg. WI -
 Calves - | Weighed -

GF95123M SP
GRASMERE GF95123M

GF27R
GRASMERE 27R
Age 26y | Avg. WI -
 Calves - | Weighed -

C. VAN DER MERWE

Alma / Parys, Limpopo
 0834777277
 mmcvd़m@gmail.com

PRIVATE BAG X 1049, POS-
 BUS 139, MODIMOLE, 0510

Last Calf

Calf ID	MXM 230112 (F)
Birth Date	2023-12-13
Sire ID	18-0120MXM

Calvings: 19-10, 20-10, 21-08, 22-09, 23-12

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE -

97	Calving Ease Value
111	Calf Growth Value
88	Milk Value
-	Maintenance Value
134	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 104

PRODUCTION VALUE -

SELLER REMARKS: With heifer calf MXM 23-112 Sired by MXM 18-0120

LOGIX
GENETICS CENTER
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	104	111	88	119	129	126	117
66%	69%	37%	29%	23%	62%	35%	59%

Post-Wean Growth				Frame		Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	100	-	98	93	108	107	83	118
18%	19%		6%	23%	22%	20%	18%	17%

LOT 62 (F)


17-0863MXM
MAMBUSHI 17-0863MXM

Herd Book	SP
Birth date	2017-09-29
Age	6.5 years
Inbreeding	0%
DNA	U397928
AFC	
Calves	3
Weighed	0
Avg. WI	-
ICP	399d

MXM 100111 SP
MAMBUSHI 10111

Wean Mat. 95

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

14-0863MXM SP
MAMBUSHI 14 863

Age 9y | AFC - | ICP 386d
 Calves 6 | Weighed - | Wean Mat. 111
 Avg. WI - | CCB - | CCW -

Calvings: 18-07, 19-07, 20-08,
 21-10, 22-10, 23-10

MXM100404 SP
MAMBUSHI 10-0404MXM

TLM 020004 SP
KETA TLM020004 CAESAR

Wean Mat. 87

K6K2459 SP
MOGWONI K6K2459

KPO898 SP
OL PEJETA KPO 898
Age 34y | Avg. WI -
 Calves - | Weighed -

TLM 040578 SP
KETA TLM040578 - EROS

GF116U SP
GRASMERE GF 116 U
Age 10y | Avg. WI 111
 Calves 5 | Weighed 1

GF02159W SP
GRASMERE GF02159W

AU05050B SP
AKAUSHI AU05050B
Age 18y | Avg. WI -
 Calves - | Weighed -

GF02159W SP
GRASMERE GF02159W

AU05050B SP
AKAUSHI AU05050B
Age 18y | Avg. WI -
 Calves - | Weighed -

C. VAN DER MERWE

Alma / Parys, Limpopo
 0834777277
 mmcvd़m@gmail.com

PRIVATE BAG X 1049, POS-
 BUS 139, MODIMOLE, 0510

Last Calf

Calf ID	MXM 220777 (M)
Birth Date	2022-12-30
Sire ID	MXM 160141

Calvings: 20-10, 21-07, 22-12

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 103

110	Calving Ease Value
93	Calf Growth Value
103	Milk Value
97	Maintenance Value
106	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 100

PRODUCTION VALUE 101

SELLER REMARKS: 6 Months in calf to MXM 18-120 / MXM 20-363 / JRS 18-107

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
109	102	93	103	101	96	114	98
63%	62%	32%	32%	26%	58%	33%	56%

Post-Wean Growth				Frame		Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	103	109	101	89	93	110	95	104
26%	25%	15%	26%	26%	26%	24%	23%	23%

LOT 63 (F)



GB 210040
KOLSKOOT GB 210040



Kuddeboek	SP
Geb. dtm	2021-10-08
Oud.	2.5 jaar
Inteling	2%
DNS	ZOCA202357099

GLB 150008 SP

GOEN LAND GLB 150008

Spn Mat. 111

Ouerskap Vaar Moer

DNS	✓	✓
-----	---	---

Genomies

GB 150009 C

KOLSKOOT GB 150009

Oud. 9j | OEK 32m | TKP 357d
Kalwers 7 | Geweeg 4 | Spn. Mat. 106
Gem. SI 101 | KKG 8.36 | KKS 52

Kalwings: 17-09, 18-12, 20-01,
20-11, 21-10, 22-08, 23-08

FN 040024 SP

FONTEINE FN 04 24

Spn Mat. 118

FN 120036 SP

FONTEINE FN 12 36

Oud. 9j | OEK 36m | TKP 485d
Kalwers 6 | Geweeg 4 | Spn. Mat. 107
Gem. SI 109 | Spn. Mat. 107

PB 110031 SP

PALMYRA PB 1131

Spn Mat. 95

GB 12013B B

KOLSKOOT GB 12013B

Oud. 10j | OEK 34m | TKP 427d
Kalwers 7 | Geweeg 2 | Spn. Mat. 123
Gem. SI 107 | Spn. Mat. 123

K6K3094 SP

MOGWONI 3094 (8MK163)

ISEG SP

SEGERA 3089

Oud. 33j | Gem. SI -

Kalwers 1 | Geweeg -

CI 070001 DH SP

CIRCLE C CI070001

FN 080254 SP

FONTEINE FN08254

Oud. 9j | Gem. SI -

Kalwers 5 | Geweeg -

TLM 020004 SP

KETA TLM020004 CESAR

PB 070020 SP

PALMYRA PB0720

Oud. 15j | Gem. SI 99

Kalwers 12 | Geweeg 11

GB 090011 SP

KOLSKOOT 0911

GB 09031A A

KOLSKOOT GB09031A

Oud. 3j | Gem. SI -

Kalwers 1 | Geweeg -

P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOOMSPRUIT, 0560

KOEIWAARDE 113

105	Kalfgemak Waarde
97	Kalfgroeい Waarde
108	Melk Waarde
108	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 113

KARKAS WAARDE 101

PRODUKSIE WAARDE 116

LOGIX
EBV Analise 2024-03-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111 73%	90 52%	97 73%	108 53%	133 48%	107 36%	105 23%	103 48%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106 38%	113 44%	112 12%	93 29%	103 48%	96 47%	109 45%	99 42%	81 41%

VERKOPER OPMERKINGS: Beautiful heifer double bred to Ceaser TLM 02-04 and bloodlines going back to K6K3094, PM14R, Marula25 and Forrester 96/75. Very strong EBV's. 5 Months in calf to W 18 172



Miestatien
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

LOT 64 (F)



AB 200017
ABBA AB 200017



ABBA BORANE

Nylstroom, Limpopo
0794682996
mmcvdm5@gmail.com

P/A PROF/ P.J. VAN DER MERWE,
POSBUS 76, ALMA, 0512

Laaste Kalf
Kalf ID AB 220017 (F)
Geb. datum 2022-11-07
Vaar ID AB 191313

Kalwings: 22-11



Miestatien
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

KOEIWAARDE 111

111	Kalfgemak Waarde
84	Kalfgroeい Waarde
107	Melk Waarde
117	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 94

PRODUKSIE WAARDE -

LOGIX
EBV Analise 2024-03-19

MXM110737 SP

MAMBUSHI 11-0737MXM

Spn Mat. 101

RN 130011 SP

RANKIN BEEF RN 130011

Oud. 11j | OEK 40m | TKP 361d
Kalwers 8 | Geweeg 2 | Spn. Mat. 130
Gem. SI 99 | Spn. Mat. 130

MXM110737 SP

MAMBUSHI 11-0737MXM

Spn Mat. 101

AB 150017 SP

ABBA AB1517

Oud. 4j | OEK 27m | TKP 600d
Kalwers 2 | Geweeg - | Spn. Mat. 91
Gem. SI - | Spn. Mat. 91

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103 54%	111 39%	84 45%	107 32%	109 14%	103 39%	103 21%	115 47%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87 18%	94 13%	95 7%	84 16%	93 15%	98 14%	97 13%	92 12%	94 11%

VERKOPER OPMERKINGS: 8 Maande in kalf van AB 19-1313/AB 19-444

LOT 65 (F)



MXM 200006

MAMBUSHI MXM200006



Herd Book	SP
Birth date	2020-12-24
Age	3.3 years
Inbreeding	3%
DNA	U6718U005
AFC	32m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

MXM 180262 SP
MAMBUSHI MXM 180262

Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

15-0006MXM SP
MAMBUSHI 15-0006MXM

Age 8y | AFC - | ICP 452d
Calves 4 | Weighed - | Wean Mat. 95
Avg. WI - | CCB - | CCW -
Calvings: 18-01, 19-10, 20-12,
21-09

MXM 126006 SP

MAMBUSHI MXM 126006

Wean Mat. 97

MXM 120149 SP

MAMBUSHI MXM 120149

Age 11y | AFC 41m | ICP 418d
Calves 7 | Weighed 1 | Wean Mat. 101
Avg. WI 110 | Wean Mat. 101

MXM110989 SP

MAMBUSHI 11-0989

Wean Mat. 93

10-0044MXM

MAMBUSHI 10-0044MXM

Age 14y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 101
Avg. WI - | Wean Mat. 101

CB070046 SP

CHULU CB070046

GF98156R SP

GRASMERE GF98156R

Age 25y | Avg. WI -

Calves - | Weighed -

CB070183 SP

CHULU CB070183

GF990165 SP

GRASMERE GF990165

Age 24y | Avg. WI -

Calves - | Weighed -

CB04532A SP

CHULU CB04532A

GF990315

GRASMERE GF990315

Age 24y | Avg. WI -

Calves - | Weighed -

CB05010B

CHULU CB05010B

GF960080

GRASMERE GF960080

Age 27y | Avg. WI -

Calves - | Weighed -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 230585 (M)
Birth Date	2023-08-29
Sire ID	MXM 180151

Calvings: 23-08

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 123

97	Calving Ease Value
102	Calf Growth Value
97	Milk Value
106	Maintenance Value
129	Fertility Value

GROWTH VALUE -

CARCASS VALUE 94

PRODUCTION VALUE -

LOGIX
GENETICS GROWTH
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	101	102	97	100	120	119	125
37%	35%	20%	21%	12%	53%	18%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	92	92	94	88	93	102	97	113
14%	11%	9%	10%	12%	12%	11%	10%	9%

SELLER REMARKS: With bull calf MXM 23 585 Sired by MXM 18-151

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUD.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhansel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhansel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomes Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotipies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir.	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lankewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik