

# 13 SEPTEMBER 2025

OM 11H00 TE WARMBAD VEEMARK

11<sup>DE</sup> PRODUKSIEVEILING | GPS: 24° 54' 54.2"S 28° 21' 48.2"E

Verkopers: Hendrik Meyer: 082 947 6607 | Schabort Meyer: 072 742 0880 | TO Uys: 071 481 9592



RHENOSTERVALLEI

BEEFMASTERS



BEEF ON GRASS

- BEEFMASTERS -



BEEFMASTER  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSKAP VAN SA



BOSVELD

Diere loop op Hartwater, Rooiwater & Galsiekteveld

GRATIS AFLEWERING BINNE 'N 500KM RADIUS



STOETKUDDE 2019  
FINALIS 2020 - 2023

STOETKUDDE 2024 - 2025

SA STAMBOEK

# KATALOGUS

## **AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY**

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term **"Under the auspices of the Beefmaster Cattle Breeders' Society"** means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its "Logix system", are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society do however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The "Logix system" the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

## ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

SUPERBULL BREEDERS

Town, Province  
078 737 2855  
super\_bull@webmail.com

**SB 200201 PP(c)**

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-01-01 |
| Age        | 2y 7m      |
| Inbreeding | 1%         |
| DNA        | ABC001234  |

**SB 140007**

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    |     |
| Genomic   | ✓    |     |

**SB 140010**  
 Age 7 | AFC 27 | ICP 366  
 Calves 6 | Weaned 2  
 Avg. Wt 89 | Wean Mat. 93  
 Calving: 16-11, 17-10, 18-10,  
 20-03, 21-03, 22-04, 23-04

**SB 110001**

**SB 110012 P**  
 Age 10 | AFC 32 | ICP 475  
 Calves 5 | Weaned -  
 Avg. Wt - | Wean Mat. 80

**SB 110001**  
**SB 060004 Pch**  
 Age 13 | AFC 72 | ICP 360  
 Calves 8 | Weaned 7  
 Avg. Wt 105 | Wean Mat. 110

**9 (6 10)**

**11**

**12**

**13**

1. Lot Number & sex (mixed lots)
  2. Breed's logo
  3. **GT** - animal is genomically tested
  4. Animal Identification Number
  5. Polled Status
    - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
    - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
  6. Animal's photo, or Herd's logo
  7. Herd's logo
  8. Owner's information

9. Animal's information
    - Herd book section
    - Birth date
    - Animal's age
    - Animal's inbreeding percentage
    - DNA Number - if available
  10. Additional information (only females)
    - Age at first calving
    - Number of calves born
    - Number of calves weaned
    - Average Wean Index
    - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
  12. Dam information
    - Age and Number of Calvings
    - Average Wean Index and Number of Calves Weaned
    - Age at First Calving and Intercalving Period
    - Cow award
  13. Four (4) generation pedigree
  14. VPLAN Membership

### QR Code

This code can be scanned with a smart device. It redirects to the animal's information on [www.SABeeFBulls.com](http://www.SABeeFBulls.com) where additional information for the animal is available.



### Myostatin

|       |            |
|-------|------------|
| Q204X | Free       |
| NT821 | Carrier    |
| F94L  | Not Tested |

### Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |            |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 83              | 121        | 130       | 89        | 112        | 84           | 101       | 112     | 125              | 126 | 129 | 113           | 104    | 115    | 149     | 82  | 119 |
| 87%             | 70%        | 83%       | 70%       | 81%        | 68%          | 59%       | 69%     | 72%              | 76% | 80% | 65%           | 81%    | 80%    | 77%     | 74% | 73% |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

## PHENOTYPIC VALUES

| Birth Weight | 205D Weight      | 365D Weight     | 540D Weight     | ADG Index         | FCR Index | Scrotum    | LH   |
|--------------|------------------|-----------------|-----------------|-------------------|-----------|------------|------|
| 47kg         | 239kg   109 (19) | 284kg   99 (10) | 390kg   92 (10) | 1680g/d   90 (13) | 6.08   98 | 353mm (DI) | 1.20 |

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

## LOGIX SELECTION VALUES

| COW VALUE 108        |                    |
|----------------------|--------------------|
| 103                  | Calving Ease Value |
| 118                  | Calf Growth Value  |
| 86                   | Milk Value         |
| 80                   | Maintenance Value  |
| 110                  | Fertility Value    |
| GROWTH VALUE 105     |                    |
| CARCASS VALUE 110    |                    |
| PRODUCTION VALUE 103 |                    |



### Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

### Calving Ease Value

Low birth weight calves

### Calf Growth Value

Heavy weaner calves

### Milk Value

Good mothering ability

### Maintenance Value

Low cow weight

### Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight

EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight

EBVs: Weaning weight Direct

Measurement: Weaning weight

EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight

EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention

EBVs: Heifer fertility, Cow fertility, and Longevity



### Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test

traits

EBVs: Weaning weight, End weight, ADG and

Intake



### Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test

traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



### Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth

Value

## HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

### AVERAGE ANIMALS

(NO GROWTH EXTREMES)

| COW VALUE 112        |                    |
|----------------------|--------------------|
| 99                   | Calving Ease Value |
| 109                  | Calf Growth Value  |
| 108                  | Milk Value         |
| 95                   | Maintenance Value  |
| 104                  | Fertility Value    |
| GROWTH VALUE 108     |                    |
| CARCASS VALUE 109    |                    |
| PRODUCTION VALUE 109 |                    |

- Selection Values 90 to 110
  - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.

### GROWERS

(GOOD ENVIRONMENT)

| COW VALUE 112        |                    |
|----------------------|--------------------|
| 99                   | Calving Ease Value |
| 109                  | Calf Growth Value  |
| 108                  | Milk Value         |
| 95                   | Maintenance Value  |
| 104                  | Fertility Value    |
| GROWTH VALUE 108     |                    |
| CARCASS VALUE 109    |                    |
| PRODUCTION VALUE 109 |                    |

- Calf Growth / Growth Value > 110
  - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

### LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

| COW VALUE 112        |                    |
|----------------------|--------------------|
| 99                   | Calving Ease Value |
| 109                  | Calf Growth Value  |
| 108                  | Milk Value         |
| 95                   | Maintenance Value  |
| 104                  | Fertility Value    |
| GROWTH VALUE 108     |                    |
| CARCASS VALUE 109    |                    |
| PRODUCTION VALUE 109 |                    |


- Maintenance Value > 110
  - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |    | Description/Measurement | Goal                                                                                          | General Guidelines       |       |        |      |        |
|------------------|----|-------------------------|-----------------------------------------------------------------------------------------------|--------------------------|-------|--------|------|--------|
|                  |    |                         |                                                                                               | -80                      | +90   | 90-110 | +110 | +120   |
| Selection Values | 1  | Cow Value               | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow           | Loss  |        |      | Profit |
|                  | 2  | Calving Ease Value      | Risk for calving problems (calf too heavy) vs calf too small                                  | Avg. birth weight        | High  |        |      | Low    |
|                  | 3  | Calf Growth Value       | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf        | Light |        |      | Heavy  |
|                  | 4  | Milk Value              | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf | Less  |        |      | More   |
|                  | 5  | Maintenance Value       | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance      | High  |        | *    | Low    |
|                  | 6  | Fertility Value         | Fertility and retention of cows and heifers                                                   | Fertile cows             | Low   |        |      | High   |
|                  | 7  | Growth Value            | Efficient growth on veld and in feedlot (R-value)                                             | Profitable growth        | Loss  |        |      | Profit |
|                  | 8  | Carcass Value           | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass | Less  |        |      | More   |
|                  | 9  | Production Value        | Combination of Cow- and Growth values (R-value)                                               | Profitable animals       | Loss  |        |      | Profit |
| Cow & Heifer     | 10 | Birth Weight Direct     | Birth weight (Calf's genetic ability)                                                         | Avg. birth weight        | Heavy |        |      | Light  |
|                  | 11 | Birth Weight Maternal   | Birth weight (Cow's genetic ability)                                                          | Easy calving             | Heavy |        |      | Light  |
|                  | 12 | Weaning Weight Direct   | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves      | Light |        |      | Heavy  |
|                  | 13 | Weaning Weight Maternal | Weaning weight (Cow's genetic ability)                                                        | Good mothers             | Poor  |        |      | Good   |
|                  | 21 | Mature Cow Weight       | Cow weight at weaning of first three calves                                                   | Avg. mature cow weight   | Light |        | *    | Heavy  |
|                  |    | Cow-Calf Birth          | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                  | Low   |        |      | High   |
| Fertility        |    | Cow-Calf Wean           | EBV Wean Direct / EBV Mature Cow weight                                                       | High calf-cow ratio      | Low   |        |      | High   |
|                  | 14 | Heifer Fertility        | Age at first calving                                                                          | Fertile heifers          | Less  |        |      | More   |
|                  | 15 | Cow Fertility           | First 3 inter-calving periods (ICPs)                                                          | Fertile cows             | Less  |        |      | More   |
|                  | 16 | Scrotal Circumference   | As measured during the growth test                                                            | Fertile bulls            | Less  |        |      | More   |
| Growth & Frame   | 17 | Longevity               | Retention of progeny                                                                          | Acceptable progeny       | Poor  |        |      | Good   |
|                  | 18 | Post-Wean Weight        | 12- and 18 month weights                                                                      | Good post-wean growth    | Low   |        | *    | High   |
|                  | 19 | Average Daily Gain      | Average daily gain                                                                            | Good growth              | Poor  |        |      | Good   |
|                  | 20 | Feed Conversion Ratio   | 100g feed intake / g weight gain                                                              | Feed efficiency          | Poor  |        |      | Good   |
|                  |    | Final Test Weight       | Final weight in the growth test                                                               | Heavy carcass            | Light |        | *    | Heavy  |
|                  | 22 | Height                  | Shoulder / Hip height in growth test                                                          | Average height           | Short |        |      | Tall   |
| Carcass          | 23 | Length                  | Length in growth test                                                                         | Longer for more muscle   | Short |        |      | Long   |
|                  | 24 | Length-Height Ratio     | EBV Length / EBV Height                                                                       | Longer rather than tall  | <1    |        |      | >1     |
|                  | 25 | Eye Muscle Area         | RTU measured eye muscle area                                                                  | Bigger steaks            | Small |        |      | Big    |
|                  | 26 | Fat Thickness           | RTU measured P8 backfat thickness                                                             | Carcass quality          | Thin  |        |      | Thick  |
|                  | 27 | Marbling                | RTU measured % of intra-muscular fat                                                          | Juicy meat               | Low   |        |      | High   |

\* Determined by own selection goal

## INTERPRETATION OF BREEDING VALUE INDICES



**LOT 1 (M) BEEFMASTER RLR 230018**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2023-07-10 |
| Age        | 2y 2m      |
| Inbreeding | 3%         |
| DNA        | PI837/23   |

**BOS 188133 HH**  
Wean Mat. 94

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |



**BOS 133391**  
Age 11y | AFC 35m | ICP 420d  
Calves 8 | Weaned 7 | Wean Mat. 139  
Avg. WI 107 | CCB 5.24 | CCW 37.2  
Calvings: 16-10, 17-11, 19-04,  
20-05, 21-04, 22-02, 23-07, 24-10

**BOS 155064 HH**  
Wean Mat. 101

**BOS 155021**  
Age 9y | AFC 36m | ICP 455d  
Calves 6 | Weaned 5 | Wean Mat. 93  
Avg. WI 101 | Wean Mat. 93

**BOS 099071**  
Wean Mat. 124

**BOS 100119**  
Age 13y | AFC 24m | ICP 380d  
Calves 11 | Weaned 10 | Wean Mat. 116  
Avg. WI 98 | Wean Mat. 116

**BOS 099197**

**BOS 033214**  
Age 20y | Avg. WI 103  
Calves 10 | Weaned 9

**BOS 099241 HH**

**BOS 088429**  
Age 11y | Avg. WI 100  
Calves 8 | Weaned 7

**BOS 033069 Pch**

**BOS 988404**  
Age 12y | Avg. WI 103  
Calves 10 | Weaned 7

**BOS 033210**

**BOS 01146**  
Age 14y | Avg. WI 107  
Calves 12 | Weaned 11

**COW VALUE 110**

|     |                    |
|-----|--------------------|
| 114 | Calving Ease Value |
| 102 | Calf Growth Value  |
| 116 | Milk Value         |
| 89  | Maintenance Value  |
| 102 | Fertility Value    |

**GROWTH VALUE 99**

**CARCASS VALUE 101**

**PRODUCTION VALUE 104**

**LOGIX**  
EBV Analysis 2025-07-22


| Calf and Mother |            |           |           |            | Fertility    |           |         |  |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|--|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |  |
| 112             | 99         | 102       | 116       | 80         | 96           | 97        | 112     |  |
| 62%             | 46%        | 56%       | 50%       | 42%        | 42%          | 28%       | 49%     |  |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 104              | 106 | 98  | 109           | 91     | 110    | 103     | 77  | 101 |
| 44%              | 38% | 11% | 33%           | 40%    | 38%    | 16%     | 14% | 14% |

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight    | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|----------------|-----------|-----------|---------|----|
| 36kg         | 259kg   100 (I) | 346kg   100 (I) | 385kg   92 (2) | -         | -         | ~ (B2)  | -  |

**SELLER REMARKS:** Hou saadaandeel uit Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 2 (M) BEEFMASTER BOG 220034**



**BEEF ON GRASS PTY LTD**

Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |         |
|-----------|---------|
| Q204X     | Free    |
| NT821     | Carrier |
| F94L      | Free    |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-09-24 |
| Age        | 2y 12m     |
| Inbreeding | 3%         |
| DNA        | P3401/22   |

**BOG 190025**  
Wean Mat. 66

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**ZCW 200365**  
Age 4y | AFC 23m | ICP 405d  
Calves 3 | Weaned 2 | Wean Mat. 87  
Avg. WI 110 | CCB 7.21 | CCW 60.7  
Calvings: 22-09, 24-01, 24-12

**RLR 150055 HH**  
Wean Mat. 76

**BOG 150036**  
Age 9y | AFC 35m | ICP 402d  
Calves 6 | Weaned 6 | Wean Mat. 59  
Avg. WI 98 | Wean Mat. 59

**ZCW 170121**  
Wean Mat. 80

**ZCW 180240**  
Age 6y | AFC - | ICP 419d  
Calves 5 | Weaned 3 | Wean Mat. 74  
Avg. WI 99 | Wean Mat. 74

**RLR 11153 HH**

**BOS 111198**  
Age 12y | Avg. WI 104  
Calves 9 | Weaned 9

**RLR 120090**

**RLR 130077**  
Age 11y | Avg. WI 102  
Calves 10 | Weaned 9

**WO 100202**

**ZCW 050150**  
Age 16y | Avg. WI 102  
Calves 1 | Weaned 1

**RLR 140061**

**ZCW 100104**  
Age 13y | Avg. WI 104  
Calves 11 | Weaned 10

**COW VALUE 102**

|     |                    |
|-----|--------------------|
| 112 | Calving Ease Value |
| 105 | Calf Growth Value  |
| 72  | Milk Value         |
| 116 | Maintenance Value  |
| 110 | Fertility Value    |

**GROWTH VALUE 102**

**CARCASS VALUE 102**

**PRODUCTION VALUE 98**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           |            | Fertility    |           |         |  |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|--|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |  |
| 107             | 114        | 105       | 72        | 119        | 106          | 101       | 117     |  |
| 64%             | 44%        | 63%       | 44%       | 71%        | 36%          | 23%       | 41%     |  |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 103              | 102 | 92  | 87            | 97     | 105    | 109     | 81  | 129 |
| 48%              | 61% | 9%  | 38%           | 73%    | 70%    | 61%     | 53% | 52% |

| Birth Weight | 205D Weight      | 365D Weight | 540D Weight | ADG Index          | FCR Index | Scrotum    | LH   |
|--------------|------------------|-------------|-------------|--------------------|-----------|------------|------|
| 26kg         | 261kg   114 (I9) | -           | -           | 1259g/d   100 (49) | -         | 374mm (D2) | 1.25 |

**SELLER REMARKS:** Skrotum: 42cm Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 3 (M) BEEFMASTER RLR 220022**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miestatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-09-07 |
| Oud.      | 3j         |
| Inteling  | 6%         |
| DNS       | P3146/22   |

RLR 190025 PcPc  
Spm Mat. 77

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

RLR 190047  
Oud. 5j | OEK 34m | TKP 389d  
Kalwers 3 | Gespeen 2 | Spn. Mat. 107  
Gem. SI 99 | KKG 6.96 | KKS 44.1  
Kalwings: 22-09, 23-08, 24-10

BOS 133097  
Spm Mat. 87

BOS 155205  
Oud. 9j | OEK 36m | TKP 390d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 98  
Gem. SI 104 | Spn. Mat. 98

RLR 160056 HH  
Spm Mat. 118

BOS 155022  
Oud. 9j | OEK 36m | TKP 403d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 104  
Gem. SI 103 | Spn. Mat. 104

WO 980062

BOS 033011  
Oud. 13j | Gem. SI 107  
Kalwers 9 | Gespeen 7

BOS 099122

BOS 111439  
Oud. 6j | Gem. SI 100  
Kalwers 3 | Gespeen 3

RLR 130053

BOS 055056  
Oud. 14j | Gem. SI 101  
Kalwers 13 | Gespeen 11

BOS 099241 HH

BOS 088277  
Oud. 10j | Gem. SI 101  
Kalwers 7 | Gespeen 7

**KOEIWAARDE 116**

|     |                     |
|-----|---------------------|
| 106 | Kalfgemak Waarde    |
| 114 | Kalfgroei Waarde    |
| 91  | Melk Waarde         |
| 105 | Onderhoudswaarde    |
| 111 | Vrugbaarheidswaarde |

**GROEI WAARDE 103**

**KARKAS WAARDE 110**

**PRODUKSIE WAARDE 111**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 101            | 117       | 114       | 91        | 76         | 105          | 108         | 113      |
| 67%            | 47%       | 66%       | 48%       | 74%        | 41%          | 28%         | 45%      |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet |
| 111            | 114 | 113 | 95          | 95     | 113    | 121 | 77  |
| 56%            | 66% | 28% | 36%         | 76%    | 72%    | 67% | 61% |

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks        | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|-------------------|------------|------------|------|
| 33kg       | 273kg   101 (15) | -          | -          | 1170g/d   92 (49) | -          | 320mm (D2) | 1.26 |

VERKOPER OPMERKINGS: Hou saadaandeel uit Skrotum: 40cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 4 (M) BEEFMASTER RLR 230001 HH**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miestatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2023-01-11 |
| Oud.      | 2j 8m      |
| Inteling  | 4%         |
| DNS       | USC034899  |

RLR 190053 HH  
Spm Mat. 126

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies | ✓    |      |

BOS 111198  
Oud. 12j | OEK 36m | TKP 377d  
Kalwers 9 | Gespeen 9 | Spn. Mat. 7  
Gem. SI 104 | KKG 7.23 | KKS 49.4  
Kalwings: 14-10, 15-10, 16-10, 17-11, 18-10, 19-10, 20-12, 21-11, 23-01

RLR 160025 HH  
Spm Mat. 116

HS 101000  
Oud. 15j | OEK 27m | TKP 365d  
Kalwers 13 | Gespeen 11 | Spn. Mat. 136  
Gem. SI 106 | Spn. Mat. 136

BOS 022109  
Spm Mat. 83

BOS 066082  
Oud. 14j | OEK 24m | TKP 369d  
Kalwers 13 | Gespeen 14 | Spn. Mat. 108  
Gem. SI 99 | Spn. Mat. 108

RLR 111153 HH

RLR 140012 HH  
Oud. 11j | Gem. SI 100  
Kalwers 9 | Gespeen 9

WO 030397

BYB 011010  
Oud. 11j | Gem. SI 94  
Kalwers 9 | Gespeen 6

WO 980062

BOS 988438  
Oud. 10j | Gem. SI 103  
Kalwers 5 | Gespeen 3

BOS 033069 PcH

BOS 022269  
Oud. 9j | Gem. SI 95  
Kalwers 6 | Gespeen 2

**KOEIWAARDE 123**

|     |                     |
|-----|---------------------|
| 86  | Kalfgemak Waarde    |
| 112 | Kalfgroei Waarde    |
| 102 | Melk Waarde         |
| 106 | Onderhoudswaarde    |
| 119 | Vrugbaarheidswaarde |

**GROEI WAARDE 105**

**KARKAS WAARDE 107**

**PRODUKSIE WAARDE 118**

**LOGIX**  
Genomies Toelawaarde  
Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 84             | 118       | 112       | 102       | 137        | 110          | 104         | 128      |
| 87%            | 84%       | 87%       | 84%       | 85%        | 82%          | 81%         | 84%      |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet |
| 112            | 109 | 98  | 94          | 86     | 97     | 96  | 130 |
| 86%            | 84% | 81% | 82%         | 85%    | 85%    | 83% | 82% |

| Geb. Gewig | 205D Gewig     | 365D Gewig     | 540D Gewig     | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|----------------|----------------|----------------|------------|------------|---------|----|
| 42kg       | 202kg   94 (4) | 291kg   95 (5) | 412kg   94 (5) | -          | -          | - (B2)  | -  |

VERKOPER OPMERKINGS: Hou saadaandeel uit Skrotum: 44cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 5 (M)**



**HS 220017 HH**



**G.A. STEENKAMP**

Steenbokpan, Limpopo  
083635610  
hardus@phumba.co.za

DOORNLAAGTE LQ 353, POS-  
BUS 614, Lephalale, 0555

USED IN HERD (6)



**Myostatin**

|       |      |
|-------|------|
| Q204X | Free |
| NT82I | Free |
| F94L  | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-06-09 |
| Age        | 3y 3m      |
| Inbreeding | 2%         |
| DNA        | USC032552  |

**BOS 033210**  
Wean Mat. 93

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   | ✓    | ✓   |

**HS 080120**  
Age 14y | AFC 23m | ICP 376d  
Calves 13 | Weaned 12 | Wean Mat. 102  
Avg. WI 106 | CCB 7.78 | CCW 59.2  
Calvings: 10-09, 11-09, 12-10, 13-11,  
14-11, 15-10, 16-10, 17-10, 18-11,  
19-11, 20-11, 21-12, 23-02

**1175**  
Wean Mat. 85

**BOS 000537**  
Age 13y | AFC 37m | ICP 362d  
Calves 10 | Weaned 8 | Wean Mat. 78  
Avg. WI 96 | Wean Mat. 78

**WO 050427**  
Wean Mat. 94

**BVB 011010**  
Age 11y | AFC - | ICP 367d  
Calves 9 | Weaned 6 | Wean Mat. 97  
Avg. WI 94 | Wean Mat. 97

**L513**

**BOS 977232**

**BOS 977603**  
Age 8y | Avg. WI 99  
Calves 3 | Weaned -

**WO 020049**

**WO 940101**  
Age 13y | Avg. WI 99  
Calves 10 | Weaned 4

**SOC96362M**

**COW VALUE 109**

|     |                    |
|-----|--------------------|
| 101 | Calving Ease Value |
| 110 | Calf Growth Value  |
| 97  | Milk Value         |
| 96  | Maintenance Value  |
| 108 | Fertility Value    |

**GROWTH VALUE 102**

**CARCASS VALUE 103**

**PRODUCTION VALUE 105**



| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 97              | 115        | 110       | 97        | 86         | 108          | 90        | 119     |
| 88%             | 86%        | 86%       | 86%       | 85%        | 86%          | 84%       | 86%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 109              | 110 | 103 | 102           | 89     | 104    | 106     | 74  | 125 |
| 86%              | 85% | 82% | 85%           | 85%    | 85%    | 83%     | 83% | 83% |

|              |                 |             |                 |           |           |         |    |
|--------------|-----------------|-------------|-----------------|-----------|-----------|---------|----|
| Birth Weight | 205D Weight     | 365D Weight | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
| 31kg         | 262kg   100 (I) | -           | 358kg   100 (I) | -         | -         | (B2)    | -  |

**SELLER REMARKS:** Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Spons, Lam, Milt en Olifantvelsiekte

**LOT 6 (M)**



**BOG 220048**



**BEEF ON GRASS PTY LTD**

Bela Bela, Limpopo  
0714819592  
to.uy88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



**Myostatin**

|       |      |
|-------|------|
| Q204X | Free |
| NT82I | Free |
| F94L  | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-10-02 |
| Age        | 2y 11m     |
| Inbreeding | 3%         |
| DNA        | P3415/22   |

**RLR 170031 HH**  
Wean Mat. 128

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   | ✓    | ✓   |

**BOG 190042**  
Age 5y | AFC 34m | ICP 380d  
Calves 3 | Weaned 3 | Wean Mat. 97  
Avg. WI 105 | CCB 7.05 | CCW 57.3  
Calvings: 22-10, 23-11, 24-10

**RLR 140049**  
Wean Mat. 115

**RLR 130105**  
Age 11y | AFC 33m | ICP 399d  
Calves 9 | Weaned 7 | Wean Mat. 121  
Avg. WI 106 | Wean Mat. 121

**RLR 150055 HH**  
Wean Mat. 76

**BOS 100310**  
Age 14y | AFC 24m | ICP 414d  
Calves 12 | Weaned 11 | Wean Mat. 105  
Avg. WI 102 | Wean Mat. 105

**BOS 099403**

**HS 100100**  
Age 15y | Avg. WI 106  
Calves 13 | Weaned 11

**BOS 099110**

**BOS 077021**  
Age 13y | Avg. WI 103  
Calves 10 | Weaned 8

**RLR 111513 HH**

**BOS 111198**  
Age 12y | Avg. WI 104  
Calves 9 | Weaned 9

**BOS 022109**

**BOS 044048**  
Age 12y | Avg. WI 101  
Calves 10 | Weaned 9

**COW VALUE 131**

|     |                    |
|-----|--------------------|
| 102 | Calving Ease Value |
| 110 | Calf Growth Value  |
| 112 | Milk Value         |
| 114 | Maintenance Value  |
| 112 | Fertility Value    |

**GROWTH VALUE 92**

**CARCASS VALUE 99**

**PRODUCTION VALUE 122**



| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 101             | 103        | 110       | 112       | 131        | 113          | 95        | 120     |
| 67%             | 51%        | 67%       | 51%       | 74%        | 45%          | 26%       | 46%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 108              | 97  | 95  | 88            | 86     | 97     | 95      | 99  | 144 |
| 58%              | 65% | 27% | 42%           | 75%    | 72%    | 65%     | 59% | 58% |

|              |                  |             |             |                   |           |            |      |
|--------------|------------------|-------------|-------------|-------------------|-----------|------------|------|
| Birth Weight | 205D Weight      | 365D Weight | 540D Weight | ADG Index         | FCR Index | Scrotum    | LH   |
| 27kg         | 240kg   103 (I9) | -           | -           | 1161g/d   92 (49) | -         | 378mm (D2) | 1.23 |

**SELLER REMARKS:** Hou saadaandeel uit Skrotum: 44cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvac, Bfectect, Respiravac

**LOT 7 (M)**



**RLR 220040 Pch**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miestation |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Draer |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-09-29 |
| Oud.      | 2j 12m     |
| Inteling  | 4%         |
| DNS       | USC032540  |

**RLR 190025 Pch**  
Spm Mat. 77

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies | ✓    | ✓    |

**RLR 190052**  
Oud. 5j | OEK 35m | TKP 500d  
Kalwers 2 | Gespeen 2 | Spn. Mat. 104  
Gem. SI 106 | KKG 7.2 | KKS 48.8  
Kalwings: 22-09, 24-02

**BOS 133097**  
Spm Mat. 87

**BOS 155205**  
Oud. 9j | OEK 36m | TKP 390d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 98  
Gem. SI 104 | Spn. Mat. 98

**BOS 133095 HH**  
Spm Mat. 84

**RLR 130002**  
Oud. 10j | OEK 32m | TKP 438d  
Kalwers 7 | Gespeen 7 | Spn. Mat. 123  
Gem. SI 107 | Spn. Mat. 123

**WO 980062**

**BOS 033011**  
Oud. 13j | Gem. SI 107  
Kalwers 9 | Gespeen 7

**BOS 099122**

**BOS 111439**  
Oud. 6j | Gem. SI 100  
Kalwers 3 | Gespeen 3

**BOS 088080 Pch**

**BOS 066096**  
Oud. 12j | Gem. SI 101  
Kalwers 10 | Gespeen 10

**BOS 088432 HH**

**RLR 080051**  
Oud. 15j | Gem. SI 103  
Kalwers 12 | Gespeen 11

**KOEIWAARDE 123**

|     |                     |
|-----|---------------------|
| 92  | Kalfgemak Waarde    |
| 126 | Kalfgroei Waarde    |
| 90  | Melk Waarde         |
| 117 | Onderhoudswaarde    |
| 101 | Vrugbaarheidswaarde |

**GROEI WAARDE 114**

**KARKAS WAARDE 118**

**PRODUKSIE WAARDE 119**

**LOGIX**  
Genomies Technology  
Analyse 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spm. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 90             | 120       | 126       | 90        | 78         | 101          | 89          | 111      |
| 85%            | 82%       | 85%       | 82%       | 87%        | 81%          | 80%         | 82%      |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet |
| 120            | 113 | 119 | 86          | 92     | 110    | 116 | 118 |
| 83%            | 85% | 84% | 81%         | 87%    | 86%    | 85% | 83% |

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks         | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|--------------------|------------|------------|------|
| 38kg       | 296kg   108 (15) | -          | -          | 1949g/d   113 (20) | 5.22   115 | 288mm (C3) | 1.26 |

**VERKOPER OPMERKINGS:** Skrotum: 44cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 8 (M)**



**BOG 220080**



**BEEF ON GRASS PTY LTD**

Bela Bela, Limpopo

0714819592

to.uy588@gmail.com

P.O. BOX 10020, FONTEINRIET, BOKSBURG, 1464



| Miestation |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Draer |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-10-29 |
| Oud.      | 2j 10m     |
| Inteling  | 0%         |
| DNS       | P3649/22   |

**SCH 160103 Pch**  
Spm Mat. 104

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies | ✓    | ✓    |

**BOG 170030**  
Oud. 7j | OEK 35m | TKP 366d  
Kalwers 5 | Gespeen 5 | Spn. Mat. 105  
Gem. SI 105 | KKG 7.11 | KKS 52.6  
Kalwings: 20-10, 21-10, 22-10, 23-11, 24-10

**WO 110544 Pch**  
Spm Mat. 51

**SCH 110040**  
Oud. 13j | OEK 31m | TKP 384d  
Kalwers 10 | Gespeen 10 | Spn. Mat. 128  
Gem. SI 103 | Spn. Mat. 128

**RLR 111153 HH**  
Spm Mat. 94

**RLR 140100**  
Oud. 3j | OEK 24m | TKP 356d  
Kalwers 2 | Gespeen 2 | Spn. Mat. 89  
Gem. SI 100 | Spn. Mat. 89

**MULTIPLE SIRES**

**WO 060304**  
Oud. 12j | Gem. SI 104  
Kalwers 8 | Gespeen 6

**MULTIPLE SIRES**

**PEN 040311**  
Oud. 12j | Gem. SI 106  
Kalwers 5 | Gespeen 5

**FXF 060002**

**FXF 080210**  
Oud. 11j | Gem. SI 100  
Kalwers 9 | Gespeen 9

**BOS 088432 HH**

**BVB 066007**  
Oud. 11j | Gem. SI 99  
Kalwers 10 | Gespeen 8

**KOEIWAARDE 129**

|     |                     |
|-----|---------------------|
| 88  | Kalfgemak Waarde    |
| 127 | Kalfgroei Waarde    |
| 103 | Melk Waarde         |
| 81  | Onderhoudswaarde    |
| 124 | Vrugbaarheidswaarde |

**GROEI WAARDE 133**

**KARKAS WAARDE 129**

**PRODUKSIE WAARDE 129**

**LOGIX**  
Genomies Technology  
Analyse 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spm. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 87             | 110       | 127       | 103       | 132        | 116          | 130         | 113      |
| 68%            | 56%       | 68%       | 58%       | 75%        | 50%          | 32%         | 52%      |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet |
| 132            | 137 | 126 | 121         | 129    | 127    | 145 | 67  |
| 56%            | 67% | 10% | 53%         | 76%    | 73%    | 65% | 58% |

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks         | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|--------------------|------------|------------|------|
| 33kg       | 245kg   100 (16) | -          | -          | 1348g/d   107 (49) | -          | 349mm (D2) | 1.21 |

**VERKOPER OPMERKINGS:** Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 9 (M) BEEFMASTER BOG 220102**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**SELLER REMARKS:** Skrotum: 53cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

|            |            |
|------------|------------|
| Herd Book  | C          |
| Birth date | 2022-11-18 |
| Age        | 2y 10m     |
| Inbreeding | 1%         |
| DNA        | P3743/22   |

|           |               |
|-----------|---------------|
| MB 160490 | Wean Mat. 103 |
| Parentage | Sire Dam      |
| DNA       | ✓ ✓           |
| Genomic   |               |

|            |                                                                                                          |
|------------|----------------------------------------------------------------------------------------------------------|
| RLR 140097 | Age 10y   AFC 24m   ICP 359d<br>Calves 9   Weaned 8   Wean Mat. 118<br>Avg. WI 106   CCB 7.95   CCW 53.2 |
| Calvings:  | 16-12, 17-11, 18-10, 19-10,<br>20-09, 21-10, 22-11, 23-11, 24-10                                         |

|                |                                                                                                 |                                                             |
|----------------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| BOS 122237 Pch | Wean Mat. 134                                                                                   | WO 060052                                                   |
| BA 100506      | Age 11y   AFC 25m   ICP 447d<br>Calves 8   Weaned 9   Wean Mat. 95<br>Avg. WI 91   Wean Mat. 95 | BOS 044149<br>Age 12y   Avg. WI 104<br>Calves 10   Weaned 8 |
| BOS 088432 HH  | Wean Mat. 86                                                                                    | MAJ 070346                                                  |
| RLR 100015     | Age 9y   AFC -   ICP 351d<br>Calves 7   Weaned 7   Wean Mat. 92<br>Avg. WI 93   Wean Mat. 92    | MAJ 060681<br>Age 10y   Avg. WI 108<br>Calves 9   Weaned 8  |
|                |                                                                                                 | BOS 055045                                                  |
|                |                                                                                                 | BOS 066284<br>Age 14y   Avg. WI 100<br>Calves 10   Weaned 6 |
|                |                                                                                                 | MULTIPLE SIREs                                              |

|                             |
|-----------------------------|
| <b>COW VALUE 132</b>        |
| 73 Calving Ease Value       |
| 134 Calf Growth Value       |
| 107 Milk Value              |
| 83 Maintenance Value        |
| 119 Fertility Value         |
| <b>GROWTH VALUE 140</b>     |
| <b>CARCASS VALUE 128</b>    |
| <b>PRODUCTION VALUE 134</b> |

|              |                  |             |             |                    |           |            |      |
|--------------|------------------|-------------|-------------|--------------------|-----------|------------|------|
| Birth Weight | 205D Weight      | 365D Weight | 540D Weight | ADG Index          | FCR Index | Scrotum    | LH   |
| 48kg         | 297kg   117 (16) | -           | -           | 1643g/d   130 (49) | -         | 397mm (D2) | 1.24 |



| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 70              | 100        | 134       | 107       | 145        | 109          | 125       | 113     |
| 69%             | 56%        | 69%       | 57%       | 74%        | 43%          | 29%       | 52%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 135              | 134 | 123 | 117           | 132    | 124    | 90      | 109 | 92  |
| 60%              | 66% | 21% | 47%           | 76%    | 72%    | 66%     | 60% | 59% |

**LOT 10 (M) BEEFMASTER RLR 220123**



**J.H. MEYER**



Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**SELLER REMARKS:** Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-12-10 |
| Age        | 2y 9m      |
| Inbreeding | 8%         |
| DNA        | P39/23     |

|               |              |
|---------------|--------------|
| RLR 190086 HH | Wean Mat. 76 |
| Parentage     | Sire Dam     |
| DNA           | ✓ ✓          |
| Genomic       |              |

|            |                                                                                                       |
|------------|-------------------------------------------------------------------------------------------------------|
| RLR 160081 | Age 8y   AFC 23m   ICP 392d<br>Calves 7   Weaned 7   Wean Mat. 130<br>Avg. WI 110   CCB 7.68   CCW 43 |
| Calvings:  | 18-10, 19-11, 20-11, 21-11,<br>22-12, 23-10, 24-11                                                    |

|               |                                                                                                    |                                                              |
|---------------|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| RLR 160064 HH | Wean Mat. 59                                                                                       | WO 130103                                                    |
| RLR 140012 HH | Age 11y   AFC 29m   ICP 379d<br>Calves 9   Weaned 9   Wean Mat. 97<br>Avg. WI 100   Wean Mat. 97   | BOS 111198<br>Age 12y   Avg. WI 104<br>Calves 9   Weaned 9   |
| WO 130103     | Wean Mat. 99                                                                                       | RLR 101098                                                   |
| RLR 130002    | Age 10y   AFC 32m   ICP 438d<br>Calves 7   Weaned 7   Wean Mat. 123<br>Avg. WI 107   Wean Mat. 123 | RLR 120001<br>Age 11y   Avg. WI 103<br>Calves 9   Weaned 10  |
|               |                                                                                                    | WO 100126                                                    |
|               |                                                                                                    | WO 090130<br>Age 6y   Avg. WI 97<br>Calves 3   Weaned 2      |
|               |                                                                                                    | BOS 088432 HH                                                |
|               |                                                                                                    | RLR 080051<br>Age 15y   Avg. WI 103<br>Calves 12   Weaned 11 |

|                             |
|-----------------------------|
| <b>COW VALUE 130</b>        |
| 75 Calving Ease Value       |
| 134 Calf Growth Value       |
| 105 Milk Value              |
| 93 Maintenance Value        |
| 111 Fertility Value         |
| <b>GROWTH VALUE 114</b>     |
| <b>CARCASS VALUE 125</b>    |
| <b>PRODUCTION VALUE 126</b> |

|              |                  |             |             |                   |           |            |      |
|--------------|------------------|-------------|-------------|-------------------|-----------|------------|------|
| Birth Weight | 205D Weight      | 365D Weight | 540D Weight | ADG Index         | FCR Index | Scrotum    | LH   |
| 49kg         | 281kg   113 (10) | -           | -           | 1152g/d   91 (49) | -         | 326mm (D2) | 1.19 |



| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 52              | 111        | 134       | 105       | 92         | 104          | 102       | 119     |
| 68%             | 51%        | 68%       | 53%       | 75%        | 37%          | 25%       | 46%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 133              | 121 | 106 | 105           | 128    | 127    | 118     | 131 | 129 |
| 58%              | 67% | 33% | 42%           | 76%    | 73%    | 67%     | 61% | 60% |

**LOT 11 (M) BEEFMASTER RLR 220112**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Mioestation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Draer |
| F94L        | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-11-26 |
| Oud.      | 2j 10m     |
| Inteling  | 10%        |
| DNS       | P3779/22   |

**RLR 190037 HH**  
Spn Mat. 107

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**RLR 150073**  
Oud. 9j | OEK 36m | TKP 407d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 127  
Gem. SI 104 | KKG 6.14 | KKS 39.2  
Kalwings: 18-10, 19-11, 20-11, 22-01, 22-11, 23-10, 25-06

**RLR 160045 HH**  
Spn Mat. 115

**RLR 120088**  
Oud. 12j | OEK 34m | TKP 374d  
Kalwers 9 | Gespeen 9 | Spn. Mat. 98  
Gem. SI 99 | Spn. Mat. 98

**RLR 120061**  
Spn Mat. 107

**BOS 11230**  
Oud. 13j | OEK 37m | TKP 370d  
Kalwers 11 | Gespeen 11 | Spn. Mat. 127  
Gem. SI 107 | Spn. Mat. 127

WO 130103

**BOS 11230**  
Oud. 13j | Gem. SI 107  
Kalwers 11 | Gespeen 11

**FXF 090030**

**FXF 070136**  
Oud. 12j | Gem. SI 100  
Kalwers 11 | Gespeen 11

**BOS 088432 HH**  
Oud. 8j | Gem. SI 111  
Kalwers 5 | Gespeen 5

**BOS 077294**  
Oud. 8j | Gem. SI 111  
Kalwers 5 | Gespeen 5

**BOS 088069 Pch**  
Oud. 16j | Gem. SI 101  
Kalwers 11 | Gespeen 8

**BOS 088417**  
Oud. 16j | Gem. SI 101  
Kalwers 11 | Gespeen 8

**KOEIWAARDE 123**

|     |                     |
|-----|---------------------|
| 86  | Kalfgemak Waarde    |
| 104 | Kalfgroei Waarde    |
| 117 | Melk Waarde         |
| 103 | Onderhoudswaarde    |
| 117 | Vrugbaarheidswaarde |

**GROEI WAARDE 101**

**KARKAS WAARDE 103**

**PRODUKSIE WAARDE 116**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 88             | 97        | 104       | 117       | 108          | 108         | 118         | 114      |
| 66%            | 48%       | 65%       | 50%       | 74%          | 32%         | 25%         | 44%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volv. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 107            | 106 | 102 | 95          | 89     | 106    | 126    | 79  | 102 |
| 52%            | 64% | 25% | 37%         | 75%    | 72%    | 64%    | 57% | 55% |

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks        | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|-------------------|------------|------------|------|
| 40kg       | 244kg   100 (10) | -          | -          | 1223g/d   97 (49) | -          | 339mm (D2) | 1.25 |

VERKOPER OPMERKINGS: Skrotum: 46cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 12 (M) BEEFMASTER RLR 220120**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Mioestation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Skoon |
| F94L        | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-12-05 |
| Oud.      | 2j 9m      |
| Inteling  | 6%         |
| DNS       | P36/23     |

**RLR 190058 Pch**  
Spn Mat. 94

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**BOS 11230**  
Oud. 13j | OEK 37m | TKP 370d  
Kalwers 11 | Gespeen 11 | Spn. Mat. 127  
Gem. SI 107 | KKG 7.31 | KKS 46.2  
Kalwings: 14-10, 15-10, 16-10, 17-11, 18-11, 19-11, 20-11, 21-11, 22-12, 23-11, 24-12

**RLR 160064 HH**  
Spn Mat. 59

**RLR 140006**  
Oud. 11j | OEK 31m | TKP 395d  
Kalwers 9 | Gespeen 8 | Spn. Mat. 107  
Gem. SI 103 | Spn. Mat. 107

**BOS 088069 Pch**  
Spn Mat. 114

**BOS 088417**  
Oud. 16j | OEK 36m | TKP 394d  
Kalwers 11 | Gespeen 8 | Spn. Mat. 96  
Gem. SI 101 | Spn. Mat. 96

WO 130103

**BOS 11198**  
Oud. 12j | Gem. SI 104  
Kalwers 9 | Gespeen 9

**BOS 088432 HH**  
Oud. 12j | Gem. SI 103  
Kalwers 11 | Gespeen 10

**BOS 088042**  
Oud. 12j | Gem. SI 103  
Kalwers 11 | Gespeen 10

**BOS 033069 Pch**  
Oud. 14j | Gem. SI 103  
Kalwers 11 | Gespeen 8

**BOS 988573**  
Oud. 14j | Gem. SI 103  
Kalwers 11 | Gespeen 8

**BOS 055068**  
Oud. 3j | Gem. SI 100  
Kalwers 1 | Gespeen 1

**BOS 066420**  
Oud. 3j | Gem. SI 100  
Kalwers 1 | Gespeen 1

**KOEIWAARDE 124**

|     |                     |
|-----|---------------------|
| 77  | Kalfgemak Waarde    |
| 132 | Kalfgroei Waarde    |
| 110 | Melk Waarde         |
| 86  | Onderhoudswaarde    |
| 103 | Vrugbaarheidswaarde |

**GROEI WAARDE 119**

**KARKAS WAARDE 121**

**PRODUKSIE WAARDE 121**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 58             | 117       | 132       | 110       | 119          | 78          | 118         | 115      |
| 68%            | 52%       | 69%       | 53%       | 75%          | 36%         | 27%         | 48%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volv. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 130            | 117 | 103 | 113         | 128    | 135    | 115    | 92  | 113 |
| 52%            | 67% | 27% | 37%         | 77%    | 74%    | 66%    | 59% | 58% |

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks        | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|-------------------|------------|------------|------|
| 49kg       | 295kg   120 (10) | -          | -          | 1250g/d   99 (49) | -          | 380mm (D2) | 1.22 |

VERKOPER OPMERKINGS: Skrotum: 46cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 13 (M)**



**RLR 220095**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**SELLER REMARKS:** Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

**RLR 190058** PcH  
Wean Mat. 94

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-11-08 |
| Age        | 2y 10m     |
| Inbreeding | 0%         |
| DNA        | P3762/22   |

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |



**FXF 090740**  
Age 15y | AFC 28m | ICP 355d  
Calves 14 | Weaned 14 | Wean Mat. 123  
Avg. WI 104 | CCB 6.43 | CCW 43.2  
Calvings: 12-03, 13-03, 14-02,  
15-01, 15-12, 16-11, 17-10, 18-10,  
19-10, 20-10, 21-10, 22-11, 23-10,  
24-11

**RLR 160064** HH  
Wean Mat. 59

WO 130103

**BOS 111198**  
Age 12y | Avg. WI 104  
Calves 9 | Weaned 9

**BOS 088432** HH

**BOS 088042**  
Age 12y | Avg. WI 103  
Calves 11 | Weaned 10

**FXF 010047**

**FXF 970261**  
Age 11y | Avg. WI 102  
Calves 3 | Weaned 2

**FXF 050058**  
Wean Mat. 77

**FXF 030408**

Age 8y | AFC - | ICP 485d  
Calves 5 | Weaned 5 | Wean Mat. 129  
Avg. WI 107 | Wean Mat. 129

**COW VALUE 110**

|     |                    |
|-----|--------------------|
| 77  | Calving Ease Value |
| 118 | Calf Growth Value  |
| 108 | Milk Value         |
| 83  | Maintenance Value  |
| 106 | Fertility Value    |

**GROWTH VALUE 113**

**CARCASS VALUE 112**

**PRODUCTION VALUE 107**

| Birth Weight | 205D Weight      | 365D Weight | 540D Weight | ADG Index         | FCR Index | Scrotum    | LH   |
|--------------|------------------|-------------|-------------|-------------------|-----------|------------|------|
| 37kg         | 268kg   101 (30) | -           | -           | 1586g/d   92 (20) | 6.6   93  | 319mm (C3) | 1.22 |

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 78              | 126        | 118       | 108       | 97         | 97           | 102       | 115     |
| 69%             | 53%        | 68%       | 54%       | 74%        | 32%          | 23%       | 47%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 116              | 111 | 94  | 117           | 131    | 130    | 108     | 100 | 112 |
| 54%              | 66% | 68% | 42%           | 76%    | 73%    | 65%     | 59% | 57% |

**LOT 14 (M)**



**RLR 220096**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**SELLER REMARKS:** Skrotum: 44cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

**RLR 190058** PcH  
Wean Mat. 94

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-11-08 |
| Age        | 2y 10m     |
| Inbreeding | 9%         |
| DNA        | P3763/22   |

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**RLR 170041**  
Age 7y | AFC 24m | ICP 364d  
Calves 6 | Weaned 5 | Wean Mat. 74  
Avg. WI 100 | CCB 6.52 | CCW 38.6  
Calvings: 19-10, 20-12, 21-11, 22-11,  
23-11, 24-10

**RLR 160064** HH  
Wean Mat. 59

WO 130103

**BOS 111198**  
Age 12y | Avg. WI 104  
Calves 9 | Weaned 9

**BOS 088432** HH

**BOS 088042**  
Age 12y | Avg. WI 103  
Calves 11 | Weaned 10

**BOS 111313** HH

**BOS 111198**  
Age 12y | Avg. WI 104  
Calves 9 | Weaned 9

**RLR 140061**  
Wean Mat. 46

**RLR 150049**

Age 10y | AFC 25m | ICP 358d  
Calves 8 | Weaned 7 | Wean Mat. 97  
Avg. WI 108 | Wean Mat. 97

**RLR 120118**

Age 12y | Avg. WI 97  
Calves 10 | Weaned 9

**COW VALUE 106**

|     |                    |
|-----|--------------------|
| 73  | Calving Ease Value |
| 129 | Calf Growth Value  |
| 81  | Milk Value         |
| 93  | Maintenance Value  |
| 106 | Fertility Value    |

**GROWTH VALUE 106**

**CARCASS VALUE 109**

**PRODUCTION VALUE 102**

| Birth Weight | 205D Weight      | 365D Weight | 540D Weight | ADG Index         | FCR Index | Scrotum    | LH   |
|--------------|------------------|-------------|-------------|-------------------|-----------|------------|------|
| 36kg         | 281kg   107 (30) | -           | -           | 1241g/d   98 (49) | -         | 358mm (D2) | 1.21 |

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 72              | 132        | 129       | 81        | 90         | 87           | 108       | 120     |
| 67%             | 50%        | 66%       | 50%       | 74%        | 33%          | 23%       | 44%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 124              | 106 | 94  | 106           | 113    | 117    | 112     | 71  | 125 |
| 52%              | 65% | 27% | 42%           | 76%    | 72%    | 65%     | 59% | 57% |

**LOT 15 (M) BEEFMASTER RLR 220066**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Mioestation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Skoon |
| F94L        | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-10-23 |
| Oud.      | 2j 11m     |
| Inteling  | 2%         |
| DNS       | P3626/22   |

**RLR 190053 HH**  
Spn Mat. 126

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**SP 180130**  
Oud. 6j | OEK 25m | TKP 364d  
Kalwers 5 | Gespeen 4 | Spn. Mat. 97  
Gem. SI 101 | KKG 6.53 | KKS 42.2  
Kalwings: 20-10, 21-11, 22-10,  
23-10, 24-10

**RLR 160025 HH**  
Spn Mat. 116

**HS 100100**  
Oud. 15j | OEK 27m | TKP 365d  
Kalwers 13 | Gespeen 11 | Spn. Mat. 136  
Gem. SI 106 | Spn. Mat. 136

**HS 130106**  
Spn Mat. 89

**SP 090009**  
Oud. 12j | OEK 26m | TKP 377d  
Kalwers 10 | Gespeen 8 | Spn. Mat. 114  
Gem. SI 106 | Spn. Mat. 114

**RLR 111153 HH**  
**RLR 140012 HH**  
Oud. 11j | Gem. SI 100  
Kalwers 9 | Gespeen 9

**WO 030397**  
**BVB 01010**  
Oud. 11j | Gem. SI 94  
Kalwers 9 | Gespeen 6

**RLR 101081**  
**HS 100111**  
Oud. 14j | Gem. SI 102  
Kalwers 12 | Gespeen 11

**578/3**  
**SP 070124**  
Oud. 9j | Gem. SI 99  
Kalwers 7 | Gespeen 5

**KOEIWAARDE 123**

|     |                     |
|-----|---------------------|
| 112 | Kalfgemak Waarde    |
| 111 | Kalfgroei Waarde    |
| 112 | Melk Waarde         |
| 90  | Onderhoudswaarde    |
| 114 | Vrugbaarheidswaarde |

**GROEI WAARDE 107**

**KARKAS WAARDE 113**

**PRODUKSIE WAARDE 118**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 108            | 111       | 111       | 112       | 130        | 107          | 102         | 122      |  |
| 68%            | 50%       | 67%       | 48%       | 73%        | 31%          | 23%         | 45%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 113            | 123 | 138 | 108         | 87     | 93     | 110    | 137 | 119 |
| 52%            | 64% | 67% | 37%         | 75%    | 71%    | 63%    | 57% | 55% |

| Geb. Gewig | 20SD Gewig       | 36SD Gewig | 540D Gewig | GDT Indeks         | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|--------------------|------------|------------|------|
| 39kg       | 286kg   108 (30) | -          | -          | 1718g/d   100 (20) | 5.73   107 | 341mm (C3) | 1.22 |

**VERKOPER OPMERKINGS:** Skrotum: 46cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 16 (M) BEEFMASTER BOG 230005**



**BEEF ON GRASS PTY LTD**

Bela Bela, Limpopo

0714819592

to.usy88@gmail.com

P.O. BOX 10020, FONTEINRIET, BOKSBURG, 1464



| Mioestation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Skoon |
| F94L        | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2023-02-02 |
| Oud.      | 2j 7m      |
| Inteling  | 2%         |
| DNS       | P694/23    |

**RLR 160064 HH**  
Spn Mat. 59

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**BOS 100095**  
Oud. 13j | OEK 37m | TKP 486d  
Kalwers 8 | Gespeen 6 | Spn. Mat. 103  
Gem. SI 103 | KKG 6.69 | KKS 46.4  
Kalwings: 13-10, 14-11, 16-05,  
17-10, 19-01, 20-08, 21-12, 23-02

**WO 130103**  
Spn Mat. 99

**BOS 111198**  
Oud. 12j | OEK 36m | TKP 377d  
Kalwers 9 | Gespeen 9 | Spn. Mat. 71  
Gem. SI 104 | Spn. Mat. 71

**BOS 077201 Pch**  
Spn Mat. 97

**BOS 077049**  
Oud. 8j | OEK 37m | TKP 485d  
Kalwers 5 | Gespeen 3 | Spn. Mat. 92  
Gem. SI 100 | Spn. Mat. 92

**WO 100126**  
**WO 090130**  
Oud. 6j | Gem. SI 97  
Kalwers 3 | Gespeen 2

**BOS 022109**  
**BOS 066082**  
Oud. 14j | Gem. SI 99  
Kalwers 13 | Gespeen 14

**BOS 022099**  
**BOS 988105**  
Oud. 14j | Gem. SI 97  
Kalwers 11 | Gespeen 7

**BOS 033015**  
**BOS 011321**  
Oud. 8j | Gem. SI 94  
Kalwers 4 | Gespeen 4

**KOEIWAARDE 107**

|     |                     |
|-----|---------------------|
| 74  | Kalfgemak Waarde    |
| 140 | Kalfgroei Waarde    |
| 83  | Melk Waarde         |
| 89  | Onderhoudswaarde    |
| 94  | Vrugbaarheidswaarde |

**GROEI WAARDE 119**

**KARKAS WAARDE 129**

**PRODUKSIE WAARDE 106**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 52             | 127       | 140       | 83        | 99         | 85           | 75          | 123      |  |
| 67%            | 54%       | 67%       | 56%       | 53%        | 46%          | 30%         | 54%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 136            | 122 | 104 | 112         | 113    | 129    | 121    | 122 | 134 |
| 61%            | 51% | 21% | 39%         | 54%    | 53%    | 42%    | 40% | 40% |

| Geb. Gewig | 20SD Gewig     | 36SD Gewig      | 540D Gewig     | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|----------------|-----------------|----------------|------------|------------|---------|----|
| 45kg       | 258kg   95 (3) | 347kg   102 (8) | 444kg   98 (8) | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** Hou saadaandeel uit Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 17 (M)**



**RLR 220043 PcPc**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**COW VALUE 122**

|     |                    |
|-----|--------------------|
| 76  | Calving Ease Value |
| 128 | Calf Growth Value  |
| 93  | Milk Value         |
| 85  | Maintenance Value  |
| 123 | Fertility Value    |

**GROWTH VALUE 104**

**CARCASS VALUE 113**

**PRODUCTION VALUE 116**

| Birth Weight | 205D Weight      | 365D Weight | 540D Weight | ADG Index         | FCR Index | Scrotum    | LH   |
|--------------|------------------|-------------|-------------|-------------------|-----------|------------|------|
| 44kg         | 303kg   113 (30) | -           | -           | 1553g/d   90 (20) | 6.78   90 | 358mm (C3) | 1.25 |

**SELLER REMARKS:** Skrotum: 44cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

**SCH 170320 PcH**  
Wean Mat. 79

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   | ✓    | ✓   |

**BOS 166308**  
Age 8y | AFC 26m | ICP 417d  
Calves 6 | Weaned 5 | Wean Mat. 106  
Avg. WI 104 | CCB 7.08 | CCW 45.3  
Calvings: 19-02, 20-02, 20-12, 22-10, 23-10, 24-10

**MS 130191 HH**  
Wean Mat. 64

**SCH 110195**  
Age 7y | AFC 24m | ICP 379d  
Calves 6 | Weaned 5 | Wean Mat. 111  
Avg. WI 104 | Wean Mat. 111

**BOS 099110**  
Wean Mat. 88

**BOS 099187**  
Age 12y | AFC 25m | ICP 419d  
Calves 9 | Weaned 8 | Wean Mat. 94  
Avg. WI 99 | Wean Mat. 94

**WO 080479 HH**

**MS 080251**  
Age 15y | Avg. WI 102  
Calves 8 | Weaned 7

**WO 080137**

**PEN 060215**  
Age 6y | Avg. WI 113  
Calves 4 | Weaned 4

**BOS 055045**

**BOS 022021**  
Age 14y | Avg. WI 102  
Calves 12 | Weaned 12

**WO 050128**

**BOS 044035**  
Age 13y | Avg. WI 100  
Calves 8 | Weaned 7

**LOGIX**  
Genomic Breeding Value  
Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 66              | 122        | 128       | 93        | 142        | 117          | 128       | 113     |
| 85%             | 82%        | 85%       | 82%       | 86%        | 81%          | 79%       | 82%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 130              | 115 | 110 | 115           | 110    | 123    | 116     | 96  | 100 |
| 82%              | 84% | 84% | 87%           | 86%    | 86%    | 83%     | 82% | 82% |

**LOT 18 (M)**



**RLR 220053**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**COW VALUE 122**

|     |                    |
|-----|--------------------|
| 96  | Calving Ease Value |
| 106 | Calf Growth Value  |
| 129 | Milk Value         |
| 89  | Maintenance Value  |
| 108 | Fertility Value    |

**GROWTH VALUE 126**

**CARCASS VALUE 119**

**PRODUCTION VALUE 121**

| Birth Weight | 205D Weight     | 365D Weight | 540D Weight | ADG Index          | FCR Index | Scrotum    | LH   |
|--------------|-----------------|-------------|-------------|--------------------|-----------|------------|------|
| 37kg         | 257kg   96 (30) | -           | -           | 1931g/d   112 (20) | 5.9   104 | 386mm (C3) | 1.23 |

**SELLER REMARKS:** Skrotum: 46cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

**RLR 190053 HH**  
Wean Mat. 126

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   | ✓    | ✓   |

**RLR 190023**  
Age 5y | AFC 24m | ICP 430d  
Calves 4 | Weaned 4 | Wean Mat. 126  
Avg. WI 101 | CCB 6.57 | CCW 36.7  
Calvings: 21-09, 22-10, 23-10, 25-04

**RLR 160025 HH**  
Wean Mat. 116

**HS 100100**  
Age 15y | AFC 27m | ICP 365d  
Calves 13 | Weaned 11 | Wean Mat. 136  
Avg. WI 106 | Wean Mat. 136

**JIV 150165**  
Wean Mat. 116

**WO 130133**  
Age 12y | AFC 24m | ICP 366d  
Calves 10 | Weaned 10 | Wean Mat. 127  
Avg. WI 105 | Wean Mat. 127

**RLR 11153 HH**

**RLR 140012 HH**  
Age 11y | Avg. WI 100  
Calves 9 | Weaned 9

**WO 030397**

**BVB 010101**  
Age 11y | Avg. WI 94  
Calves 9 | Weaned 6

**MULTIPLE SIREs**

**JIV 110171**  
Age 6y | Avg. WI 100  
Calves 3 | Weaned 3

**WO 100126**

**WO 080032**  
Age 13y | Avg. WI 112  
Calves 11 | Weaned 10

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 97              | 95         | 106       | 129       | 152        | 108          | 89        | 119     |
| 67%             | 48%        | 65%       | 62%       | 73%        | 37%          | 23%       | 44%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 109              | 136 | 127 | 108           | 105    | 108    | 118     | 121 | 139 |
| 51%              | 64% | 67% | 37%           | 75%    | 72%    | 64%     | 57% | 56% |

**LOT 19 (M) BEEFMASTER RLR 220034**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miestatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

| Kuddeboek | C          |
|-----------|------------|
| Geb. dtm  | 2022-09-16 |
| Oud.      | 2j 12m     |
| Inteling  | 2%         |
| DNS       | P3158/22   |

RLR 190025 PcPc  
Spn Mat. 77

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**ROCK190228**  
Oud. 5j | OEK 33m | TKP 397d  
Kalwers 3 | Gespeen 3 | Spn. Mat. 103  
Gem. SI 99 | KKG 7.16 | KKS 46.6  
Kalwings: 22-09, 23-12, 24-11

**BOS 133097**  
Spn Mat. 87

**BOS 155205**  
Oud. 9j | OEK 36m | TKP 390d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 98  
Gem. SI 104 | Spn. Mat. 98

**ROCK160117**  
Spn Mat. 99

**ROCK090546**  
Oud. 10j | OEK - | TKP 428d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 111  
Gem. SI 104 | Spn. Mat. 111

WO 980062

**BOS 033011**  
Oud. 13j | Gem. SI 107  
Kalwers 9 | Gespeen 7

**BOS 099122**

**BOS 111439**  
Oud. 6j | Gem. SI 100  
Kalwers 3 | Gespeen 3

**BOS 111609**

**ROCK060180**  
Oud. 16j | Gem. SI 99  
Kalwers 11 | Gespeen 8

**KOEIWAARDE 111**

|     |                     |
|-----|---------------------|
| 124 | Kalfgemak Waarde    |
| 102 | Kalfgroei Waarde    |
| 88  | Melk Waarde         |
| 115 | Onderhoudswaarde    |
| 107 | Vrugbaarheidswaarde |

**GROEI WAARDE 103**

**KARKAS WAARDE 99**

**PRODUKSIE WAARDE 106**

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks         | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|--------------------|------------|------------|------|
| 29kg       | 271kg   101 (15) | -          | -          | 1384g/d   109 (49) | -          | 341mm (D2) | 1.24 |

VERKOPER OPMERKINGS: Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 20 (M) BEEFMASTER RLR 220031**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miestatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-09-14 |
| Oud.      | 3j         |
| Inteling  | 4%         |
| DNS       | P3155/22   |

RLR 190025 PcPc  
Spn Mat. 77

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**ROCK190207**  
Oud. 5j | OEK 33m | TKP 394d  
Kalwers 3 | Gespeen 3 | Spn. Mat. 111  
Gem. SI 101 | KKG 6.21 | KKS 41.9  
Kalwings: 22-09, 23-10, 24-11

**BOS 133097**  
Spn Mat. 87

**BOS 155205**  
Oud. 9j | OEK 36m | TKP 390d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 98  
Gem. SI 104 | Spn. Mat. 98

**ROCK160117**  
Spn Mat. 99

**ROCK130022**  
Oud. 11j | OEK 24m | TKP 366d  
Kalwers 10 | Gespeen 9 | Spn. Mat. 110  
Gem. SI 101 | Spn. Mat. 110

WO 980062

**BOS 033011**  
Oud. 13j | Gem. SI 107  
Kalwers 9 | Gespeen 7

**BOS 099122**

**BOS 111439**  
Oud. 6j | Gem. SI 100  
Kalwers 3 | Gespeen 3

**BOS 111609**

**ROCK060180**  
Oud. 16j | Gem. SI 99  
Kalwers 11 | Gespeen 8

**BOS 088466**

**ROCK100121**  
Oud. 6j | Gem. SI 98  
Kalwers 2 | Gespeen 2

**KOEIWAARDE 114**

|     |                     |
|-----|---------------------|
| 103 | Kalfgemak Waarde    |
| 111 | Kalfgroei Waarde    |
| 95  | Melk Waarde         |
| 99  | Onderhoudswaarde    |
| 113 | Vrugbaarheidswaarde |

**GROEI WAARDE 112**

**KARKAS WAARDE 109**

**PRODUKSIE WAARDE 111**

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks         | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|--------------------|------------|------------|------|
| 37kg       | 282kg   103 (15) | -          | -          | 1384g/d   109 (49) | -          | 359mm (D2) | 1.21 |

VERKOPER OPMERKINGS: Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 21 (M) BEEFMASTER RLR 220073**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

| COW VALUE 101       |                    |
|---------------------|--------------------|
| 74                  | Calving Ease Value |
| 122                 | Calf Growth Value  |
| 89                  | Milk Value         |
| 94                  | Maintenance Value  |
| 100                 | Fertility Value    |
| GROWTH VALUE 109    |                    |
| CARCASS VALUE 118   |                    |
| PRODUCTION VALUE 99 |                    |

|              |                  |             |             |                    |           |            |      |
|--------------|------------------|-------------|-------------|--------------------|-----------|------------|------|
| Birth Weight | 205D Weight      | 365D Weight | 540D Weight | ADG Index          | FCR Index | Scrotum    | LH   |
| 42kg         | 281kg   104 (30) | -           | -           | 1375g/d   109 (49) | -         | 345mm (D2) | 1.26 |

**SELLER REMARKS:** Skrotum: 44cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

**RLR 190086 HH**  
Wean Mat. 76

**Parentage** Sire Dam  
**DNA** ✓  
**Genomic**

**Z 120217**  
Age 12y | AFC 35m | ICP 388d  
Calves 9 | Weaned 9 | Wean Mat. 100  
Avg. WI 99 | CCB 6 | CCW 40  
Calving: 15-07, 16-09, 17-10,  
19-01, 20-01, 20-12, 21-10, 22-10,  
24-01

**RLR 160064 HH**  
Wean Mat. 59

**RLR 140012 HH**  
Age 11y | AFC 29m | ICP 379d  
Calves 9 | Weaned 9 | Wean Mat. 97  
Avg. WI 100 | Wean Mat. 97

**MULTIPLE SIRES**  
Wean Mat. -

**Z 080125**  
Age 5y | AFC 35m | ICP 391d  
Calves 2 | Weaned 2 | Wean Mat. 98  
Avg. WI 110 | Wean Mat. 98

**WO 130103**  
BOS 111198  
Age 12y | Avg. WI 104  
Calves 9 | Weaned 9

**RLR 101098**  
RLR 120001  
Age 11y | Avg. WI 103  
Calves 9 | Weaned 10

**WO 010081 HH**  
Z 030066  
Age 17y | Avg. WI 97  
Calves 12 | Weaned 8

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 56              | 128        | 122       | 89        | 94         | 101          | 92        | 107     |
| 68%             | 50%        | 68%       | 53%       | 75%        | 32%          | 19%       | 44%     |

| Post-Wean Growth |     |     | Frame         |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length  | EMA | Fat |
| 120              | 112 | 93  | 105           | 118    | 126     | 115 | 133 |
| 54%              | 66% | 35% | 26%           | 76%    | 73%     | 66% | 60% |

| Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
|-----------|-----|-----|---------------|--------|--------|-----|-----|-----|
| 120       | 112 | 93  | 105           | 118    | 126    | 115 | 133 | 126 |
| 54%       | 66% | 35% | 26%           | 76%    | 73%    | 66% | 60% | 59% |

**LOT 22 (M) BEEFMASTER RLR 220094**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

| COW VALUE 103       |                    |
|---------------------|--------------------|
| 104                 | Calving Ease Value |
| 112                 | Calf Growth Value  |
| 88                  | Milk Value         |
| 94                  | Maintenance Value  |
| 106                 | Fertility Value    |
| GROWTH VALUE 104    |                    |
| CARCASS VALUE 99    |                    |
| PRODUCTION VALUE 99 |                    |

|              |                  |             |             |                   |           |            |      |
|--------------|------------------|-------------|-------------|-------------------|-----------|------------|------|
| Birth Weight | 205D Weight      | 365D Weight | 540D Weight | ADG Index         | FCR Index | Scrotum    | LH   |
| 34kg         | 276kg   105 (30) | -           | -           | 1640g/d   95 (20) | 6.29   98 | 320mm (C3) | 1.23 |

**SELLER REMARKS:** Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

**RLR 190044 HH**  
Wean Mat. 89

**Parentage** Sire Dam  
**DNA** ✓ ✓  
**Genomic**

**RLR 120083**  
Age 11y | AFC 38m | ICP 370d  
Calves 9 | Weaned 9 | Wean Mat. 91  
Avg. WI 103 | CCB 5.91 | CCW 40  
Calving: 15-11, 16-11, 17-10, 18-11,  
19-11, 20-11, 21-10, 22-11, 23-12

**RLR 160056 HH**  
Wean Mat. 118

**BOS 100006**  
Age 10y | AFC 27m | ICP 393d  
Calves 8 | Weaned 7 | Wean Mat. 80  
Avg. WI 100 | Wean Mat. 80

**BOS 088432 HH**  
Wean Mat. 86

**FXF 080210**  
Age 11y | AFC 26m | ICP 400d  
Calves 9 | Weaned 9 | Wean Mat. 82  
Avg. WI 100 | Wean Mat. 82

**RLR 130053**  
BOS 055056  
Age 14y | Avg. WI 101  
Calves 13 | Weaned 11

**BOS 066273**  
BOS 077294  
Age 8y | Avg. WI 111  
Calves 5 | Weaned 5

**BOS 055045**  
BOS 066284  
Age 14y | Avg. WI 100  
Calves 10 | Weaned 6

**FXF 040408 HH**  
FXF 000446  
Age 8y | Avg. WI 104  
Calves 6 | Weaned 3

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 104             | 97         | 112       | 88        | 88         | 105          | 102       | 109     |
| 68%             | 53%        | 66%       | 53%       | 73%        | 40%          | 29%       | 49%     |

| Post-Wean Growth |     |     | Frame         |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length  | EMA | Fat |
| 109              | 94  | 75  | 105           | 85     | 99      | 99  | 103 |
| 56%              | 64% | 68% | 43%           | 75%    | 71%     | 64% | 57% |

| Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
|-----------|-----|-----|---------------|--------|--------|-----|-----|-----|
| 109       | 94  | 75  | 105           | 85     | 99     | 99  | 103 | 127 |
| 56%       | 64% | 68% | 43%           | 75%    | 71%    | 64% | 57% | 56% |

**LOT 23 (M) BEEFMASTER BOG 220073**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to:uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Mioestation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Draer |
| F94L        | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-10-20 |
| Oud.      | 2j 11m     |
| Inteling  | 4%         |
| DNS       | P3642/22   |

RLR 160064 HH  
Spn Mat. 59

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

BOS 177589  
Oud. 7j | OEK 25m | TKP 365d  
Kalwers 6 | Gespeen 6 | Spn. Mat. 96  
Gem. SI 98 | KKG 7.9 | KKS 50.5  
Kalwings: 19-10, 20-10, 21-10,  
22-10, 23-10, 24-10

WO 130103  
Spn Mat. 99

BOS 111198  
Oud. 12j | OEK 36m | TKP 377d  
Kalwers 9 | Gespeen 9 | Spn. Mat. 71  
Gem. SI 104 | Spn. Mat. 71

BOS 111440  
Spn Mat. 102

BOS 111578  
Oud. 12j | OEK 37m | TKP 363d  
Kalwers 10 | Gespeen 8 | Spn. Mat. 101  
Gem. SI 100 | Spn. Mat. 101

WO 100126

WO 090130  
Oud. 6j | Gem. SI 97  
Kalwers 3 | Gespeen 2

BOS 022109

BOS 066082  
Oud. 14j | Gem. SI 99  
Kalwers 13 | Gespeen 14

BOS 088246

BOS 099084  
Oud. 4j | Gem. SI 107  
Kalwers 1 | Gespeen 1

**MULTIPLE SIRES**

BOS 066665  
Oud. 7j | Gem. SI 99  
Kalwers 5 | Gespeen 3

**KOEIWAARDE 112**

|     |                     |
|-----|---------------------|
| 71  | Kalfgemak Waarde    |
| 140 | Kalfgroei Waarde    |
| 78  | Melk Waarde         |
| 85  | Onderhoudswaarde    |
| 109 | Vrugbaarheidswaarde |

**GROEI WAARDE 101**

**KARKAS WAARDE 126**

**PRODUKSIE WAARDE 106**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 52             | 140       | 140       | 78        | 91         | 92           | 115         | 116      |  |
| 67%            | 55%       | 69%       | 57%       | 74%        | 44%          | 28%         | 59%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 134            | 109 | 102 | 117         | 93     | 117    | 100    | 144 | 131 |
| 56%            | 66% | 27% | 42%         | 76%    | 73%    | 67%    | 61% | 60% |

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks        | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|-------------------|------------|------------|------|
| 43kg       | 263kg   104 (16) | -          | -          | 1134g/d   90 (49) | -          | 331mm (D2) | 1.26 |

VERKOPER OPMERKINGS: Skrotum: 40cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 24 (M) BEEFMASTER BOG 220081**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to:uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Mioestation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Skoon |
| F94L        | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-10-29 |
| Oud.      | 2j 10m     |
| Inteling  | 4%         |
| DNS       | P3650/22   |

RLR 160064 HH  
Spn Mat. 59

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

BOS 177057  
Oud. 8j | OEK 30m | TKP 372d  
Kalwers 6 | Gespeen 6 | Spn. Mat. 93  
Gem. SI 98 | KKG 7.07 | KKS 54.5  
Kalwings: 19-09, 20-10, 21-11,  
22-10, 23-10, 24-10

WO 130103  
Spn Mat. 99

BOS 111198  
Oud. 12j | OEK 36m | TKP 377d  
Kalwers 9 | Gespeen 9 | Spn. Mat. 71  
Gem. SI 104 | Spn. Mat. 71

BOS 111316  
Spn Mat. 112

BOS 122488  
Oud. 12j | OEK 34m | TKP 378d  
Kalwers 10 | Gespeen 10 | Spn. Mat. 93  
Gem. SI 101 | Spn. Mat. 93

WO 100126

WO 090130  
Oud. 6j | Gem. SI 97  
Kalwers 3 | Gespeen 2

BOS 022109

BOS 066082  
Oud. 14j | Gem. SI 99  
Kalwers 13 | Gespeen 14

BOS 055045

BOS 044030  
Oud. 13j | Gem. SI 102  
Kalwers 12 | Gespeen 12

WO 050636

BOS 022021  
Oud. 14j | Gem. SI 102  
Kalwers 12 | Gespeen 12

**KOEIWAARDE 113**

|     |                     |
|-----|---------------------|
| 70  | Kalfgemak Waarde    |
| 139 | Kalfgroei Waarde    |
| 73  | Melk Waarde         |
| 99  | Onderhoudswaarde    |
| 107 | Vrugbaarheidswaarde |

**GROEI WAARDE 117**

**KARKAS WAARDE 130**

**PRODUKSIE WAARDE 111**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 57             | 145       | 139       | 73        | 96         | 96           | 101         | 120      |  |
| 68%            | 55%       | 69%       | 57%       | 74%        | 46%          | 30%         | 51%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 134            | 116 | 100 | 100         | 94     | 120    | 110    | 158 | 143 |
| 60%            | 65% | 27% | 44%         | 75%    | 72%    | 66%    | 60% | 59% |

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks         | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|--------------------|------------|------------|------|
| 35kg       | 267kg   109 (16) | -          | -          | 1321g/d   104 (49) | -          | 344mm (D2) | 1.26 |

VERKOPER OPMERKINGS: Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 25 (M)**



**RLR 220057 HH**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



**Myostatin**

|       |      |
|-------|------|
| Q204X | Free |
| NT821 | Free |
| F94L  | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-10-18 |
| Age        | 2y 11m     |
| Inbreeding | 2%         |
| DNA        | USC032529  |

**RLR 190053 HH**  
Wean Mat. 126

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   | ✓    | ✓   |

**BOS 188128**  
Age 6y | AFC 36m | ICP 370d  
Calves 4 | Weaned 4 | Wean Mat. 94  
Avg. Wt 100 | CCB 6.57 | CCW 42.5  
Calvings: 21-09, 22-10, 23-10, 24-10

**RLR 160025 HH**  
Wean Mat. 116

**HS 100100**  
Age 15y | AFC 27m | ICP 365d  
Calves 13 | Weaned 11 | Wean Mat. 136  
Avg. Wt 106 | Wean Mat. 136

**BOS 155069**  
Wean Mat. 96

**BOS 155212**  
Age 9y | AFC 36m | ICP 371d  
Calves 7 | Weaned 7 | Wean Mat. 68  
Avg. Wt 91 | Wean Mat. 68

**RLR 11153 HH**

**RLR 140012 HH**  
Age 11y | Avg. Wt 100  
Calves 9 | Weaned 9

**WO 030397**

**BVB 01010**  
Age 11y | Avg. Wt 94  
Calves 9 | Weaned 6

**BOS 099315**

**BOS 066082**  
Age 14y | Avg. Wt 99  
Calves 13 | Weaned 14

**BOS 099122**

**BOS 110066**  
Age 13y | Avg. Wt 100  
Calves 10 | Weaned 6

**COW VALUE 131**

|     |                    |
|-----|--------------------|
| 96  | Calving Ease Value |
| 113 | Calf Growth Value  |
| 118 | Milk Value         |
| 88  | Maintenance Value  |
| 123 | Fertility Value    |

**GROWTH VALUE 114**

**CARCASS VALUE 113**

**PRODUCTION VALUE 126**

**LOGIX**  
Genomic Breeding Value  
Analysis 2025-07-23

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 93              | 112        | 113       | 118       | 126        | 121          | 112       | 120     |
| 84%             | 81%        | 85%       | 81%       | 86%        | 80%          | 79%       | 81%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 116              | 122 | 102 | 110           | 88     | 101    | 110     | 94  | 94  |
| 82%              | 84% | 84% | 80%           | 86%    | 85%    | 83%     | 82% | 82% |

| Birth Weight | 205D Weight      | 365D Weight | 540D Weight | ADG Index          | FCR Index | Scrotum    | LH   |
|--------------|------------------|-------------|-------------|--------------------|-----------|------------|------|
| 37kg         | 280kg   106 (30) | -           | -           | 1746g/d   101 (20) | 6.79   90 | 336mm (C3) | 1.27 |

**SELLER REMARKS:** Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

**LOT 26 (M)**



**RLR 220039**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



**Myostatin**

|       |      |
|-------|------|
| Q204X | Free |
| NT821 | Free |
| F94L  | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-09-25 |
| Age        | 2y 12m     |
| Inbreeding | 5%         |
| DNA        | P3363/22   |

**BOS 177085**  
Wean Mat. 100

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   | ✓    | ✓   |

**BOS 188252**  
Age 6y | AFC 35m | ICP 382d  
Calves 4 | Weaned 4 | Wean Mat. 99  
Avg. Wt 102 | CCB 8.29 | CCW 49.2  
Calvings: 21-09, 22-09, 23-09, 24-10

**BOS 144090**  
Wean Mat. 109

**BOS 144200**  
Age 10y | AFC 36m | ICP 380d  
Calves 8 | Weaned 6 | Wean Mat. 90  
Avg. Wt 102 | Wean Mat. 90

**BOS 099197**  
Wean Mat. 97

**BOS 088404**  
Age 10y | AFC 34m | ICP 427d  
Calves 7 | Weaned 7 | Wean Mat. 87  
Avg. Wt 99 | Wean Mat. 87

**BOS 100432 HH**

**BOS 066082**  
Age 14y | Avg. Wt 99  
Calves 13 | Weaned 14

**BOS 099110**

**BOS 099175**  
Age 8y | Avg. Wt 102  
Calves 6 | Weaned 5

**BOS 055045**

**BOS 044276**  
Age 14y | Avg. Wt 103  
Calves 10 | Weaned 6

**BOS 055014**

**BOS 055015**  
Age 10y | Avg. Wt 105  
Calves 8 | Weaned 7

**COW VALUE 113**

|     |                    |
|-----|--------------------|
| 73  | Calving Ease Value |
| 126 | Calf Growth Value  |
| 102 | Milk Value         |
| 79  | Maintenance Value  |
| 110 | Fertility Value    |

**GROWTH VALUE 123**

**CARCASS VALUE 124**

**PRODUCTION VALUE 113**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 61              | 131        | 126       | 102       | 111        | 96           | 108       | 121     |
| 64%             | 45%        | 66%       | 51%       | 71%        | 45%          | 28%       | 48%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 126              | 134 | 134 | 124           | 131    | 132    | 112     | 112 | 116 |
| 49%              | 61% | 67% | 32%           | 73%    | 69%    | 61%     | 54% | 52% |

| Birth Weight | 205D Weight     | 365D Weight | 540D Weight | ADG Index          | FCR Index  | Scrotum    | LH   |
|--------------|-----------------|-------------|-------------|--------------------|------------|------------|------|
| 42kg         | 277kg   99 (15) | -           | -           | 2068g/d   120 (20) | 5.37   113 | 331mm (C3) | 1.24 |

**SELLER REMARKS:** Skrotum: 44cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

**LOT 27 (M)**

**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
REESTERLENGENOTSCHAP VAN SA

**RLR 220063 Pch**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miestation |       |
|------------|-------|
| Q204X      | Skoon |
| NT82I      | Skoon |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-10-21 |
| Oud.      | 2j 11m     |
| Inteling  | 0%         |
| DNS       | USC033553  |

**RLR 190058 Pch**  
Spm Mat. 94

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies | ✓    | ✓    |

**SP 140081**

Oud. 11j | OEK 24m | TKP 370d  
Kalwers 9 | Gespeen 9 | Spn. Mat. 97  
Gem. SI 101 | KKG 6.45 | KKS 45.2  
Kalwings: 16-09, 17-09, 18-09,  
19-09, 20-11, 21-11, 22-10, 23-10,  
24-10

**RLR 160064 HH**  
Spm Mat. 59

**RLR 140006**  
Oud. 11j | OEK 31m | TKP 395d  
Kalwers 9 | Gespeen 8 | Spn. Mat. 107  
Gem. SI 103 | Spn. Mat. 107

**729 HH**  
Spm Mat. 90

**SP 080144**

Oud. 6j | OEK 24m | TKP 358d  
Kalwers 5 | Gespeen 4 | Spn. Mat. 99  
Gem. SI 98 | Spn. Mat. 99

**WO 130103**

**BOS 11198**  
Oud. 12j | Gem. SI 104  
Kalwers 9 | Gespeen 9

**BOS 088432 HH**

**BOS 088042**  
Oud. 12j | Gem. SI 103  
Kalwers 11 | Gespeen 10

**537**

**610 LH**  
Oud. 35j | Gem. SI -  
Kalwers - | Gespeen -

**WO 040262**

**SP 030007**  
Oud. 7j | Gem. SI 107  
Kalwers 5 | Gespeen 4

**KOEIWAARDE 113**

|     |                     |
|-----|---------------------|
| 70  | Kalfgemak Waarde    |
| 125 | Kalfgroei Waarde    |
| 101 | Melk Waarde         |
| 94  | Onderhoudswaarde    |
| 102 | Vrugbaarheidswaarde |

**GROEI WAARDE 116**

**KARKAS WAARDE 114**

**PRODUKSIE WAARDE 110**

**LOGIX**  
Genomies Technology  
Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spm. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 65             | 144       | 125       | 101       | 81         | 93           | 103         | 111      |
| 85%            | 81%       | 85%       | 81%       | 86%        | 79%          | 78%         | 81%      |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet |
| 120            | 115 | 102 | 105         | 135    | 124    | 116 | 77  |
| 82%            | 83% | 84% | 79%         | 86%    | 85%    | 83% | 82% |

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks         | VOV Indeks | Skrutum    | LH   |
|------------|------------------|------------|------------|--------------------|------------|------------|------|
| 45kg       | 287kg   105 (30) | -          | -          | 1735g/d   101 (20) | 6.21   99  | 307mm (C3) | 1.21 |

**VERKOPER OPMERKINGS:** Skrotum: 46cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

**LOT 28 (M)**

**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
REESTERLENGENOTSCHAP VAN SA

**BOG 220084**



**BEEF ON GRASS PTY LTD**

Bela Bela, Limpopo

0714819592

to.uy88@gmail.com

P.O. BOX 10020, FONTEINRIET, BOKSBURG, 1464



| Miestation |       |
|------------|-------|
| Q204X      | Skoon |
| NT82I      | Draer |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-10-31 |
| Oud.      | 2j 10m     |
| Inteling  | 0%         |
| DNS       | P3653/22   |

**SCH 160103 Pch**  
Spm Mat. 104

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies | ✓    | ✓    |

**BOS 177002**

Oud. 8j | OEK 32m | TKP 375d  
Kalwers 6 | Gespeen 5 | Spn. Mat. 103  
Gem. SI 103 | KKG 7.57 | KKS 56.4  
Kalwings: 19-09, 20-09, 21-09,  
22-10, 23-10, 24-10

**WO 110544 Pch**  
Spm Mat. 51

**SCH 110040**  
Oud. 13j | OEK 31m | TKP 384d  
Kalwers 10 | Gespeen 10 | Spn. Mat. 128  
Gem. SI 103 | Spn. Mat. 128

**BOS 099197**  
Spm Mat. 97

**BOS 066096**  
Oud. 12j | OEK 25m | TKP 410d  
Kalwers 10 | Gespeen 10 | Spn. Mat. 97  
Gem. SI 101 | Spn. Mat. 97

**MULTIPLE SIRES**

**WO 060304**  
Oud. 12j | Gem. SI 104  
Kalwers 8 | Gespeen 6

**MULTIPLE SIRES**

**PEN 040311**  
Oud. 12j | Gem. SI 106  
Kalwers 5 | Gespeen 5

**BOS 055045**

**BOS 044276**  
Oud. 14j | Gem. SI 103  
Kalwers 10 | Gespeen 6

**9239**

**BOS 033214**  
Oud. 20j | Gem. SI 103  
Kalwers 10 | Gespeen 9

**KOEIWAARDE 126**

|     |                     |
|-----|---------------------|
| 87  | Kalfgemak Waarde    |
| 125 | Kalfgroei Waarde    |
| 103 | Melk Waarde         |
| 80  | Onderhoudswaarde    |
| 124 | Vrugbaarheidswaarde |

**GROEI WAARDE 115**

**KARKAS WAARDE 123**

**PRODUKSIE WAARDE 122**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spm. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 85             | 116       | 125       | 103       | 122        | 106          | 140         | 113      |
| 68%            | 56%       | 69%       | 58%       | 75%        | 52%          | 34%         | 53%      |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet |
| 127            | 121 | 110 | 122         | 114    | 131    | 131 | 93  |
| 54%            | 67% | 11% | 47%         | 76%    | 73%    | 65% | 58% |

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks        | VOV Indeks | Skrutum    | LH   |
|------------|------------------|------------|------------|-------------------|------------|------------|------|
| 33kg       | 249kg   102 (16) | -          | -          | 1179g/d   93 (49) | -          | 352mm (D2) | 1.26 |

**VERKOPER OPMERKINGS:** Skrotum: 44cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

**LOT 29 (M)**



**BEEFMASTER BOG 230001**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**COW VALUE 137**

|     |                    |
|-----|--------------------|
| 72  | Calving Ease Value |
| 137 | Calf Growth Value  |
| 115 | Milk Value         |
| 80  | Maintenance Value  |
| 117 | Fertility Value    |

**GROWTH VALUE 138**

**CARCASS VALUE 134**

**PRODUCTION VALUE 137**

| Birth Weight | 205D Weight     | 365D Weight    | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|----------------|-----------------|-----------|-----------|---------|----|
| 44kg         | 247kg   121 (5) | 338kg   99 (8) | 477kg   106 (8) | -         | -         | ~ (B2)  | -  |

**SELLER REMARKS:** Skrotum: 46cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravx

**LOT 30 (M)**



**BEEFMASTER RLR 220060**



**J.H. MEYER**



Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**COW VALUE 102**

|     |                    |
|-----|--------------------|
| 76  | Calving Ease Value |
| 121 | Calf Growth Value  |
| 101 | Milk Value         |
| 92  | Maintenance Value  |
| 92  | Fertility Value    |

**GROWTH VALUE 110**

**CARCASS VALUE 116**

**PRODUCTION VALUE 99**

| Birth Weight | 205D Weight     | 365D Weight | 540D Weight | ADG Index         | FCR Index | Scrotum    | LH   |
|--------------|-----------------|-------------|-------------|-------------------|-----------|------------|------|
| 39kg         | 255kg   94 (30) | -           | -           | 136g/d   108 (49) | -         | 345mm (D2) | 1.25 |

**SELLER REMARKS:** Skrotum: 40cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravx

**LOT 31 (M) BEEFMASTER RLR 220054**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-10-16 |
| Oud.      | 2j 11m     |
| Inteling  | 5%         |
| DNS       | P3377/22   |

**SCH 170320** Pch  
Spm Mat. 79

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**WO 170026**  
Oud. 8j | OEK 31m | TKP 414d  
Kalwers 5 | Gespeen 5 | Spn. Mat. 124  
Gem. SI 112 | KKG 5.33 | KKS 40.5  
Kalwings: 20-04, 21-07, 22-10,  
23-09, 24-10

**MS 130191** HH  
Spm Mat. 64

**SCH 110195**  
Oud. 7j | OEK 24m | TKP 379d  
Kalwers 6 | Gespeen 5 | Spn. Mat. 111  
Gem. SI 104 | Spn. Mat. 111

**WO 140179** HH  
Spm Mat. 97

**WO 120891**  
Oud. 12j | OEK 28m | TKP 389d  
Kalwers 10 | Gespeen 10 | Spn. Mat. 122  
Gem. SI 108 | Spn. Mat. 122

**WO 080479** HH

**MS 080251**  
Oud. 15j | Gem. SI 102  
Kalwers 7 | Gespeen 7

**WO 080137**

**PEN 060215**  
Oud. 8j | Gem. SI 113  
Kalwers 4 | Gespeen 4

**WO 120232**

**WO 080164**  
Oud. 17j | Gem. SI 109  
Kalwers 14 | Gespeen 13

**MULTIPLE SIREs**

**WO 100116**  
Oud. 4j | Gem. SI 108  
Kalwers 2 | Gespeen 2

**KOEIWAARDE 110**

|     |                     |
|-----|---------------------|
| 81  | Kalfgemak Waarde    |
| 140 | Kalfgroei Waarde    |
| 95  | Melk Waarde         |
| 68  | Onderhoudswaarde    |
| 101 | Vrugbaarheidswaarde |

**GROEI WAARDE 123**

**KARKAS WAARDE 138**

**PRODUKSIE WAARDE 110**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spm. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 81             | 108       | 140       | 95        | 152        | 87           | 106         | 110      |  |
| 67%            | 52%       | 67%       | 53%       | 72%        | 41%          | 29%         | 48%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 145            | 138 | 143 | 142         | 111    | 134    | 113    | 116 | 94  |
| 52%            | 63% | 67% | 43%         | 74%    | 70%    | 61%    | 54% | 52% |

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks         | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|--------------------|------------|------------|------|
| 33kg       | 309kg   120 (30) | -          | -          | 191lg/d   111 (20) | 5.42   112 | 361mm (C3) | 1.28 |

VERKOPER OPMERKINGS: Skrotum: 44cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 32 (M) BEEFMASTER RLR 220079**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Draer |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-10-31 |
| Oud.      | 2j 10m     |
| Inteling  | 1%         |
| DNS       | P3638/22   |

**RLR 190037** HH  
Spm Mat. 107

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**BOS 155237**  
Oud. 10j | OEK 37m | TKP 388d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 74  
Gem. SI 98 | KKG 6.66 | KKS 43.7  
Kalwings: 18-09, 19-10, 20-10,  
21-10, 22-10, 23-10, 25-02

**RLR 160045** HH  
Spm Mat. 115

**RLR 120088**  
Oud. 12j | OEK 34m | TKP 374d  
Kalwers 9 | Gespeen 9 | Spn. Mat. 98  
Gem. SI 99 | Spn. Mat. 98

**BOS 111100**  
Spm Mat. 85

**BOS 122424**  
Oud. 10j | OEK 36m | TKP 375d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 89  
Gem. SI 100 | Spn. Mat. 89

**WO 130103**

**BOS 111230**  
Oud. 13j | Gem. SI 107  
Kalwers 11 | Gespeen 11

**FXF 090030**

**FXF 070136**  
Oud. 12j | Gem. SI 100  
Kalwers 11 | Gespeen 11

**WO 060052**

**BOS 077152**  
Oud. 17j | Gem. SI 102  
Kalwers 13 | Gespeen 12

**BOS 066208**

**BOS 077044**  
Oud. 10j | Gem. SI 101  
Kalwers 9 | Gespeen 7

**KOEIWAARDE 115**

|     |                     |
|-----|---------------------|
| 87  | Kalfgemak Waarde    |
| 109 | Kalfgroei Waarde    |
| 92  | Melk Waarde         |
| 118 | Onderhoudswaarde    |
| 111 | Vrugbaarheidswaarde |

**GROEI WAARDE 104**

**KARKAS WAARDE 99**

**PRODUKSIE WAARDE 110**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spm. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 85             | 122       | 109       | 92        | 133        | 117          | 94          | 113      |  |
| 64%            | 47%       | 65%       | 50%       | 72%        | 38%          | 25%         | 45%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 109            | 108 | 103 | 84          | 103    | 106    | 116    | 101 | 84  |
| 52%            | 62% | 18% | 35%         | 74%    | 77%    | 62%    | 55% | 54% |

| Geb. Gewig | 205D Gewig      | 365D Gewig | 540D Gewig | GDT Indeks        | VOV Indeks | Skrotum    | LH   |
|------------|-----------------|------------|------------|-------------------|------------|------------|------|
| 39kg       | 260kg   96 (30) | -          | -          | 1214g/d   96 (49) | -          | 418mm (D2) | 1.19 |

VERKOPER OPMERKINGS: Skrotum: 46cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 33 (M)**



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
REESTLENDERSVERENIGING VAN SA

**BOG 230006**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**COW VALUE 121**

|     |                    |
|-----|--------------------|
| 74  | Calving Ease Value |
| 145 | Calf Growth Value  |
| 85  | Milk Value         |
| 86  | Maintenance Value  |
| 107 | Fertility Value    |

**GROWTH VALUE 123**

**CARCASS VALUE 130**

**PRODUCTION VALUE 120**

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 43kg         | 269kg   100 (3) | 378kg   117 (8) | 498kg   114 (8) | -         | -         | - (B2)  | -  |

**SELLER REMARKS:** Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

RLR 160064 HH  
Wean Mat. 59

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

BAR 190036  
Age 5y | AFC 29m | ICP 47ld  
Calves 3 | Weaned 2 | Wean Mat. 109  
Avg. WI 104 | CCB 7.29 | CCW 50.8  
Calvings: 22-02, 23-02, 24-09

WO 130103  
Wean Mat. 99

BOS 111198  
Age 12y | AFC 36m | ICP 377d  
Calves 9 | Weaned 9 | Wean Mat. 71  
Avg. WI 104 | Wean Mat. 71

BOS 166082  
Wean Mat. 99

BAR 170018  
Age 8y | AFC 31m | ICP 370d  
Calves 5 | Weaned 3 | Wean Mat. 107  
Avg. WI 103 | Wean Mat. 107

WO 100126  
WO 090130  
Age 6y | Avg. WI 97  
Calves 3 | Weaned 2

BOS 022109  
BOS 066082  
Age 14y | Avg. WI 99  
Calves 13 | Weaned 14

BOS 122172  
BOS 122662  
Age 11y | Avg. WI 100  
Calves 8 | Weaned 7

TOM 080050  
BOS 099507  
Age 8y | Avg. WI 104  
Calves 5 | Weaned 4

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 52              | 130        | 145       | 85        | 106        | 93           | 101       | 123     |
| 68%             | 54%        | 66%       | 52%       | 47%        | 40%          | 24%       | 50%     |

| Post-Wean Growth |     |     | Frame         |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length  | EMA | Fat |
| 143              | 123 | 104 | 115           | 115    | 129     | 119 | 123 |
| 60%              | 45% | 21% | 36%           | 48%    | 47%     | 42% | 40% |

**LOT 34 (M)**



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
REESTLENDERSVERENIGING VAN SA

**BOG 230007**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Carrier    |
| F94L      | Free       |

**COW VALUE 115**

|     |                    |
|-----|--------------------|
| 72  | Calving Ease Value |
| 142 | Calf Growth Value  |
| 81  | Milk Value         |
| 92  | Maintenance Value  |
| 103 | Fertility Value    |

**GROWTH VALUE 119**

**CARCASS VALUE 132**

**PRODUCTION VALUE 113**

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 47kg         | 284kg   105 (3) | 350kg   102 (8) | 461kg   101 (8) | -         | -         | - (B2)  | -  |

**SELLER REMARKS:** Skrotum: 44cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax

RLR 160064 HH  
Wean Mat. 59

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

BOS 155095  
Age 9y | AFC 36m | ICP 377d  
Calves 7 | Weaned 5 | Wean Mat. 102  
Avg. WI 103 | CCB 6.64 | CCW 44  
Calvings: 18-10, 19-10, 20-12, 22-02, 23-02, 23-12, 24-12

WO 130103  
Wean Mat. 99

BOS 111198  
Age 12y | AFC 36m | ICP 377d  
Calves 9 | Weaned 9 | Wean Mat. 71  
Avg. WI 104 | Wean Mat. 71

BOS 066337 HH  
Wean Mat. 95

BOS 099314  
Age 10y | AFC 34m | ICP 457d  
Calves 7 | Weaned 6 | Wean Mat. 94  
Avg. WI 101 | Wean Mat. 94

WO 100126  
WO 090130  
Age 6y | Avg. WI 97  
Calves 3 | Weaned 2

BOS 022109  
BOS 066082  
Age 14y | Avg. WI 99  
Calves 13 | Weaned 14

BOS 033210  
BOS 022144  
Age 10y | Avg. WI 96  
Calves 6 | Weaned 5

BOS 033069 Pch  
WO 090372  
Age 11y | Avg. WI 94  
Calves 6 | Weaned 5

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 52              | 138        | 142       | 81        | 116        | 91           | 91        | 123     |
| 67%             | 55%        | 67%       | 57%       | 55%        | 46%          | 32%       | 54%     |

| Post-Wean Growth |     |     | Frame         |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length  | EMA | Fat |
| 135              | 123 | 103 | 108           | 109    | 132     | 126 | 129 |
| 62%              | 52% | 21% | 42%           | 55%    | 54%     | 48% | 45% |

**LOT 35 (M) BEEFMASTER RLR 220041**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Draer |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-09-29 |
| Oud.      | 2j 12m     |
| Inteling  | 4%         |
| DNS       | P365/22    |

**RLR 190025** PcPc  
Spm Mat. 77

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**ROCK190160**  
Oud. 4j | OEK 34m | TKP 425d  
Kalwers 2 | Gespeen 2 | Spn. Mat. 100  
Gem. SI 102 | KKG 8.16 | KKS 46.4  
Kalwings: 22-09, 23-11

**BOS 133097**  
Spm Mat. 87

**BOS 155205**  
Oud. 9j | OEK 36m | TKP 390d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 98  
Gem. SI 104 | Spn. Mat. 98

**ROCK160014**  
Spm Mat. 104

**ROCK140106**  
Oud. 10j | OEK 35m | TKP 369d  
Kalwers 8 | Gespeen 8 | Spn. Mat. 89  
Gem. SI 95 | Spn. Mat. 89

**WO 980062**

**BOS 033011**  
Oud. 13j | Gem. SI 107  
Kalwers 9 | Gespeen 7

**BOS 099122**

**BOS 111439**  
Oud. 6j | Gem. SI 100  
Kalwers 3 | Gespeen 3

**ROCK120380**

**ROCK130484**  
Oud. 5j | Gem. SI 101  
Kalwers 3 | Gespeen 3

**BOS 055014**

**ROCK080519**  
Oud. 8j | Gem. SI 96  
Kalwers 3 | Gespeen 3

**KOEIWAARDE 104**

|     |                     |
|-----|---------------------|
| 112 | Kalfgemak Waarde    |
| 108 | Kalfgroei Waarde    |
| 87  | Melk Waarde         |
| 109 | Onderhoudswaarde    |
| 100 | Vrugbaarheidswaarde |

**GROEI WAARDE 101**

**KARKAS WAARDE 100**

**PRODUKSIE WAARDE 99**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 109            | 107       | 108       | 87        | 94         | 91           | 94          | 114      |  |
| 63%            | 41%       | 66%       | 47%       | 72%        | 38%          | 25%         | 43%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 107            | 106 | 109 | 93          | 103    | 108    | 113    | 84  | 63  |
| 53%            | 64% | 24% | 34%         | 75%    | 71%    | 66%    | 60% | 59% |

| Geb. Gewig | 205D Gewig       | 365D Gewig | 540D Gewig | GDT Indeks        | VOV Indeks | Skrotum    | LH   |
|------------|------------------|------------|------------|-------------------|------------|------------|------|
| 31kg       | 277kg   103 (15) | -          | -          | 1188g/d   94 (49) | -          | 359mm (D2) | 1.25 |

VERKOPER OPMERKINGS: Skrotum: 40cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 36 (M) BEEFMASTER BOG 230003**



**BEEF ON GRASS PTY LTD**

Bela Bela, Limpopo

0714819592

to.uy88@gmail.com

P.O. BOX 10020, FONTEINRIET, BOKSBURG, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2023-01-11 |
| Oud.      | 2j 8m      |
| Inteling  | 2%         |
| DNS       | P692/23    |

**JAN 181836**  
Spm Mat. 81

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**BOS 199477**  
Oud. 4j | OEK 38m | TKP 434d  
Kalwers 2 | Gespeen 1 | Spn. Mat. 126  
Gem. SI 110 | KKG 7.3 | KKS 38.2  
Kalwings: 23-01, 24-03

**JAN 155002**  
Spm Mat. 61

**BOS 144409**  
Oud. 10j | OEK 26m | TKP 450d  
Kalwers 7 | Gespeen 7 | Spn. Mat. 91  
Gem. SI 102 | Spn. Mat. 91

**BOS 166052** HH  
Spm Mat. 95

**BOS 155652**  
Oud. 9j | OEK 36m | TKP 371d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 147  
Gem. SI 110 | Spn. Mat. 147

**BOS 100121**

**BOS 100179** HH  
Oud. 15j | Gem. SI 106  
Kalwers 10 | Gespeen 8

**BOS 100048** HH

**BOS 100250**  
Oud. 14j | Gem. SI 99  
Kalwers 12 | Gespeen 11

**BOS 099315**

**BOS 066030**  
Oud. 12j | Gem. SI 101  
Kalwers 11 | Gespeen 9

**WO 100126**

**BOS 100759**  
Oud. 8j | Gem. SI 98  
Kalwers 4 | Gespeen 1

**KOEIWAARDE 114**

|     |                     |
|-----|---------------------|
| 83  | Kalfgemak Waarde    |
| 107 | Kalfgroei Waarde    |
| 107 | Melk Waarde         |
| 97  | Onderhoudswaarde    |
| 115 | Vrugbaarheidswaarde |

**GROEI WAARDE 108**

**KARKAS WAARDE 108**

**PRODUKSIE WAARDE 110**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 89             | 78        | 107       | 107       | 105        | 116          | 99          | 120      |  |
| 62%            | 43%       | 63%       | 44%       | 36%        | 41%          | 23%         | 45%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 109            | 111 | 100 | 101         | 104    | 113    | 110    | 91  | 106 |
| 56%            | 32% | 7%  | 28%         | 37%    | 35%    | 21%    | 19% | 18% |

| Geb. Gewig | 205D Gewig      | 365D Gewig     | 540D Gewig     | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|----------------|----------------|------------|------------|---------|----|
| 44kg       | 228kg   110 (5) | 314kg   96 (8) | 403kg   91 (8) | -          | -          | - (B2)  | -  |

VERKOPER OPMERKINGS: Skrotum: 42cm  
Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax

**LOT 37 (F) BEEFMASTER HS 220182**



**G.A. STEENKAMP**

Steenbokpan, Limpopo  
0836535610  
hardus@phumba.co.za

DOORNLAAGTE LQ 353, POS-  
BUS 614, Lephalele, 0555



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**SELLER REMARKS:** 6-7 maande dragtig van HS22/12  
Toetse: Brucellose, TB en Dragtigheid  
Entings: Spons, Lam, Milt en Olfantvelsiekte en RB51

|            |                |
|------------|----------------|
| Herd Book  | SP             |
| Birth date | 2022-12-01     |
| Age        | 2y 9m          |
| Inbreeding | 4%             |
| DNA        | ZOCA2025-88001 |

**HS 170147**  
Wean Mat. 127

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**HS 180106**  
Age 6y | AFC 26m | ICP 414d  
Calves 5 | Weaned 3 | Wean Mat. 103  
Avg. WI 111 | CCB 6.2 | CCW 46.5  
Calvings: 20-12, 21-12, 22-12, 23-11, 25-06

**HS 140134**  
Wean Mat. 102

**HS 150004**  
Age 8y | AFC 29m | ICP 424d  
Calves 5 | Weaned 5 | Wean Mat. 143  
Avg. WI 105 | Wean Mat. 143

**RLR 140036**  
Wean Mat. 119

**HS 110103**  
Age 14y | AFC 23m | ICP 370d  
Calves 12 | Weaned 10 | Wean Mat. 81  
Avg. WI 103 | Wean Mat. 81

**HS 110149**

**HS 090101**  
Age 8y | Avg. WI 104  
Calves 5 | Weaned 5

**OKT 100051**

**HS 110147**  
Age 12y | Avg. WI 108  
Calves 9 | Weaned 9

**BOS 099403**

**BVB 066027**  
Age 9y | Avg. WI 102  
Calves 5 | Weaned 4

**FRJ 040045**

**HS 080120**  
Age 14y | Avg. WI 106  
Calves 13 | Weaned 12

**COW VALUE 132**

|     |                    |
|-----|--------------------|
| 97  | Calving Ease Value |
| 116 | Calf Growth Value  |
| 114 | Milk Value         |
| 95  | Maintenance Value  |
| 119 | Fertility Value    |

**GROWTH VALUE 110**

**CARCASS VALUE 106**

**PRODUCTION VALUE 127**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 101             | 84         | 116       | 114       | 130        | 121          | 106       | 116     |
| 67%             | 51%        | 66%       | 52%       | 51%        | 46%          | 25%       | 49%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 115              | 107 | 91  | 102           | 91     | 108    | 99      | 80  | 115 |
| 62%              | 47% | 6%  | 43%           | 52%    | 50%    | 43%     | 40% | 39% |

| Birth Weight | 205D Weight      | 365D Weight     | 540D Weight      | ADG Index | FCR Index | Scrotum | LH |
|--------------|------------------|-----------------|------------------|-----------|-----------|---------|----|
| 30kg         | 263kg   116 (20) | 223kg   96 (28) | 359kg   101 (30) | -         | -         | ~ (B2)  | -  |

**LOT 38 (F) BEEFMASTER HS 230011**



**G.A. STEENKAMP**

Steenbokpan, Limpopo  
0836535610  
hardus@phumba.co.za

DOORNLAAGTE LQ 353, POS-  
BUS 614, Lephalele, 0555



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**SELLER REMARKS:** 5-6 maande dragtig van OKT21/255  
Toetse: Brucellose, TB en Dragtigheid  
Entings: Spons, Lam, Milt en Olfantvelsiekte en RB51

|            |                |
|------------|----------------|
| Herd Book  | SP             |
| Birth date | 2023-06-26     |
| Age        | 2y 3m          |
| Inbreeding | 3%             |
| DNA        | ZOCA2025-88002 |

**HS 170147**  
Wean Mat. 127

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**HS 110104**  
Age 14y | AFC 26m | ICP 383d  
Calves 12 | Weaned 10 | Wean Mat. 181  
Avg. WI 107 | CCB 5.94 | CCW 53  
Calvings: 13-11, 15-05, 16-06, 17-05, 18-06, 19-06, 20-05, 21-05, 22-05, 23-06, 24-06, 25-06

**HS 140134**  
Wean Mat. 102

**HS 150004**  
Age 8y | AFC 29m | ICP 424d  
Calves 5 | Weaned 5 | Wean Mat. 143  
Avg. WI 105 | Wean Mat. 143

**WO 030397**  
Wean Mat. 108

**HS 020119**  
Age 12y | AFC 36m | ICP 393d  
Calves 9 | Weaned 9 | Wean Mat. 97  
Avg. WI 100 | Wean Mat. 97

**HS 110149**

**HS 090101**  
Age 8y | Avg. WI 104  
Calves 5 | Weaned 5

**OKT 100051**

**HS 110147**  
Age 12y | Avg. WI 108  
Calves 9 | Weaned 9

**WO 980062**

**WO 930015**  
Age 13y | Avg. WI 106  
Calves 6 | Weaned 3

**YL 950073**

**OKT 890068**  
Age 15y | Avg. WI 95  
Calves 13 | Weaned 12

**COW VALUE 141**

|     |                    |
|-----|--------------------|
| 85  | Calving Ease Value |
| 124 | Calf Growth Value  |
| 127 | Milk Value         |
| 96  | Maintenance Value  |
| 111 | Fertility Value    |

**GROWTH VALUE 114**

**CARCASS VALUE 112**

**PRODUCTION VALUE 135**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 90              | 88         | 124       | 127       | 134        | 101          | 114       | 114     |
| 68%             | 56%        | 68%       | 57%       | 53%        | 48%          | 29%       | 52%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 126              | 110 | 90  | 100           | 102    | 116    | 105     | 92  | 112 |
| 62%              | 49% | 18% | 45%           | 53%    | 52%    | 42%     | 39% | 38% |

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 34kg         | 231kg   109 (5) | 296kg   107 (6) | 337kg   114 (5) | -         | -         | ~ (B2)  | -  |

**LOT 39 (F) BEEFMASTER BOG 220071**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-10-16 |
| Oud. Zj   | 11m        |
| Inteling  | 2%         |
| DNS       | P3437/22   |

RLR 160064 HH  
Spn Mat. 59

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

BOS 177558  
Oud. 6j | OEK 36m | TKP 372d  
Kalwers 4 | Gespeen 4 | Spn. Mat. 84  
Gem. SI 97 | KKG 7.59 | KKS 50.9  
Kalwings: 20-09, 21-10, 22-10,  
23-10

WO 130103  
Spn Mat. 99

BOS 111198  
Oud. 12j | OEK 36m | TKP 377d  
Kalwers 9 | Gespeen 9 | Spn. Mat. 71  
Gem. SI 104 | Spn. Mat. 71

BOS 144056  
Spn Mat. 82

BOS 144617  
Oud. 11j | OEK 37m | TKP 367d  
Kalwers 7 | Gespeen 7 | Spn. Mat. 100  
Gem. SI 98 | Spn. Mat. 100

WO 100126

WO 090130  
Oud. 6j | Gem. SI 97  
Kalwers 3 | Gespeen 2

BOS 022109

BOS 066082  
Oud. 14j | Gem. SI 99  
Kalwers 13 | Gespeen 14

BOS 099241 HH

BOS 099139  
Oud. 11j | Gem. SI 98  
Kalwers 9 | Gespeen 9

BOS 100172

BOS 099723  
Oud. 9j | Gem. SI 100  
Kalwers 5 | Gespeen 2

**KOEIWAARDE 104**

|     |                     |
|-----|---------------------|
| 70  | Kalfigemak Waarde   |
| 131 | Kalfigroei Waarde   |
| 73  | Melk Waarde         |
| 91  | Onderhoudswaarde    |
| 111 | Vrugbaarheidswaarde |

**GROEI WAARDE 106**

**KARKAS WAARDE 117**

**PRODUKSIE WAARDE 100**

**LOGIX**  
EBV Analyse 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 52             | 143       | 131       | 73        | 93         | 104          | 101         | 120      |
| 66%            | 52%       | 68%       | 56%       | 51%        | 44%          | 28%         | 51%      |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet |
| 127            | 109 | 93  | 109         | 100    | 119    | 113 | 118 |
| 63%            | 48% | 21% | 42%         | 51%    | 50%    | 45% | 43% |

| Geb. Gewig | 205D Gewig      | 365D Gewig       | 540D Gewig      | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|------------------|-----------------|------------|------------|---------|----|
| 36kg       | 216kg   99 (17) | 250kg   102 (16) | 387kg   98 (31) | -          | -          | - (B2)  | -  |

VERKOPER OPMERKINGS: 7.5 maande dragtig van HS22/13; JVH19/22 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 40 (F) BEEFMASTER BOG 220108**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Draer |
| F94L       | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-11-22 |
| Oud. Zj   | 10m        |
| Inteling  | 0%         |
| DNS       | P3749/22   |

SCH 160103 PCH  
Spn Mat. 104

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

BOS 166385  
Oud. 8j | OEK 35m | TKP 372d  
Kalwers 6 | Gespeen 6 | Spn. Mat. 116  
Gem. SI 105 | KKG 7.93 | KKS 47.2  
Kalwings: 19-09, 20-10, 21-11,  
22-11, 23-11, 24-10

WO 110544 PCH  
Spn Mat. 51

SCH 110040  
Oud. 13j | OEK 31m | TKP 384d  
Kalwers 10 | Gespeen 10 | Spn. Mat. 128  
Gem. SI 103 | Spn. Mat. 128

BOS 077201 PCH  
Spn Mat. 97

BOS 077486  
Oud. 15j | OEK 37m | TKP 427d  
Kalwers 11 | Gespeen 8 | Spn. Mat. 117  
Gem. SI 100 | Spn. Mat. 117

MULTIPLE SIRES

WO 060304  
Oud. 12j | Gem. SI 104  
Kalwers 8 | Gespeen 6

MULTIPLE SIRES

PEN 040311  
Oud. 12j | Gem. SI 106  
Kalwers 5 | Gespeen 5

BOS 022099

BOS 988105  
Oud. 14j | Gem. SI 97  
Kalwers 11 | Gespeen 7

BOS 044245

BOS 022568  
Oud. 11j | Gem. SI 95  
Kalwers 7 | Gespeen 6

**KOEIWAARDE 127**

|     |                     |
|-----|---------------------|
| 74  | Kalfigemak Waarde   |
| 127 | Kalfigroei Waarde   |
| 111 | Melk Waarde         |
| 85  | Onderhoudswaarde    |
| 118 | Vrugbaarheidswaarde |

**GROEI WAARDE 120**

**KARKAS WAARDE 125**

**PRODUKSIE WAARDE 125**

**LOGIX**  
EBV Analyse 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 79             | 91        | 127       | 111       | 132        | 105          | 127         | 112      |
| 68%            | 57%       | 68%       | 59%       | 56%        | 49%          | 33%         | 54%      |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet |
| 130            | 128 | 118 | 115         | 120    | 128    | 130 | 82  |
| 60%            | 53% | 6%  | 53%         | 56%    | 55%    | 38% | 34% |

| Geb. Gewig | 205D Gewig      | 365D Gewig       | 540D Gewig       | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|------------------|------------------|------------|------------|---------|----|
| 38kg       | 226kg   107 (8) | 248kg   100 (16) | 399kg   101 (31) | -          | -          | - (B2)  | -  |

VERKOPER OPMERKINGS: 7.5 maande dragtig van HS22/13; JVH19/22 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 41 (F) BEEFMASTER BOG 220097**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**SELLER REMARKS:** 8.5 maande dragtig van JVH19/22 - Miostatin skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-11-14 |
| Age        | 2y 10m     |
| Inbreeding | 5%         |
| DNA        | P3738/22   |

**JAN 181836**  
Wean Mat. 81

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**BOG 190041**  
Age 5y | AFC 36m | ICP 379d  
Calves 3 | Weaned 3 | Wean Mat. 82  
Avg. WI 92 | CCB 7.9 | CCW 40.7  
Calvings: 22-11, 23-12, 24-12

| COW VALUE 106        |                    |
|----------------------|--------------------|
| 118                  | Calving Ease Value |
| 99                   | Calf Growth Value  |
| 81                   | Milk Value         |
| 119                  | Maintenance Value  |
| 110                  | Fertility Value    |
| GROWTH VALUE 96      |                    |
| CARCASS VALUE 90     |                    |
| PRODUCTION VALUE 100 |                    |



| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 115             | 104        | 99        | 81        | 103        | 111          | 88        | 122     |
| 64%             | 46%        | 63%       | 47%       | 42%        | 40%          | 24%       | 45%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 100              | 96  | 85  | 84            | 76     | 86     | 93      | 92  | 109 |
| 58%              | 38% | 8%  | 38%           | 42%    | 41%    | 27%     | 24% | 23% |

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 32kg         | 210kg   98 (17) | 211kg   89 (16) | 367kg   97 (31) | -         | -         | - (B2)  | -  |

**LOT 42 (F) BEEFMASTER RLR 220068**



**J.H. MEYER**



Bela-Bela, Limpopo  
0829476607  
ronelmeyer1959@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

**SELLER REMARKS:** 6-8 maande dragtig van BOS20/0406: JVH21/0454 - Miostatin skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-10-24 |
| Age        | 2y 11m     |
| Inbreeding | 5%         |
| DNA        | P3628/22   |

**RLR 190053 HH**  
Wean Mat. 126

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**RLR 180091**  
Age 6y | AFC 35m | ICP 385d  
Calves 4 | Weaned 3 | Wean Mat. 91  
Avg. WI 99 | CCB 5.93 | CCW 35.2  
Calvings: 21-10, 22-10, 23-09, 24-12

| COW VALUE 111        |                    |
|----------------------|--------------------|
| 108                  | Calving Ease Value |
| 108                  | Calf Growth Value  |
| 107                  | Milk Value         |
| 89                   | Maintenance Value  |
| 108                  | Fertility Value    |
| GROWTH VALUE 104     |                    |
| CARCASS VALUE 100    |                    |
| PRODUCTION VALUE 107 |                    |



| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 108             | 94         | 108       | 107       | 130        | 103          | 96        | 119     |
| 67%             | 50%        | 66%       | 49%       | 52%        | 37%          | 25%       | 47%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 109              | 109 | 102 | 109           | 86     | 92     | 102     | 97  | 104 |
| 62%              | 49% | 33% | 41%           | 53%    | 52%    | 40%     | 37% | 36% |

| Birth Weight | 205D Weight      | 365D Weight      | 540D Weight      | ADG Index | FCR Index | Scrotum | LH |
|--------------|------------------|------------------|------------------|-----------|-----------|---------|----|
| 34kg         | 261kg   105 (26) | 324kg   105 (39) | 414kg   107 (40) | -         | -         | - (B2)  | -  |

**LOT 43 (F) BEEFMASTER RLR 230012**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Draer |
| F94L       | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2023-02-17 |
| Oud.      | 2j 7m      |
| Inteling  | 3%         |
| DNS       | P690/23    |

**RLR 190037 HH**  
Spn Mat. 107

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**RLR 160089**  
Oud. 8j | OEK 23m | TKP 374d  
Kalwers 7 | Gespeen 7 | Spn. Mat. 97  
Gem. SI 98 | KKG 5.96 | KKS 34  
Kalwings: 18-10, 20-03, 21-03,  
22-03, 23-02, 24-01, 24-11

**RLR 160045 HH**  
Spn Mat. 115

**RLR 120088**  
Oud. 12j | OEK 34m | TKP 374d  
Kalwers 9 | Gespeen 9 | Spn. Mat. 98  
Gem. SI 99 | Spn. Mat. 98

**RLR 130053**  
Spn Mat. 75

**RLR 120083**  
Oud. 11j | OEK 38m | TKP 370d  
Kalwers 9 | Gespeen 9 | Spn. Mat. 91  
Gem. SI 103 | Spn. Mat. 91

**WO 130103**

**BOS 111230**  
Oud. 13j | Gem. SI 107  
Kalwers 11 | Gespeen 11

**FXF 090030**

**FXF 070136**  
Oud. 12j | Gem. SI 100  
Kalwers 11 | Gespeen 11

**RLR 101041**

**BOS 077294**  
Oud. 8j | Gem. SI 111  
Kalwers 5 | Gespeen 5

**BOS 088432 HH**

**FXF 080210**  
Oud. 11j | Gem. SI 100  
Kalwers 9 | Gespeen 9

**KOEIWAARDE 113**

|     |                     |
|-----|---------------------|
| 85  | Kalfgemak Waarde    |
| 110 | Kalfgroei Waarde    |
| 102 | Melk Waarde         |
| 108 | Onderhoudswaarde    |
| 106 | Vrugbaarheidswaarde |

**GROEI WAARDE 102**

**KARKAS WAARDE 100**

**PRODUKSIE WAARDE 108**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 83             | 118       | 110       | 102       | 115        | 106          | 95          | 114      |  |
| 64%            | 48%       | 64%       | 49%       | 53%        | 37%          | 24%         | 46%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 111            | 107 | 98  | 93          | 90     | 102    | 109    | 107 | 106 |
| 58%            | 48% | 22% | 37%         | 53%    | 52%    | 37%    | 34% | 33% |

| Geb. Gewig | 205D Gewig      | 365D Gewig      | 540D Gewig      | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|-----------------|-----------------|------------|------------|---------|----|
| 36kg       | 203kg   104 (5) | 250kg   101 (6) | 324kg   102 (7) | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 6-8 maande dragtig van BOS20/0406; JYH21/0454 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bectect, Respiravax en RB51

**LOT 44 (F) BEEFMASTER BOG 220099**



**BEEF ON GRASS PTY LTD**

Bela Bela, Limpopo

0714819592

to.luy88@gmail.com

P.O. BOX 10020, FONTEINRIET, BOKSBURG, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-11-15 |
| Oud.      | 2j 10m     |
| Inteling  | 0%         |
| DNS       | P3740/22   |

**SCH 160103 PCh**  
Spn Mat. 104

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**RLR 120038**  
Oud. 13j | OEK 28m | TKP 392d  
Kalwers 11 | Gespeen 10 | Spn. Mat. 108  
Gem. SI 103 | KKG 5.98 | KKS 44  
Kalwings: 14-09, 15-10, 16-09,  
17-10, 18-10, 19-10, 20-10, 21-10,  
22-11, 24-04, 25-05

**WO 110544 PCh**  
Spn Mat. 51

**SCH 110040**  
Oud. 13j | OEK 31m | TKP 384d  
Kalwers 10 | Gespeen 10 | Spn. Mat. 128  
Gem. SI 103 | Spn. Mat. 128

**FXF 060002**  
Spn Mat. 91

**BVB 100512**  
Oud. 13j | OEK 27m | TKP 425d  
Kalwers 10 | Gespeen 10 | Spn. Mat. 107  
Gem. SI 101 | Spn. Mat. 107

**MULTIPLE SIREs**

**WO 060304**  
Oud. 12j | Gem. SI 104  
Kalwers 8 | Gespeen 6

**MULTIPLE SIREs**

**PEN 040311**  
Oud. 12j | Gem. SI 106  
Kalwers 5 | Gespeen 5

**FXF 000123**

**FXF 030703**  
Oud. 9j | Gem. SI 100  
Kalwers 6 | Gespeen 6

**WO 050039**

**BVB 066090**  
Oud. 7j | Gem. SI 109  
Kalwers 5 | Gespeen 4

**KOEIWAARDE 118**

|     |                     |
|-----|---------------------|
| 84  | Kalfgemak Waarde    |
| 120 | Kalfgroei Waarde    |
| 102 | Melk Waarde         |
| 86  | Onderhoudswaarde    |
| 116 | Vrugbaarheidswaarde |

**GROEI WAARDE 115**

**KARKAS WAARDE 116**

**PRODUKSIE WAARDE 115**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 86             | 97        | 120       | 102       | 133        | 104          | 123         | 113      |  |
| 70%            | 59%       | 70%       | 67%       | 55%        | 47%          | 34%         | 55%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 121            | 120 | 110 | 114         | 108    | 114    | 123    | 84  | 106 |
| 63%            | 52% | 9%  | 53%         | 55%    | 54%    | 37%    | 34% | 33% |

| Geb. Gewig | 205D Gewig       | 365D Gewig       | 540D Gewig       | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|------------------|------------------|------------------|------------|------------|---------|----|
| 32kg       | 241kg   115 (17) | 247kg   103 (16) | 407kg   106 (31) | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 8.5 maande dragtig van JYH19/22 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bectect, Respiravax en RB51

**LOT 45 (F) BEEFMASTER BOG 220030**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |         |
|-----------|---------|
| Q204X     | Free    |
| NT821     | Carrier |
| F94L      | Free    |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-09-24 |
| Age        | 2y 12m     |
| Inbreeding | 9%         |
| DNA        | P3397/22   |

**JAN 181836**  
Wean Mat. 81

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**BOS 199188**  
Age 5y | AFC 36m | ICP 470d  
Calves 3 | Weaned 2 | Wean Mat. 96  
Avg. WI 106 | CCB 5.37 | CCW 42.4  
Calvings: 22-09, 23-12, 25-04

**JAN 155002**  
Wean Mat. 61

**BOS 144409**  
Age 10y | AFC 26m | ICP 450d  
Calves 7 | Weaned 7 | Wean Mat. 91  
Avg. WI 102 | Wean Mat. 91

**BOS 133097**  
Wean Mat. 87

**BOS 155039**  
Age 4y | AFC 34m | ICP 403d  
Calves 2 | Weaned 2 | Wean Mat. 97  
Avg. WI 100 | Wean Mat. 97

**BOS 100121**

☞ **BOS 100179 HH**  
Age 15y | Avg. WI 106  
Calves 10 | Weaned 8

☞ **BOS 100048 HH**

**BOS 100250**  
Age 14y | Avg. WI 99  
Calves 12 | Weaned 11

**WO 980062**

☞ **BOS 033011**  
Age 13y | Avg. WI 107  
Calves 9 | Weaned 7

☞ **BOS 099241 HH**

☞ **BOS 088068**  
Age 9y | Avg. WI 100  
Calves 6 | Weaned 4

**COW VALUE 115**

|     |                    |
|-----|--------------------|
| 120 | Calving Ease Value |
| 106 | Calf Growth Value  |
| 87  | Milk Value         |
| 94  | Maintenance Value  |
| 127 | Fertility Value    |

**GROWTH VALUE 103**

**CARCASS VALUE 101**

**PRODUCTION VALUE 110**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 115             | 111        | 106       | 87        | 91         | 135          | 107       | 121     |
| 63%             | 45%        | 64%       | 47%       | 39%        | 42%          | 28%       | 47%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 107              | 106 | 97  | 104           | 86     | 104    | 107     | 79  | 97  |
| 59%              | 35% | 11% | 37%           | 40%    | 38%    | 26%     | 24% | 23% |

|              |                  |                  |                 |           |           |         |    |
|--------------|------------------|------------------|-----------------|-----------|-----------|---------|----|
| Birth Weight | 205D Weight      | 365D Weight      | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
| 26kg         | 234kg   106 (20) | 248kg   100 (18) | 369kg   99 (31) | -         | -         | ~ (B2)  | -  |

**SELLER REMARKS:** 8 maande dragtig van J522/13; JYH19/22 - Miostatin skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 46 (F) BEEFMASTER BOG 220033**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |         |
|-----------|---------|
| Q204X     | Free    |
| NT821     | Carrier |
| F94L      | Free    |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-09-24 |
| Age        | 2y 12m     |
| Inbreeding | 4%         |
| DNA        | UI2892U005 |

**BOG 190025**  
Wean Mat. 66

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**ZCW 200296**  
Age 4y | AFC 23m | ICP 382d  
Calves 3 | Weaned 2 | Wean Mat. 113  
Avg. WI 105 | CCB 6.83 | CCW 56.3  
Calvings: 22-09, 23-12, 24-10

☞ **RLR 150055 HH**  
Wean Mat. 76

**BOG 150036**  
Age 9y | AFC 35m | ICP 402d  
Calves 6 | Weaned 6 | Wean Mat. 59  
Avg. WI 98 | Wean Mat. 59

☞ **RLR 160025 HH**  
Wean Mat. 116

**ZCW 160107**  
Age 6y | AFC - | ICP 366d  
Calves 5 | Weaned 4 | Wean Mat. 95  
Avg. WI 107 | Wean Mat. 95

☞ **RLR 11153 HH**

**BOS 111198**  
Age 12y | Avg. WI 104  
Calves 9 | Weaned 9

☞ **RLR 120090**

**RLR 130077**  
Age 11y | Avg. WI 100  
Calves 10 | Weaned 9

☞ **RLR 11153 HH**

☞ **RLR 140012 HH**  
Age 11y | Avg. WI 100  
Calves 9 | Weaned 9

**WO 100202**

**ZCW 060510**  
Age 12y | Avg. WI 99  
Calves 10 | Weaned 9

**COW VALUE 97**

|     |                    |
|-----|--------------------|
| 112 | Calving Ease Value |
| 104 | Calf Growth Value  |
| 85  | Milk Value         |
| 99  | Maintenance Value  |
| 106 | Fertility Value    |

**GROWTH VALUE 102**

**CARCASS VALUE 97**

**PRODUCTION VALUE 93**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 112             | 93         | 104       | 85        | 114        | 101          | 90        | 121     |
| 64%             | 46%        | 64%       | 46%       | 45%        | 33%          | 24%       | 44%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 109              | 101 | 94  | 100           | 94     | 92     | 100     | 88  | 109 |
| 56%              | 41% | 13% | 39%           | 46%    | 44%    | 30%     | 28% | 27% |

|              |                  |                  |                  |           |           |         |    |
|--------------|------------------|------------------|------------------|-----------|-----------|---------|----|
| Birth Weight | 205D Weight      | 365D Weight      | 540D Weight      | ADG Index | FCR Index | Scrotum | LH |
| 21kg         | 231kg   107 (20) | 251kg   105 (18) | 376kg   105 (31) | -         | -         | ~ (B2)  | -  |

**SELLER REMARKS:** 8.5 maande dragtig van JYH19/22 - Miostatin skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 47 (F) BEEFMASTER RLR 220088**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miestatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-11-05 |
| Oud.      | 2j 10m     |
| Inteling  | 1%         |
| DNS       | P3755/22   |

**RLR 190058** PcH  
Spm Mat. 94

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**RLR 101098**  
Spm Mat. 57

**RLR 140012** HH  
Oud. 11j | OEK 29m | TKP 379d  
Kalwers 9 | Gespeen 9 | Spn. Mat. 97  
Gem. SI 100 | KKG 7.32 | KKS 42.1

**RLR 160064** HH  
Spm Mat. 59

**RLR 140006**  
Oud. 11j | OEK 31m | TKP 395d  
Kalwers 9 | Gespeen 8 | Spn. Mat. 107  
Gem. SI 103 | Spn. Mat. 107

**RLR 120001**  
Oud. 11j | OEK 27m | TKP 395d  
Kalwers 9 | Gespeen 10 | Spn. Mat. 117  
Gem. SI 103 | Spn. Mat. 117

WO 130103

**BOS 111198**  
Oud. 12j | Gem. SI 104  
Kalwers 9 | Gespeen 9

**BOS 088432** HH

**BOS 088042**  
Oud. 12j | Gem. SI 103  
Kalwers 11 | Gespeen 10

WO 050162

**WO 070181**  
Oud. 4j | Gem. SI 123  
Kalwers 2 | Gespeen 2

RLR 080816

**RLR 090048**  
Oud. 8j | Gem. SI 105  
Kalwers 6 | Gespeen 5

**LOGIX**  
EBV Analyse 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 60             | 123       | 121       | 95        | 96         | 97           | 102         | 120      |
| 68%            | 53%       | 59%       | 52%       | 57%        | 35%          | 23%         | 49%      |

**KOEIWAARDE 111**

|     |                     |
|-----|---------------------|
| 75  | Kalfgemak Waarde    |
| 121 | Kalfgroei Waarde    |
| 95  | Melk Waarde         |
| 95  | Onderhoudswaarde    |
| 108 | Vrugbaarheidswaarde |

**GROEI WAARDE 103**

**KARKAS WAARDE 108**

**PRODUKSIE WAARDE 106**

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volv. Gewig | Hoogte | Lengte | OSO | Mar |
| 122            | 108 | 96  | 103         | 127    | 118    | 98  | 113 |
| 50%            | 54% | 36% | 42%         | 58%    | 57%    | 48% | 44% |

| Geb. Gewig | 205D Gewig      | 365D Gewig      | 540D Gewig      | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|-----------------|-----------------|------------|------------|---------|----|
| 39kg       | 210kg   100 (1) | 279kg   86 (39) | 367kg   90 (40) | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 6 - 8 maande dragtig van BOS20/0406; J/H21/0454

Dragtig van miestatien skoon bulle

Toetse: Brusellose, TB en dragtigheid

Entings: Clostrivax B+, Lumpyvax, Befeet, Respirivax en RB51

**LOT 48 (F) BEEFMASTER RLR 220121**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miestatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-12-06 |
| Oud.      | 2j 9m      |
| Inteling  | 4%         |
| DNS       | P37/23     |

**RLR 190025** PcPc  
Spm Mat. 77

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**RLR 200073**  
Oud. 4j | OEK 25m | TKP 457d  
Kalwers 3 | Gespeen 2 | Spn. Mat. 92  
Gem. SI 111 | KKG 6.83 | KKS 44.5

**BOS 133097**  
Spm Mat. 87

**BOS 155205**  
Oud. 9j | OEK 36m | TKP 390d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 98  
Gem. SI 104 | Spn. Mat. 98

**BOS 133095** HH  
Spm Mat. 84

**RLR 160083**  
Oud. 8j | OEK 24m | TKP 359d  
Kalwers 7 | Gespeen 7 | Spn. Mat. 103  
Gem. SI 103 | Spn. Mat. 103

WO 980062

**BOS 033011**  
Oud. 13j | Gem. SI 107  
Kalwers 9 | Gespeen 7

**BOS 099122**

**BOS 111439**  
Oud. 6j | Gem. SI 100  
Kalwers 3 | Gespeen 3

**BOS 088080** PcH

**BOS 066096**  
Oud. 12j | Gem. SI 101  
Kalwers 10 | Gespeen 10

WO 130103

**BOS 12131**  
Oud. 12j | Gem. SI 105  
Kalwers 10 | Gespeen 9

**LOGIX**  
EBV Analyse 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 100            | 123       | 126       | 82        | 87         | 106          | 98          | 117      |
| 67%            | 47%       | 64%       | 48%       | 53%        | 42%          | 28%         | 48%      |

**KOEIWAARDE 118**

|     |                     |
|-----|---------------------|
| 102 | Kalfgemak Waarde    |
| 126 | Kalfgroei Waarde    |
| 82  | Melk Waarde         |
| 101 | Onderhoudswaarde    |
| 109 | Vrugbaarheidswaarde |

**GROEI WAARDE 115**

**KARKAS WAARDE 116**

**PRODUKSIE WAARDE 115**

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volv. Gewig | Hoogte | Lengte | OSO | Mar |
| 124            | 119 | 122 | 98          | 111    | 117    | 116 | 92  |
| 51%            | 50% | 28% | 40%         | 54%    | 53%    | 49% | 45% |

| Geb. Gewig | 205D Gewig      | 365D Gewig       | 540D Gewig       | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|------------------|------------------|------------|------------|---------|----|
| 34kg       | 247kg   120 (3) | 310kg   103 (39) | 377kg   100 (40) | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 6 - 8 maande dragtig van BOS20/0406 ; J/H21/0454 - Miestatien skoon

Toetse: Brusellose, TB en dragtigheid

Entings: Clostrivax B+, Lumpyvax, Befeet, Respirivax en RB51

**LOT 49 (F) BEEFMASTER RLR 220093**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-11-07 |
| Age        | 2y 10m     |
| Inbreeding | 1%         |
| DNA        | P3760/22   |

**RLR 190037 HH**  
Wean Mat. 107

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**RLR 120051**  
Age 10y | AFC 28m | ICP 370d  
Calves 9 | Weaned 9 | Wean Mat. 82  
Avg. WI 101 | CCB 6.23 | CCW 38.3  
Calvings: 14-10, 15-10, 16-11, 17-10,  
18-11, 19-11, 20-11, 21-10, 22-11

**RLR 160045 HH**  
Wean Mat. 115

**RLR 120088**  
Age 12y | AFC 34m | ICP 374d  
Calves 9 | Weaned 9 | Wean Mat. 98  
Avg. WI 99 | Wean Mat. 98

**FXF 060002**  
Wean Mat. 91

**RLR 101017**  
Age 13y | AFC 27m | ICP 380d  
Calves 11 | Weaned 10 | Wean Mat. 69  
Avg. WI 99 | Wean Mat. 69

**WO 130103**  
**BOS 111230**  
Age 13y | Avg. WI 107  
Calves 11 | Weaned 11

**FXF 090030**

**FXF 070136**  
Age 12y | Avg. WI 100  
Calves 11 | Weaned 11

**FXF 000123**

**FXF 030703**  
Age 9y | Avg. WI 100  
Calves 6 | Weaned 6

**WO 050162**

**WO 070665**  
Age 5y | Avg. WI 96  
Calves 4 | Weaned 4

**COW VALUE 98**

|     |                    |
|-----|--------------------|
| 99  | Calving Ease Value |
| 98  | Calf Growth Value  |
| 93  | Milk Value         |
| 106 | Maintenance Value  |
| 106 | Fertility Value    |

**GROWTH VALUE 90**

**CARCASS VALUE 86**

**PRODUCTION VALUE 92**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           |            | Fertility    |           |         |  |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|--|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |  |
| 97              | 109        | 98        | 93        | 113        | 104          | 100       | 111     |  |
| 66%             | 50%        | 65%       | 51%       | 51%        | 31%          | 23%       | 48%     |  |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99               | 90  | 80  | 94            | 83     | 91     | 90      | 108 | 93  |
| 59%              | 46% | 20% | 40%           | 52%    | 50%    | 35%     | 31% | 31% |

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 31kg         | 233kg   94 (26) | 296kg   94 (39) | 365kg   93 (40) | -         | -         | - (B2)  | -  |

**SELLER REMARKS:** 6 - 8 maande dragtig van BOS20/0406 | JWH21/0454 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 50 (F) BEEFMASTER HS 220179**



**G.A. STEENKAMP**

Steenbokpan, Limpopo  
0836535610  
hardus@phumba.co.za

DOORNLAAGTE LQ 353, POS-  
BUS 614, Lephalale, 0555



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-12-09 |
| Age        | 2y 9m      |
| Inbreeding | 4%         |
| DNA        | P1480/23   |

**HS 190123**  
Wean Mat. 89

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**HS 200141**  
Age 4y | AFC 25m | ICP 384d  
Calves 3 | Weaned 2 | Wean Mat. 124  
Avg. WI 95 | CCB - | CCW 43.7  
Calvings: 22-12, 23-10, 25-01

**HS 160191 HH**  
Wean Mat. 101

**HS 150017**  
Age 10y | AFC 25m | ICP 401d  
Calves 7 | Weaned 7 | Wean Mat. 84  
Avg. WI 95 | Wean Mat. 84

**WO 100124 HH**  
Wean Mat. 130

**HS 110142**  
Age 12y | AFC 25m | ICP 366d  
Calves 10 | Weaned 9 | Wean Mat. 109  
Avg. WI 104 | Wean Mat. 109

**OKT 110031**  
**HS 080026**  
Age 13y | Avg. WI 112  
Calves 11 | Weaned 10

**HS 120149**

**HS 110122**  
Age 10y | Avg. WI 108  
Calves 7 | Weaned 7

**WO 080137**

**WO 040077**  
Age 10y | Avg. WI 111  
Calves 9 | Weaned 8

**WO 030397**

**HS 030174**  
Age 10y | Avg. WI 106  
Calves 7 | Weaned 6

**COW VALUE 128**

|     |                    |
|-----|--------------------|
| 77  | Calving Ease Value |
| 126 | Calf Growth Value  |
| 111 | Milk Value         |
| 88  | Maintenance Value  |
| 115 | Fertility Value    |

**GROWTH VALUE 120**

**CARCASS VALUE 117**

**PRODUCTION VALUE 125**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           |            | Fertility    |           |         |  |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|--|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |  |
| 79              | 103        | 126       | 111       | 117        | 104          | 116       | 117     |  |
| 61%             | 45%        | 52%       | 41%       | 47%        | 40%          | 22%       | 45%     |  |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 132              | 124 | 107 | 110           | 118    | 121    | 122     | 117 | 120 |
| 45%              | 42% | 18% | 35%           | 48%    | 46%    | 39%     | 35% | 34% |

| Birth Weight | 205D Weight     | 365D Weight | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-------------|-----------------|-----------|-----------|---------|----|
| 36kg         | 216kg   87 (12) | -           | 312kg   89 (30) | -         | -         | - (B2)  | -  |

**SELLER REMARKS:** 6-7 maande dragtig van HS22/12  
Toetse: Brusellose, TB en Dragtigheid  
Entings: Spons, Lam, Milt en Olfantviesiekte en RB51

**LOT 51 (F) BEEFMASTER HS 220175**



**G.A. STEENKAMP**

Steenbokpan, Limpopo  
0836535610  
hardus@phumba.co.za

DOORNLAAGTE LQ 353, POS-  
BUS 614, Lephalale, 0555



| Mioestation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Skoon |
| F94L        | Skoon |

|           |                |
|-----------|----------------|
| Kuddeboek | SP             |
| Geb. dtm  | 2022-12-15     |
| Oud.      | 2j 9m          |
| Inteling  | 1%             |
| DNS       | ZOCA2025-89696 |

RLR 160056 HH  
Spn Mat. 118

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**HS 150152**  
Oud. 8j | OEK 31m | TKP 408d  
Kalwers 5 | Gespeen 4 | Spn. Mat. 115  
Gem. SI 106 | KKG 5.61 | KKS 42.9  
Kalwings: 18-06, 19-07, 20-07,  
21-12, 22-12

**RLR 130053**  
Spn Mat. 75

**BOS 055056**  
Oud. 14j | OEK 26m | TKP 380d  
Kalwers 13 | Gespeen 11 | Spn. Mat. 110  
Gem. SI 101 | Spn. Mat. 110

**OKT 110031**  
Spn Mat. 119

**HS 080137**  
Oud. 8j | OEK 24m | TKP 370d  
Kalwers 6 | Gespeen 5 | Spn. Mat. 114  
Gem. SI 104 | Spn. Mat. 114

**RLR 101041**  
BOS 077294  
Oud. 8j | Gem. SI 111  
Kalwers 5 | Gespeen 5

**BOS 022082**  
BOS 022538  
Oud. 10j | Gem. SI 104  
Kalwers 6 | Gespeen 3

**BOS 077229**  
OKT 010006  
Oud. 13j | Gem. SI 111  
Kalwers 11 | Gespeen 10

**WO 050427**  
HS 950118  
Oud. 15j | Gem. SI 102  
Kalwers 13 | Gespeen 12

|                             |
|-----------------------------|
| <b>KOEIWAARDE 122</b>       |
| 71 Kalfgemak Waarde         |
| 121 Kalfgroei Waarde        |
| 113 Melk Waarde             |
| 88 Onderhoudswaarde         |
| 114 Vrugaarheidswaarde      |
| <b>GROEI WAARDE 110</b>     |
| <b>KARKAS WAARDE 111</b>    |
| <b>PRODUKSIE WAARDE 118</b> |

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|-------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugg. | Koei Vrugg. | Lanklew. |  |
| 77             | 88        | 121       | 113       | 100        | 100         | 122         | 113      |  |
| 68%            | 56%       | 67%       | 57%       | 53%        | 50%         | 29%         | 54%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 122            | 114 | 97  | 111         | 100    | 115    | 113    | 78  | 98  |
| 64%            | 50% | 32% | 48%         | 53%    | 53%    | 45%    | 43% | 42% |

| Geb. Gewig | 205D Gewig       | 365D Gewig       | 540D Gewig       | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|------------------|------------------|------------------|------------|------------|---------|----|
| 34kg       | 284kg   124 (20) | 270kg   115 (28) | 409kg   113 (30) | -          | -          | - (B2)  | -  |

VERKOPER OPMERKINGS: 6-7 maande dragtig van HS22/12  
Toetse: Brucellose, TB en Dragtigheid  
Entings: Spons, Lam, Milt en Olifantvelsiekte en RB51

**LOT 52 (F) BEEFMASTER HS 220141**



**G.A. STEENKAMP**

Steenbokpan, Limpopo  
0836535610  
hardus@phumba.co.za

DOORNLAAGTE LQ 353, POS-  
BUS 614, Lephalale, 0555



| Mioestation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Skoon |
| F94L        | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-10-25 |
| Oud.      | 2j 11m     |
| Inteling  | 5%         |
| DNS       | PI464/23   |

|             |      |      |
|-------------|------|------|
| HS 190123   |      |      |
| Spn Mat. 89 |      |      |
| Ouerskap    | Vaar | Moer |
| DNS         | ✓    | ✓    |
| Genomies    |      |      |

**HS 200111 HH**  
Oud. 4j | OEK 25m | TKP 414d  
Kalwers 3 | Gespeen 3 | Spn. Mat. 75  
Gem. SI 96 | KKG 6.49 | KKS 44.9  
Kalwings: 22-10, 23-12, 25-01

**HS 160191 HH**  
Spn Mat. 101

**HS 150017**  
Oud. 10j | OEK 29m | TKP 401d  
Kalwers 7 | Gespeen 7 | Spn. Mat. 84  
Gem. SI 95 | Spn. Mat. 84

**HS 170171**  
Spn Mat. 77

**HS 170170**  
Oud. 6j | OEK 34m | TKP 379d  
Kalwers 3 | Gespeen 2 | Spn. Mat. 94  
Gem. SI 97 | Spn. Mat. 94

**OKT 110031**  
HS 080026  
Oud. 13j | Gem. SI 112  
Kalwers 11 | Gespeen 10

**HS 120149**  
HS 110122  
Oud. 10j | Gem. SI 108  
Kalwers 7 | Gespeen 7

**RLR 101098**  
HS 100164  
Oud. 14j | Gem. SI 101  
Kalwers 12 | Gespeen 12

**RLR 101098**  
HS 080026  
Oud. 13j | Gem. SI 112  
Kalwers 11 | Gespeen 10

|                             |
|-----------------------------|
| <b>KOEIWAARDE 107</b>       |
| 93 Kalfgemak Waarde         |
| 115 Kalfgroei Waarde        |
| 84 Melk Waarde              |
| 103 Onderhoudswaarde        |
| 108 Vrugaarheidswaarde      |
| <b>GROEI WAARDE 115</b>     |
| <b>KARKAS WAARDE 108</b>    |
| <b>PRODUKSIE WAARDE 105</b> |

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|-------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugg. | Koei Vrugg. | Lanklew. |  |
| 93             | 105       | 115       | 84        | 109        | 98          | 103         | 118      |  |
| 63%            | 42%       | 62%       | 43%       | 47%        | 38%         | 27%         | 42%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 119            | 120 | 110 | 96          | 109    | 108    | 108    | 100 | 109 |
| 56%            | 42% | 10% | 37%         | 48%    | 46%    | 40%    | 36% | 36% |

| Geb. Gewig | 205D Gewig      | 365D Gewig      | 540D Gewig      | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|-----------------|-----------------|------------|------------|---------|----|
| 31kg       | 212kg   87 (12) | 201kg   88 (28) | 324kg   94 (30) | -          | -          | - (B2)  | -  |

VERKOPER OPMERKINGS: 6-7 maande dragtig van HS22/12  
Toetse: Brucellose, TB en Dragtigheid  
Entings: Spons, Lam, Milt en Olifantvelsiekte en RB51

**LOT 53 (F) BEEFMASTER BOG 220035**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-09-24 |
| Age        | 2y 12m     |
| Inbreeding | 4%         |
| DNA        | P3402/22   |

**JAN 181836**  
Wean Mat. 81

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**ZCW 190305**  
Age 5y | AFC 34m | ICP 490d  
Calves 3 | Weaned 1 | Wean Mat. 73  
Avg. WI 97 | CCB 4.09 | CCW 44  
Calvings: 22-09, 23-12, 25-05

**JAN 155002**  
Wean Mat. 61

**BOS 144409**  
Age 10y | AFC 26m | ICP 450d  
Calves 7 | Weaned 7 | Wean Mat. 91  
Avg. WI 102 | Wean Mat. 91

**RLR 140061**  
Wean Mat. 46

**ZCW 170104**  
Age 5y | AFC - | ICP 525d  
Calves 3 | Weaned 3 | Wean Mat. 94  
Avg. WI 103 | Wean Mat. 94

**BOS 100121**

**BOS 100179 HH**  
Age 15y | Avg. WI 106  
Calves 10 | Weaned 8

**BOS 100048 HH**

**BOS 100250**  
Age 14y | Avg. WI 99  
Calves 12 | Weaned 11

**BOS 111313 HH**

**BOS 111198**  
Age 12y | Avg. WI 104  
Calves 9 | Weaned 9

**RLR 130053**

**ZCW 070528**  
Age 11y | Avg. WI 99  
Calves 9 | Weaned 9

**COW VALUE 103**

|     |                    |
|-----|--------------------|
| 134 | Calving Ease Value |
| 88  | Calf Growth Value  |
| 73  | Milk Value         |
| 127 | Maintenance Value  |
| 118 | Fertility Value    |

**GROWTH VALUE 85**

**CARCASS VALUE 77**

**PRODUCTION VALUE 95**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 127             | 116        | 88        | 73        | 77         | 117          | 94        | 127     |
| 65%             | 46%        | 64%       | 45%       | 38%        | 37%          | 25%       | 45%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 88               | 84  | 70  | 75            | 69     | 81     | 82      | 78  | 97  |
| 58%              | 34% | 9%  | 35%           | 38%    | 37%    | 25%     | 23% | 22% |

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 18kg         | 207kg   97 (20) | 229kg   95 (18) | 337kg   93 (31) | -         | -         | - (B2)  | -  |

**SELLER REMARKS:** 8.5 maande dragtig van JVH19/22 - Miostatin skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax en RB51

**LOT 54 (F) BEEFMASTER BOG 220060**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |         |
|-----------|---------|
| Q204X     | Free    |
| NT821     | Carrier |
| F94L      | Free    |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-10-06 |
| Age        | 2y 11m     |
| Inbreeding | 2%         |
| DNA        | P3426/22   |

**RLR 160064 HH**  
Wean Mat. 59

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**RLR 160036**  
Age 8y | AFC 25m | ICP 330d  
Calves 7 | Weaned 4 | Wean Mat. 84  
Avg. WI 96 | CCB 7.77 | CCW 43.3  
Calvings: 18-10, 19-10, 21-01, 21-10, 22-10, 23-06, 24-03

**WO 130103**  
Wean Mat. 99

**BOS 111198**  
Age 12y | AFC 36m | ICP 377d  
Calves 9 | Weaned 9 | Wean Mat. 71  
Avg. WI 104 | Wean Mat. 71

**RLR 130053**  
Wean Mat. 75

**RLR 120038**  
Age 13y | AFC 28m | ICP 392d  
Calves 11 | Weaned 10 | Wean Mat. 108  
Avg. WI 103 | Wean Mat. 108

**WO 100126**

**WO 090130**  
Age 6y | Avg. WI 97  
Calves 3 | Weaned 2

**BOS 022109**

**BOS 066082**  
Age 14y | Avg. WI 99  
Calves 13 | Weaned 14

**RLR 101041**

**BOS 077294**  
Age 8y | Avg. WI 111  
Calves 5 | Weaned 5

**FXF 060002**

**BVB 100512**  
Age 13y | Avg. WI 101  
Calves 10 | Weaned 10

**COW VALUE 109**

|     |                    |
|-----|--------------------|
| 73  | Calving Ease Value |
| 132 | Calf Growth Value  |
| 76  | Milk Value         |
| 100 | Maintenance Value  |
| 105 | Fertility Value    |

**GROWTH VALUE 112**

**CARCASS VALUE 114**

**PRODUCTION VALUE 106**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 52              | 131        | 132       | 76        | 96         | 95           | 94        | 122     |
| 69%             | 56%        | 69%       | 55%       | 54%        | 40%          | 27%       | 52%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 128              | 108 | 87  | 99            | 94     | 111    | 105     | 130 | 133 |
| 65%              | 52% | 23% | 41%           | 55%    | 54%    | 46%     | 43% | 43% |

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight      | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|------------------|-----------|-----------|---------|----|
| 39kg         | 207kg   86 (20) | 258kg   95 (18) | 399kg   101 (31) | -         | -         | - (B2)  | -  |

**SELLER REMARKS:** 8.5 maande dragtig van JVH19/22 - Miostatin skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax en RB51

**LOT 55 (F) BEEFMASTER BOG 220072**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to:uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-10-16 |
| Oud.      | 2j 11m     |
| Inteling  | 4%         |
| DNS       | P3438/22   |

**JAN 181836**  
Spm Mat. 81

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**BOG 190031**  
Oud. 5j | OEK 35m | TKP 458d  
Kalwers 3 | Gespeen 2 | Spn. Mat. 100  
Gem. SI 98 | KKG 8.11 | KKS 47.6  
Kalwings: 22-10, 24-01, 25-04

**JAN 155002**  
Spm Mat. 61

**BOS 144409**  
Oud. 10j | OEK 26m | TKP 450d  
Kalwers 7 | Gespeen 7 | Spn. Mat. 91  
Gem. SI 102 | Spn. Mat. 91

**BOS 100121**

**BOS 100179 HH**  
Oud. 15j | Gem. SI 106  
Kalwers 10 | Gespeen 8

**BOS 100048 HH**

**BOS 100250**  
Oud. 14j | Gem. SI 99  
Kalwers 12 | Gespeen 11

**RLR 111153 HH**

**BOS 111198**  
Oud. 12j | Gem. SI 104  
Kalwers 9 | Gespeen 9

**WO 080044**

**BOS 077291**  
Oud. 14j | Gem. SI 99  
Kalwers 11 | Gespeen 11

**KOEIWAARDE 115**

|     |                     |
|-----|---------------------|
| 118 | Kalfgemak Waarde    |
| 93  | Kalfgroei Waarde    |
| 92  | Melk Waarde         |
| 127 | Onderhoudswaarde    |
| 116 | Vrugbaarheidswaarde |

**GROEI WAARDE 104**

**KARKAS WAARDE 94**

**PRODUKSIE WAARDE 110**

**LOGIX**  
EBV Analise 2025-07-22


| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 117            | 95        | 93        | 92        | 95         | 119          | 93          | 122      |  |
| 63%            | 46%       | 61%       | 46%       | 41%        | 37%          | 23%         | 46%      |  |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Mar |
| 95             | 103 | 90  | 74          | 81     | 92     | 98  | 105 |
| 56%            | 37% | 8%  | 37%         | 42%    | 41%    | 26% | 23% |

| Geb. Gewig | 205D Gewig      | 365D Gewig      | 540D Gewig      | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|-----------------|-----------------|------------|------------|---------|----|
| 26kg       | 202kg   97 (17) | 205kg   89 (16) | 320kg   86 (31) | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 8.5 maande dragtig van JVH19/22 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 56 (F) BEEFMASTER BOG 220103**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to:uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | C          |
| Geb. dtm  | 2022-11-19 |
| Oud.      | 2j 10m     |
| Inteling  | 0%         |
| DNS       | P3744/22   |

**SCH 160103 PCH**  
Spm Mat. 104

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**BOS 133829**  
Oud. 9j | OEK 34m | TKP 448d  
Kalwers 6 | Gespeen 6 | Spn. Mat. 103  
Gem. SI 99 | KKG 7.46 | KKS 52.6  
Kalwings: 16-10, 17-12, 18-11, 20-06, 21-10, 22-11

**WO 110544 PCH**  
Spm Mat. 51

**SCH 110040**  
Oud. 13j | OEK 31m | TKP 384d  
Kalwers 10 | Gespeen 10 | Spn. Mat. 128  
Gem. SI 103 | Spn. Mat. 128

**MULTIPLE SIRES**

**WO 060304**  
Oud. 12j | Gem. SI 104  
Kalwers 8 | Gespeen 6

**MULTIPLE SIRES**

**PEN 040311**  
Oud. 12j | Gem. SI 106  
Kalwers 5 | Gespeen 5

**MULTIPLE SIRES**

**BOS 033507**  
Oud. 8j | Gem. SI 106  
Kalwers 1 | Gespeen 1

**BOS 099646**  
Spm Mat. 105

**BOS 088608**  
Oud. 11j | OEK - | TKP 367d  
Kalwers 8 | Gespeen 8 | Spn. Mat. 103  
Gem. SI 99 | Spn. Mat. 103

**KOEIWAARDE 120**

|     |                     |
|-----|---------------------|
| 85  | Kalfgemak Waarde    |
| 115 | Kalfgroei Waarde    |
| 104 | Melk Waarde         |
| 86  | Onderhoudswaarde    |
| 126 | Vrugbaarheidswaarde |

**GROEI WAARDE 110**

**KARKAS WAARDE 110**

**PRODUKSIE WAARDE 116**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 87             | 98        | 115       | 104       | 125        | 118          | 130         | 114      |  |
| 64%            | 51%       | 59%       | 57%       | 50%        | 46%          | 29%         | 54%      |  |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Mar |
| 117            | 115 | -   | 114         | 109    | 114    | 111 | 89  |
| 46%            | 47% | -   | 42%         | 51%    | 50%    | 37% | 33% |

| Geb. Gewig | 205D Gewig      | 365D Gewig      | 540D Gewig      | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|-----------------|-----------------|------------|------------|---------|----|
| 37kg       | 202kg   100 (1) | 221kg   88 (16) | 388kg   98 (31) | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 8.5 maande dragtig van JVH19/22 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 57 (F) BEEFMASTER RLR 220080**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-11-01 |
| Age        | 2y 10m     |
| Inbreeding | 2%         |
| DNA        | P3639/22   |

**RLR 190086 HH**  
Wean Mat. 76

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**RLR 120088**  
Age 12y | AFC 34m | ICP 374d  
Calves 9 | Weaned 9 | Wean Mat. 98  
Avg. WI 99 | CCB 6.55 | CCW 42.8  
Calvings: 15-08, 16-09, 17-10,  
18-11, 19-10, 20-10, 21-10, 22-11,  
23-10

**RLR 160064 HH**  
Wean Mat. 59

**RLR 140012 HH**  
Age 11y | AFC 29m | ICP 379d  
Calves 9 | Weaned 9 | Wean Mat. 97  
Avg. WI 100 | Wean Mat. 97

**FXF 090030**  
Wean Mat. 86

**FXF 070136**  
Age 12y | AFC 17m | ICP 366d  
Calves 11 | Weaned 11 | Wean Mat. 90  
Avg. WI 100 | Wean Mat. 90

**WO 130103**

**BOS 111198**  
Age 12y | Avg. WI 104  
Calves 9 | Weaned 9

**RLR 101098**

**RLR 120001**  
Age 11y | Avg. WI 101  
Calves 9 | Weaned 10

**BOS 044080**

**FXF 040069**  
Age 12y | Avg. WI 101  
Calves 12 | Weaned 12

**FXF 020080**

**FXF 010219**  
Age 12y | Avg. WI 102  
Calves 7 | Weaned 7

**COW VALUE 102**

|     |                    |
|-----|--------------------|
| 75  | Calving Ease Value |
| 109 | Calf Growth Value  |
| 87  | Milk Value         |
| 103 | Maintenance Value  |
| 113 | Fertility Value    |

**GROWTH VALUE 98**

**CARCASS VALUE 99**

**PRODUCTION VALUE 97**

| Birth Weight | 205D Weight     | 365D Weight      | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|------------------|-----------------|-----------|-----------|---------|----|
| 33kg         | 235kg   94 (26) | 320kg   102 (39) | 379kg   96 (40) | -         | -         | - (B2)  | -  |

**LOGIX**  
EBV Analysis 2025-07-29

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 63              | 124        | 109       | 87        | 91         | 112          | 105       | 114     |
| 69%             | 54%        | 69%       | 55%       | 56%        | 35%          | 25%       | 50%     |

| Post-Wean Growth |     |     | Frame         |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length  | EMA | Fat |
| 110              | 100 | 78  | 96            | 102    | 105     | 102 | 123 |
| 64%              | 52% | 32% | 41%           | 57%    | 55%     | 47% | 44% |

**SELLER REMARKS:** 6/8 maande dragtig van BOS20/0406 : JVH21/0454 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 58 (F) BEEFMASTER RLR 220021**



**J.H. MEYER**

Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |         |
|-----------|---------|
| Q204X     | Free    |
| NT821     | Carrier |
| F94L      | Free    |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-09-07 |
| Age        | 3y         |
| Inbreeding | 2%         |
| DNA        | P3145/22   |

**RLR 190025 PcPc**  
Wean Mat. 77

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**RLR 190073**  
Age 5y | AFC 34m | ICP 409d  
Calves 2 | Weaned 2 | Wean Mat. 103  
Avg. WI 103 | CCB 6.89 | CCW 45.8  
Calvings: 22-09, 23-10

**BOS 133097**  
Wean Mat. 87

**BOS 155205**  
Age 5y | AFC 30m | ICP 390d  
Calves 7 | Weaned 6 | Wean Mat. 98  
Avg. WI 104 | Wean Mat. 98

**BOS 133095 HH**  
Wean Mat. 84

**RLR 120001**  
Age 11y | AFC 27m | ICP 395d  
Calves 9 | Weaned 10 | Wean Mat. 117  
Avg. WI 103 | Wean Mat. 117

**WO 980062**

**BOS 033011**  
Age 13y | Avg. WI 107  
Calves 9 | Weaned 7

**BOS 099122**

**BOS 111439**  
Age 6y | Avg. WI 100  
Calves 3 | Weaned 3

**BOS 088080 PcH**

**BOS 066096**  
Age 12y | Avg. WI 101  
Calves 10 | Weaned 10

**RLR 080816**

**RLR 090048**  
Age 8y | Avg. WI 105  
Calves 6 | Weaned 5

**COW VALUE 111**

|     |                    |
|-----|--------------------|
| 97  | Calving Ease Value |
| 115 | Calf Growth Value  |
| 89  | Milk Value         |
| 111 | Maintenance Value  |
| 102 | Fertility Value    |

**GROWTH VALUE 104**

**CARCASS VALUE 101**

**PRODUCTION VALUE 106**

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 34kg         | 265kg   103 (6) | 285kg   92 (39) | 358kg   93 (40) | -         | -         | - (B2)  | -  |

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 94              | 112        | 115       | 89        | 84         | 97           | 93        | 114     |
| 67%             | 47%        | 66%       | 49%       | 52%        | 41%          | 28%       | 48%     |

| Post-Wean Growth |     |     | Frame         |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length  | EMA | Fat |
| 112              | 107 | 113 | 92            | 101    | 103     | 104 | 87  |
| 60%              | 49% | 30% | 38%           | 53%    | 52%     | 47% | 44% |

**SELLER REMARKS:** 6-8 maande dragtig van BOS20/0406 : JVH21/0454 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 59 (F) BEEFMASTER RLR 220067**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464

|           |            |
|-----------|------------|
| Kuddeboek | C          |
| Geb. dtm  | 2022-10-23 |
| Oud.      | 2j 11m     |
| Inteling  | 2%         |
| DNS       | P3627/22   |

**SCH 170320** Pch  
Spm Mat. 79

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**BVB 100527**  
Oud. 15j | OEK 33m | TKP 360d  
Kalwers 13 | Gespeen 13 | Spn. Mat. 86  
Gem. SI 98 | KKG 5.66 | KKS 40.1  
Kalwings: 12-12, 13-11, 14-11, 15-11,  
16-11, 17-12, 19-02, 20-01, 20-12,  
21-11, 22-10, 23-10, 24-10

**MS 130191** HH  
Spm Mat. 64

**SCH 110195**  
Oud. 7j | OEK 24m | TKP 379d  
Kalwers 6 | Gespeen 5 | Spn. Mat. 111  
Gem. SI 104 | Spn. Mat. 111

**BOS 055045**  
Spm Mat. 97

**BVB 088523**  
Oud. 6j | OEK - | TKP 405d  
Kalwers 3 | Gespeen 2 | Spn. Mat. 88  
Gem. SI 95 | Spn. Mat. 88

**WO 080479** HH

**MS 080251**  
Oud. 15j | Gem. SI 102  
Kalwers 8 | Gespeen 7

**WO 080137**

**PEN 060215**  
Oud. 8j | Gem. SI 113  
Kalwers 4 | Gespeen 4

**WO 980062**

**BOS 999129**  
Oud. 11j | Gem. SI 94  
Kalwers 8 | Gespeen 6

**KOEIWAARDE 96**

|     |                     |
|-----|---------------------|
| 97  | Kalfgemak Waarde    |
| 115 | Kalfgroei Waarde    |
| 79  | Melk Waarde         |
| 89  | Onderhoudswaarde    |
| 106 | Vrugbaarheidswaarde |

**GROEI WAARDE 104**

**KARKAS WAARDE 105**

**PRODUKSIE WAARDE 92**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spm. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 95             | 124       | 115       | 79        | 151        | 95           | 108         | 112      |
| 68%            | 54%       | 67%       | 56%       | 53%        | 39%          | 30%         | 51%      |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet |
| 118            | 109 | 107 | 111         | 107    | 114    | 98  | 106 |
| 59%            | 48% | 28% | 44%         | 53%    | 52%    | 34% | 37% |

| Geb. Gewig | 205D Gewig       | 365D Gewig       | 540D Gewig       | GDT Indeks | VOV Indeks | Skrutum | LH |
|------------|------------------|------------------|------------------|------------|------------|---------|----|
| 28kg       | 244kg   100 (26) | 325kg   106 (39) | 398kg   103 (40) | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 6-8 maande dragtig van BOS20/0406 | JVH21/0454 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bectect, Respiravax en RB51

**LOT 60 (F) BEEFMASTER BOG 230004**



**BEEF ON GRASS PTY LTD**

Bela Bela, Limpopo

0714819592

to.uyss88@gmail.com

P.O. BOX 10020, FONTEINRIET, BOKSBURG, 1464

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2023-01-25 |
| Oud.      | 2j 8m      |
| Inteling  | 3%         |
| DNS       | P693/23    |

**RLR 170031** HH  
Spm Mat. 128

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**BOS 177033**  
Oud. 8j | OEK 30m | TKP 383d  
Kalwers 6 | Gespeen 6 | Spn. Mat. 80  
Gem. SI 99 | KKG 7.22 | KKS 50.7  
Kalwings: 19-09, 20-11, 21-11,  
23-01, 24-01, 24-12

**RLR 140049**  
Spm Mat. 115

**RLR 130105**  
Oud. 11j | OEK 33m | TKP 399d  
Kalwers 9 | Gespeen 7 | Spn. Mat. 121  
Gem. SI 106 | Spn. Mat. 121

**BOS 099241** HH  
Spm Mat. 78

**BOS 100310**  
Oud. 14j | OEK 24m | TKP 414d  
Kalwers 12 | Gespeen 11 | Spn. Mat. 105  
Gem. SI 102 | Spn. Mat. 105

**BOS 099403**

**HS 100100**  
Oud. 15j | Gem. SI 106  
Kalwers 13 | Gespeen 11

**BOS 099110**

**BOS 077021**  
Oud. 13j | Gem. SI 103  
Kalwers 10 | Gespeen 8

**WO 030042** HH

**BOS 066200**  
Oud. 15j | Gem. SI 101  
Kalwers 13 | Gespeen 11

**BOS 022109**

**BOS 044048**  
Oud. 12j | Gem. SI 101  
Kalwers 10 | Gespeen 9

**KOEIWAARDE 133**

|     |                     |
|-----|---------------------|
| 103 | Kalfgemak Waarde    |
| 112 | Kalfgroei Waarde    |
| 105 | Melk Waarde         |
| 122 | Onderhoudswaarde    |
| 113 | Vrugbaarheidswaarde |

**GROEI WAARDE 84**

**KARKAS WAARDE 89**

**PRODUKSIE WAARDE 122**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spm. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 99             | 120       | 112       | 105       | 112        | 115          | 93          | 121      |
| 67%            | 53%       | 66%       | 54%       | 53%        | 44%          | 30%         | 50%      |

| Na-Speen Groei |     |     | Raam        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet |
| 109            | 89  | 88  | 80          | 73     | 90     | 89  | 80  |
| 52%            | 49% | 27% | 43%         | 54%    | 52%    | 45% | 41% |

| Geb. Gewig | 205D Gewig      | 365D Gewig     | 540D Gewig      | GDT Indeks | VOV Indeks | Skrutum | LH |
|------------|-----------------|----------------|-----------------|------------|------------|---------|----|
| 33kg       | 212kg   100 (1) | 303kg   97 (2) | 397kg   100 (1) | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 8 maande dragtig van HS22/13 | JVH19/22 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bectect, Respiravax en RB51

**LOT 61 (F) BEEFMASTER BOG 230013**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2023-03-17 |
| Age        | 2y 6m      |
| Inbreeding | 2%         |
| DNA        | PI840/23   |

|               |                                                                                                                                                                                                   |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RLR 160064 HH | Wean Mat. 59                                                                                                                                                                                      |
| Parentage     | Sire Dam                                                                                                                                                                                          |
| DNA           | ✓ ✓                                                                                                                                                                                               |
| Genomic       |                                                                                                                                                                                                   |
| RLR 130077    | Age 11y   AFC 25m   ICP 384d<br>Calves 10   Weaned 9   Wean Mat. 117<br>Avg. WI 102   CCB 7.31   CCW 53.6<br>Calvings: 15-11, 16-11, 17-11, 18-10,<br>19-10, 21-03, 22-03, 23-03, 24-05,<br>25-05 |

|               |                                                                                                      |
|---------------|------------------------------------------------------------------------------------------------------|
| WO 130103     | Wean Mat. 99                                                                                         |
| BOS 111198    | Age 12y   AFC 36m   ICP 377d<br>Calves 9   Weaned 9   Wean Mat. 71<br>Avg. WI 104   Wean Mat. 71     |
| BOS 088432 HH | Wean Mat. 86                                                                                         |
| BVB 099553    | Age 15y   AFC 25m   ICP 361d<br>Calves 14   Weaned 14   Wean Mat. 116<br>Avg. WI 100   Wean Mat. 116 |

|            |                                               |
|------------|-----------------------------------------------|
| WO 100126  | Wean Mat. 99                                  |
| WO 090130  | Age 6y   Avg. WI 97<br>Calves 3   Weaned 2    |
| BOS 022109 |                                               |
| BOS 066082 | Age 14y   Avg. WI 99<br>Calves 13   Weaned 14 |
| BOS 055045 |                                               |
| BOS 066284 | Age 14y   Avg. WI 100<br>Calves 10   Weaned 6 |
| BVB 077533 |                                               |
| BVB 033162 | Age 13y   Avg. WI 100<br>Calves 10   Weaned 8 |

|                             |
|-----------------------------|
| <b>COW VALUE 108</b>        |
| 75 Calving Ease Value       |
| 118 Calf Growth Value       |
| 89 Milk Value               |
| 98 Maintenance Value        |
| 111 Fertility Value         |
| <b>GROWTH VALUE 107</b>     |
| <b>CARCASS VALUE 109</b>    |
| <b>PRODUCTION VALUE 104</b> |

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 73              | 124        | 118       | 89        | 87         | 98           | 105       | 122     |
| 70%             | 58%        | 68%       | 58%       | 54%        | 41%          | 29%       | 53%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcaass |     |     |
|------------------|-----|-----|---------------|--------|--------|----------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA      | Fat | Mar |
| 114              | 103 | 87  | 101           | 96     | 109    | 102      | 123 | 130 |
| 64%              | 52% | 23% | 45%           | 55%    | 54%    | 46%      | 43% | 43% |

|              |                |                |                |           |           |         |    |
|--------------|----------------|----------------|----------------|-----------|-----------|---------|----|
| Birth Weight | 205D Weight    | 365D Weight    | 540D Weight    | ADG Index | FCR Index | Scrotum | LH |
| 33kg         | 188kg   86 (5) | 299kg   87 (5) | 321kg   86 (4) | -         | -         | - (B2)  | -  |

**SELLER REMARKS:** 5 maande dragtig van HS22/13 : JYH19/22 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 62 (F) BEEFMASTER BOG 230018**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2023-07-09 |
| Age        | 2y 2m      |
| Inbreeding | 6%         |
| DNA        | UI8056U001 |

|                |                                                                                                                                                    |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| BOS 166024 Pch | Wean Mat. 94                                                                                                                                       |
| Parentage      | Sire Dam                                                                                                                                           |
| DNA            | ✓ ✓                                                                                                                                                |
| Genomic        |                                                                                                                                                    |
| MB 190440      | Age 6y   AFC 26m   ICP 370d<br>Calves 4   Weaned 4   Wean Mat. 106<br>Avg. WI 103   CCB 6.34   CCW 47.9<br>Calvings: 21-08, 22-08, 23-07,<br>24-08 |

|                |                                                                                                     |
|----------------|-----------------------------------------------------------------------------------------------------|
| BOS 100048 HH  | Wean Mat. 80                                                                                        |
| BOS 099142     | Age 15y   AFC 25m   ICP 375d<br>Calves 11   Weaned 9   Wean Mat. 109<br>Avg. WI 101   Wean Mat. 109 |
| BOS 144253 Pch | Wean Mat. 141                                                                                       |
| BA 100118      | Age 10y   AFC 26m   ICP 465d<br>Calves 7   Weaned 7   Wean Mat. 49<br>Avg. WI 88   Wean Mat. 49     |

|              |                                              |
|--------------|----------------------------------------------|
| WO 030042 HH |                                              |
| BOS 077298   | Age 12y   Avg. WI 98<br>Calves 9   Weaned 9  |
| BOS 055045   |                                              |
| BOS 033011   | Age 13y   Avg. WI 107<br>Calves 9   Weaned 7 |
| BOS 099122   |                                              |
| BOS 099482   | Age 10y   Avg. WI 100<br>Calves 6   Weaned 5 |
| MAJ 070230   |                                              |
| MAJ 070004   | Age 10y   Avg. WI 91<br>Calves 7   Weaned 7  |

|                             |
|-----------------------------|
| <b>COW VALUE 114</b>        |
| 112 Calving Ease Value      |
| 97 Calf Growth Value        |
| 102 Milk Value              |
| 121 Maintenance Value       |
| 105 Fertility Value         |
| <b>GROWTH VALUE 79</b>      |
| <b>CARCASS VALUE 78</b>     |
| <b>PRODUCTION VALUE 104</b> |

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 108             | 111        | 97        | 102       | 89         | 104          | 92        | 115     |
| 67%             | 55%        | 68%       | 56%       | 54%        | 52%          | 35%       | 53%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcaass |     |     |
|------------------|-----|-----|---------------|--------|--------|----------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA      | Fat | Mar |
| 94               | 86  | 89  | 80            | 67     | 71     | 84       | 93  | 88  |
| 54%              | 51% | 11% | 51%           | 54%    | 53%    | 20%      | 18% | 18% |

|              |                |                |                 |           |           |         |    |
|--------------|----------------|----------------|-----------------|-----------|-----------|---------|----|
| Birth Weight | 205D Weight    | 365D Weight    | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
| 39kg         | 245kg   88 (4) | 276kg   90 (4) | 343kg   100 (1) | -         | -         | - (B2)  | -  |

**SELLER REMARKS:** 8.5 maande dragtig van JYH19/22 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 63 (F) BEEFMASTER BOG 220029**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to:uys88@gmail.com

P.O. BOX 10020, FONTEINRIET, BOKSBURG, 1464



| Miostation |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Draer |
| F94L       | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-09-24 |
| Oud.      | 2j 12m     |
| Inteling  | 3%         |
| DNS       | P3396/22   |

**JAN 181836**  
Spm Mat. 81

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**BOS 199123**  
Oud. 5j | OEK 37m | TKP -  
Kalwers 1 | Gespeen 1 | Spn. Mat. 100  
Gem. SI 101 | KKG 5.34 | KKS 45.4  
Kalwings: 22-09

**JAN 155002**  
Spm Mat. 61

**BOS 144409**  
Oud. 10j | OEK 26m | TKP 450d  
Kalwers 7 | Gespeen 7 | Spn. Mat. 91  
Gem. SI 102 | Spn. Mat. 91

**BOS 088038**  
Spm Mat. 93

**BOS 177002**  
Oud. 8j | OEK 32m | TKP 375d  
Kalwers 6 | Gespeen 5 | Spn. Mat. 103  
Gem. SI 103 | Spn. Mat. 103

**BOS 100121**

**BOS 100179 HH**  
Oud. 15j | Gem. SI 106  
Kalwers 10 | Gespeen 8

**BOS 100048 HH**

**BOS 100250**  
Oud. 14j | Gem. SI 99  
Kalwers 12 | Gespeen 11

**BOS 033098**

**BOS 044108**  
Oud. 10j | Gem. SI 98  
Kalwers 7 | Gespeen 6

**BOS 099197**

**BOS 060696**  
Oud. 12j | Gem. SI 101  
Kalwers 10 | Gespeen 10

**KOEIWAARDE 111**

**120** Kalfgemak Waarde

**95** Kalfgroei Waarde

**90** Melk Waarde

**113** Onderhoudswaarde

**118** Vrugaarheidswaarde

**GROEI WAARDE 98**

**KARKAS WAARDE 95**

**PRODUKSIE WAARDE 105**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |            |           |           |            | Vrugaarheid |             |            |  |
|----------------|------------|-----------|-----------|------------|-------------|-------------|------------|--|
| Geb. Dir.      | Geb. Mat.  | Spm. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lanklew.   |  |
| <b>115</b>     | <b>112</b> | <b>95</b> | <b>90</b> | <b>91</b>  | <b>121</b>  | <b>103</b>  | <b>116</b> |  |
| 62%            | 42%        | 62%       | 43%       | 35%        | 35%         | 22%         | 45%        |  |

| Na-Speen Groei |           |           | Raam        |           |           | Karkas    |           |            |
|----------------|-----------|-----------|-------------|-----------|-----------|-----------|-----------|------------|
| Na-Speen       | GDT       | VOV       | Volw. Gewig | Hoogte    | Lengte    | OSO       | Vet       | Mar        |
| <b>96</b>      | <b>99</b> | <b>89</b> | <b>89</b>   | <b>85</b> | <b>97</b> | <b>99</b> | <b>86</b> | <b>104</b> |
| 56%            | 32%       | 8%        | 37%         | 36%       | 35%       | 22%       | 19%       | 19%        |

| Geb. Gewig  | 205D Gewig              | 365D Gewig             | 540D Gewig             | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------------------|------------------------|------------------------|------------|------------|---------|----|
| <b>25kg</b> | <b>222kg   101 (20)</b> | <b>237kg   96 (18)</b> | <b>325kg   87 (31)</b> | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 8.5 maande dragtig van JVH19/22 - Miostation skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 64 (F) BEEFMASTER RLR 220103**



**J.H. MEYER**



Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miostation |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-11-12 |
| Oud.      | 2j 10m     |
| Inteling  | 4%         |
| DNS       | P3770/22   |

**RLR 190044 HH**  
Spm Mat. 89

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**RLR 170039**  
Oud. 7j | OEK 38m | TKP 373d  
Kalwers 5 | Gespeen 5 | Spn. Mat. 68  
Gem. SI 100 | KKG 7.13 | KKS 44.2  
Kalwings: 20-11, 21-10, 22-11, 24-01, 24-12

**RLR 160056 HH**  
Spm Mat. 118

**BOS 100006**  
Oud. 10j | OEK 27m | TKP 393d  
Kalwers 8 | Gespeen 7 | Spn. Mat. 80  
Gem. SI 100 | Spn. Mat. 80

**RLR 140061**  
Spm Mat. 46

**V8 150050**  
Oud. 2j | OEK 23m | TKP -  
Kalwers 1 | Gespeen 1 | Spn. Mat. 93  
Gem. SI 100 | Spn. Mat. 93

**RLR 130053**

**BOS 055056**  
Oud. 14j | Gem. SI 101  
Kalwers 13 | Gespeen 11

**BOS 066273**

**BOS 077294**  
Oud. 8j | Gem. SI 111  
Kalwers 5 | Gespeen 5

**BOS 111313 HH**

**BOS 111198**  
Oud. 12j | Gem. SI 104  
Kalwers 9 | Gespeen 9

**RLR 120098**

**RLR 120102**  
Oud. 12j | Gem. SI 103  
Kalwers 11 | Gespeen 11

**KOEIWAARDE 111**

**100** Kalfgemak Waarde

**111** Kalfgroei Waarde

**76** Melk Waarde

**120** Onderhoudswaarde

**112** Vrugaarheidswaarde

**GROEI WAARDE 86**

**KARKAS WAARDE 88**

**PRODUKSIE WAARDE 102**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |            |            |           |            | Vrugaarheid |             |            |  |
|----------------|------------|------------|-----------|------------|-------------|-------------|------------|--|
| Geb. Dir.      | Geb. Mat.  | Spm. Dir.  | Spm. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lanklew.   |  |
| <b>99</b>      | <b>102</b> | <b>111</b> | <b>76</b> | <b>83</b>  | <b>103</b>  | <b>113</b>  | <b>114</b> |  |
| 66%            | 48%        | 63%        | 49%       | 52%        | 34%         | 23%         | 46%        |  |

| Na-Speen Groei |           |           | Raam        |           |           | Karkas     |           |            |
|----------------|-----------|-----------|-------------|-----------|-----------|------------|-----------|------------|
| Na-Speen       | GDT       | VOV       | Volw. Gewig | Hoogte    | Lengte    | OSO        | Vet       | Mar        |
| <b>106</b>     | <b>89</b> | <b>76</b> | <b>83</b>   | <b>69</b> | <b>95</b> | <b>100</b> | <b>59</b> | <b>102</b> |
| 58%            | 47%       | 32%       | 39%         | 53%       | 51%       | 44%        | 40%       | 40%        |

| Geb. Gewig  | 205D Gewig              | 365D Gewig              | 540D Gewig              | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------------------|-------------------------|-------------------------|------------|------------|---------|----|
| <b>34kg</b> | <b>251kg   101 (26)</b> | <b>330kg   105 (39)</b> | <b>416kg   105 (40)</b> | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 6-8 maande dragtig van BOS20/0406 : JVH21/0454 - Miostation skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 65 (F) BEEFMASTER RLR 220099**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-11-10 |
| Age        | 2y 10m     |
| Inbreeding | 1%         |
| DNA        | P3766/22   |

**RLR 190044 HH**  
Wean Mat. 89

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**FXF 070409**  
Age 15y | AFC 26m | ICP 365d  
Calves 14 | Weaned 13 | Wean Mat. 114  
Avg. Wt 101 | CCB 6.91 | CCW 41  
Calvings: 09-11, 10-11, 11-11, 12-11,  
13-11, 14-11, 15-11, 16-11, 17-10, 18-11,  
19-11, 20-12, 21-11, 22-11

**RLR 160056 HH**  
Wean Mat. 118

**BOS 100006**  
Age 10y | AFC 27m | ICP 393d  
Calves 8 | Weaned 7 | Wean Mat. 80  
Avg. Wt 100 | Wean Mat. 80

**FXF 040408 HH**  
Wean Mat. 82

**FXF 000522**  
Age 14y | AFC 47m | ICP 406d  
Calves 9 | Weaned 9 | Wean Mat. 129  
Avg. Wt 103 | Wean Mat. 129

**RLR 130053**

**BOS 055056**  
Age 14y | Avg. Wt 101  
Calves 13 | Weaned 11

**BOS 066273**

**BOS 072794**  
Age 8y | Avg. Wt 111  
Calves 5 | Weaned 5

**FXF 010076**

**FXF 000137**  
Age 10y | Avg. Wt 105  
Calves 6 | Weaned 5

**MULTIPLE SIREs**

**FXF 950055**  
Age 10y | Avg. Wt 105  
Calves 1 | Weaned -

**COW VALUE 93**

**87** Calving Ease Value

**102** Calf Growth Value

**100** Milk Value

**90** Maintenance Value

**103** Fertility Value

**GROWTH VALUE 103**

**CARCASS VALUE 93**

**PRODUCTION VALUE 90**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           |            | Fertility    |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 92              | 84         | 102       | 100       | 95         | 109          | 94        | 105     |
| 68%             | 52%        | 67%       | 53%       | 55%        | 41%          | 30%       | 51%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 98               | 96  | 72  | 109           | 104    | 108    | 96      | 76  | 99  |
| 62%              | 50% | 31% | 37%           | 55%    | 54%    | 39%     | 36% | 35% |

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 31kg         | 227kg   91 (26) | 294kg   94 (39) | 369kg   94 (40) | -         | -         | - (B2)  | -  |

**SELLER REMARKS:** 6-8 maande dragtig van BOS20/0406 | JVH21/0454 - Miostation skoon

Toetse: Brusellose, TB en dragtigheid

Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravac en RB51

**LOT 66 (F) BEEFMASTER RLR 220062**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-10-21 |
| Age        | 2y 11m     |
| Inbreeding | 0%         |
| DNA        | P3385/22   |

**RLR 190086 HH**  
Wean Mat. 76

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**BVB 088506**  
Age 15y | AFC 27m | ICP 381d  
Calves 13 | Weaned 13 | Wean Mat. 85  
Avg. Wt 93 | CCB 6.28 | CCW 41.1  
Calvings: 10-04, 11-07, 12-06,  
13-05, 14-05, 15-07, 16-09, 17-10,  
18-10, 19-11, 20-11, 21-10, 22-10

**RLR 160064 HH**  
Wean Mat. 59

**RLR 140012 HH**  
Age 11y | AFC 29m | ICP 379d  
Calves 9 | Weaned 9 | Wean Mat. 97  
Avg. Wt 100 | Wean Mat. 97

**BOS 033047**  
Wean Mat. 84

**BVB 033013**  
Age 13y | AFC - | ICP 417d  
Calves 9 | Weaned 4 | Wean Mat. 101  
Avg. Wt 100 | Wean Mat. 101

**WO 130103**

**BOS 111998**  
Age 12y | Avg. Wt 104  
Calves 9 | Weaned 9

**RLR 101098**

**RLR 120091**  
Age 11y | Avg. Wt 103  
Calves 9 | Weaned 10

**BOS 959001**

**BOS 960501**  
Age 18y | Avg. Wt 106  
Calves 14 | Weaned 8

**COW VALUE 109**

**75** Calving Ease Value

**120** Calf Growth Value

**80** Milk Value

**109** Maintenance Value

**110** Fertility Value

**GROWTH VALUE 104**

**CARCASS VALUE 105**

**PRODUCTION VALUE 105**

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           |            | Fertility    |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 64              | 123        | 120       | 80        | 93         | 109          | 97        | 116     |
| 69%             | 53%        | 69%       | 55%       | 57%        | 37%          | 23%       | 50%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 117              | 107 | 95  | 93            | 124    | 112    | 96      | 125 | 113 |
| 64%              | 47% | 30% | 39%           | 52%    | 50%    | 43%     | 40% | 40% |

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 36kg         | 230kg   90 (26) | 305kg   96 (39) | 393kg   99 (40) | -         | -         | - (B2)  | -  |

**SELLER REMARKS:** 6-8 maande dragtig van BOS20/0406 | JVH21/0454 - Miostation skoon

Toetse: Brusellose, TB en dragtigheid

Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravac en RB51

**LOT 67 (F) BEEFMASTER BOG 220036**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to:uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Draer |
| F94L       | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-09-29 |
| Oud.      | 2j 12m     |
| Inteling  | 6%         |
| DNS       | P3403/22   |

RLR 170031 HH  
Spn Mat. 128

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

BOS 166317  
Oud. 8j | OEK 31m | TKP 396d  
Kalwers 6 | Gespeen 6 | Spn. Mat. 85  
Gem. SI 91 | KKG 7.27 | KKS 49.2  
Kalwings: 19-06, 20-09, 21-09,  
22-09, 23-10, 24-11

RLR 140049  
Spn Mat. 115

RLR 130105  
Oud. 11j | OEK 33m | TKP 399d  
Kalwers 9 | Gespeen 7 | Spn. Mat. 121  
Gem. SI 106 | Spn. Mat. 121

BOS 111316  
Spn Mat. 112

BOS 122141  
Oud. 8j | OEK 36m | TKP 406d  
Kalwers 5 | Gespeen 4 | Spn. Mat. 91  
Gem. SI 95 | Spn. Mat. 91

BOS 099403

HS 100100  
Oud. 15j | Gem. SI 106  
Kalwers 13 | Gespeen 11

BOS 099110

BOS 077021  
Oud. 13j | Gem. SI 103  
Kalwers 10 | Gespeen 8

BOS 055045

BOS 044030  
Oud. 13j | Gem. SI 102  
Kalwers 12 | Gespeen 12

BOS 055045

BOS 033110  
Oud. 11j | Gem. SI 98  
Kalwers 8 | Gespeen 7

**KOEIWAARDE 132**

|     |                     |
|-----|---------------------|
| 107 | Kalfgemak Waarde    |
| 108 | Kalfgroei Waarde    |
| 108 | Melk Waarde         |
| 121 | Onderhoudswaarde    |
| 113 | Vrugbaarheidswaarde |

**GROEI WAARDE 85**

**KARKAS WAARDE 93**

**PRODUKSIE WAARDE 121**

**LOGIX**  
EBV Analise 2025-07-22


| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 103            | 116       | 108       | 108       | 102        | 112          | 100         | 117      |
| 68%            | 52%       | 69%       | 53%       | 50%        | 46%          | 28%         | 51%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 104            | 90  | 91  | 80          | 68     | 88     | 95     | 89  | 109 |
| 63%            | 47% | 27% | 39%         | 51%    | 50%    | 40%    | 37% | 37% |

| Geb. Gewig | 205D Gewig       | 365D Gewig      | 540D Gewig      | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|------------------|-----------------|-----------------|------------|------------|---------|----|
| 35kg       | 230kg   100 (20) | 242kg   90 (18) | 365kg   92 (31) | -          | -          | - (B2)  | -  |

VERKOPER OPMERKINGS: 8,5 maande dragtig van JVH19/22 - Miostatien skoon  
Toetse: Bruselose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 68 (F) BEEFMASTER BOG 220089**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to:uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Draer |
| F94L       | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | C          |
| Geb. dtm  | 2022-11-04 |
| Oud.      | 2j 10m     |
| Inteling  | 0%         |
| DNS       | P3731/22   |

SCH 160103 PCH  
Spn Mat. 104

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

BOS 133663  
Oud. 10j | OEK 37m | TKP 425d  
Kalwers 7 | Gespeen 7 | Spn. Mat. 83  
Gem. SI 99 | KKG 5.8 | KKS 36.2  
Kalwings: 16-11, 17-12, 19-01,  
20-06, 21-09, 22-11, 23-10

WO 110544 PCH  
Spn Mat. 51

SCH 110040  
Oud. 13j | OEK 31m | TKP 384d  
Kalwers 10 | Gespeen 10 | Spn. Mat. 128  
Gem. SI 103 | Spn. Mat. 128

BOS 088471 HH  
Spn Mat. 87

BOS 055624  
Oud. 10j | OEK - | TKP 449d  
Kalwers 5 | Gespeen 4 | Spn. Mat. 95  
Gem. SI 101 | Spn. Mat. 95

MULTIPLE SIRES

WO 060304  
Oud. 12j | Gem. SI 104  
Kalwers 8 | Gespeen 6

MULTIPLE SIRES

PEN 040311  
Oud. 12j | Gem. SI 106  
Kalwers 5 | Gespeen 5

BOS 022109

BOS 033011  
Oud. 13j | Gem. SI 107  
Kalwers 9 | Gespeen 7

**KOEIWAARDE 117**

|     |                     |
|-----|---------------------|
| 76  | Kalfgemak Waarde    |
| 122 | Kalfgroei Waarde    |
| 95  | Melk Waarde         |
| 89  | Onderhoudswaarde    |
| 120 | Vrugbaarheidswaarde |

**GROEI WAARDE 108**

**KARKAS WAARDE 110**

**PRODUKSIE WAARDE 113**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 77             | 107       | 122       | 95        | 120        | 99           | 133         | 117      |
| 66%            | 53%       | 68%       | 58%       | 49%        | 51%          | 32%         | 54%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 123            | 113 | 107 | 110         | 102    | 114    | 116    | 78  | 94  |
| 60%            | 47% | 8%  | 47%         | 49%    | 49%    | 36%    | 33% | 32% |

| Geb. Gewig | 205D Gewig       | 365D Gewig      | 540D Gewig       | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|------------------|-----------------|------------------|------------|------------|---------|----|
| 42kg       | 232kg   105 (17) | 242kg   96 (16) | 409kg   103 (31) | -          | -          | - (B2)  | -  |

VERKOPER OPMERKINGS: 5,5 maande dragtig van HS22/13 | JVH19/22 - Miostatien skoon  
Toetse: Bruselose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51

**LOT 69 (F) BEEFMASTER BOG 220090**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-11-05 |
| Age        | 2y 10m     |
| Inbreeding | 8%         |
| DNA        | P3732/22   |

JAN 181836  
Wean Mat. 81

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

BOS 199165  
Age 5y | AFC 37m | ICP 369d  
Calves 3 | Weaned 3 | Wean Mat. 95  
Avg. WI 98 | CCB 6.88 | CCW 44.5  
Calvings: 22-11, 23-12, 24-11

JAN 155002  
Wean Mat. 61

BOS 144409  
Age 10y | AFC 26m | ICP 450d  
Calves 7 | Weaned 7 | Wean Mat. 91  
Avg. WI 102 | Wean Mat. 91

BOS 144174  
Wean Mat. 94

BOS 155323  
Age 9y | AFC 34m | ICP 375d  
Calves 7 | Weaned 7 | Wean Mat. 105  
Avg. WI 103 | Wean Mat. 105

BOS 100121

BOS 100179 HH  
Age 15y | Avg. WI 106  
Calves 10 | Weaned 8

BOS 100048 HH

BOS 100250  
Age 14y | Avg. WI 99  
Calves 12 | Weaned 11

BOS 100048 HH

BOS 099083  
Age 7y | Avg. WI 102  
Calves 3 | Weaned 3

BOS 099197

BOS 044074  
Age 13y | Avg. WI 99  
Calves 11 | Weaned 10

| COW VALUE 117 |                    |
|---------------|--------------------|
| 137           | Calving Ease Value |
| 90            | Calf Growth Value  |
| 85            | Milk Value         |
| 121           | Maintenance Value  |
| 125           | Fertility Value    |

| GROWTH VALUE 93      |  |
|----------------------|--|
| CARCASS VALUE 87     |  |
| PRODUCTION VALUE 109 |  |

| Birth Weight | 205D Weight      | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|------------------|-----------------|-----------------|-----------|-----------|---------|----|
| 24kg         | 206kg   100 (17) | 205kg   90 (16) | 338kg   91 (31) | -         | -         | ~ (B2)  | -  |



| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 130             | 111        | 90        | 85        | 87         | 131          | 105       | 121     |
| 64%             | 46%        | 64%       | 48%       | 40%        | 41%          | 26%       | 46%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 92               | 92  | 78  | 81            | 86     | 95     | 92      | 87  | 97  |
| 60%              | 36% | 7%  | 36%           | 41%    | 39%    | 22%     | 19% | 19% |

**SELLER REMARKS:** 7 maande dragtig van HS22/13 | JVH19/22 - Miostation skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax en RB51

**LOT 70 (F) BEEFMASTER RLR 220074**



**J.H. MEYER**



Bela-Bela, Limpopo  
0829476607  
ronelmeyer1959@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-10-28 |
| Age        | 2y 11m     |
| Inbreeding | 1%         |
| DNA        | P3633/22   |

RLR 190086 HH  
Wean Mat. 76

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

VYF 150194  
Age 9y | AFC 25m | ICP 382d  
Calves 7 | Weaned 7 | Wean Mat. 110  
Avg. WI 98 | CCB 6.72 | CCW 38.3  
Calvings: 17-10, 18-10, 19-12, 20-10, 21-11, 22-10, 24-01

RLR 160064 HH  
Wean Mat. 59

RLR 140012 HH  
Age 11y | AFC 29m | ICP 379d  
Calves 9 | Weaned 9 | Wean Mat. 97  
Avg. WI 100 | Wean Mat. 97

FXF 080717  
Wean Mat. 105

FXF 100736  
Age 9y | AFC 27m | ICP 363d  
Calves 7 | Weaned 5 | Wean Mat. 116  
Avg. WI 101 | Wean Mat. 116

WO 130103

BOS 111198  
Age 12y | Avg. WI 104  
Calves 9 | Weaned 9

RLR 101098

RLR 120091  
Age 11y | Avg. WI 103  
Calves 9 | Weaned 10

FXF 060097

FXF 020458  
Age 8y | Avg. WI 104  
Calves 5 | Weaned 5

FXF 080095

FXF 006060  
Age 12y | Avg. WI 99  
Calves 6 | Weaned 6

| COW VALUE 97 |                    |
|--------------|--------------------|
| 77           | Calving Ease Value |
| 108          | Calf Growth Value  |
| 97           | Milk Value         |
| 101          | Maintenance Value  |
| 98           | Fertility Value    |

| GROWTH VALUE 108    |  |
|---------------------|--|
| CARCASS VALUE 103   |  |
| PRODUCTION VALUE 94 |  |

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 41kg         | 241kg   93 (26) | 305kg   94 (39) | 359kg   88 (40) | -         | -         | ~ (B2)  | -  |



| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 58              | 117        | 108       | 97        | 112        | 99           | 80        | 116     |
| 68%             | 51%        | 68%       | 53%       | 55%        | 36%          | 24%       | 48%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 108              | 111 | 85  | 98            | 119    | 112    | 96      | 114 | 108 |
| 64%              | 51% | 35% | 41%           | 56%    | 54%    | 45%     | 42% | 41% |

**SELLER REMARKS:** 6-8 maande dragtig van BOS20/0406 | JVH21/0454 - Miostation skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax en RB51

**LOT 71 (F) BEEFMASTER RLR 230003**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miofstation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Draer |
| F94L        | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2023-01-12 |
| Oud.      | 2j 8m      |
| Inteling  | 4%         |
| DNS       | P46/23     |

**BOS 188133 HH**  
Spn Mat. 94

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**RLR 200010**  
Oud. 3j | OEK 34m | TKP -  
Kalwers 1 | Gespeen 1 | Spn. Mat. 81  
Gem. SI 94 | KKG 7.89 | KKS 36.2  
Kalwings: 23-01

**BOS 155064 HH**  
Spn Mat. 101

**BOS 155021**  
Oud. 9j | OEK 36m | TKP 455d  
Kalwers 6 | Gespeen 5 | Spn. Mat. 93  
Gem. SI 101 | Spn. Mat. 93

**BOS 133095 HH**  
Spn Mat. 84

**RLR 160054**  
Oud. 7j | OEK 25m | TKP 500d  
Kalwers 2 | Gespeen 2 | Spn. Mat. 74  
Gem. SI 100 | Spn. Mat. 74

**BOS 099197**

**BOS 033214**  
Oud. 20j | Gem. SI 103  
Kalwers 10 | Gespeen 9

**BOS 099241 HH**

**BOS 088429**  
Oud. 11j | Gem. SI 100  
Kalwers 8 | Gespeen 7

**BOS 088080 Pch**

**BOS 066096**  
Oud. 12j | Gem. SI 101  
Kalwers 10 | Gespeen 10

**RLR 130053**

**RLR 101017**  
Oud. 13j | Gem. SI 99  
Kalwers 11 | Gespeen 10

| KOEIWAARDE 99 |                     |
|---------------|---------------------|
| 82            | Kalfgemak Waarde    |
| 119           | Kalfgroei Waarde    |
| 91            | Melk Waarde         |
| 93            | Onderhoudswaarde    |
| 96            | Vrugbaarheidswaarde |

| GROEI WAARDE 97     |  |
|---------------------|--|
| KARKAS WAARDE 100   |  |
| PRODUKSIE WAARDE 94 |  |

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 81             | 116       | 119       | 91        | 81         | 91           | 91          | 110      |  |
| 64%            | 42%       | 59%       | 43%       | 43%        | 38%          | 24%         | 46%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 117            | 101 | 94  | 105         | 90     | 107    | 96     | 81  | 99  |
| 42%            | 39% | 16% | 31%         | 44%    | 42%    | 25%    | 23% | 23% |

| Geb. Gewig | 205D Gewig     | 365D Gewig     | 540D Gewig     | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|----------------|----------------|----------------|------------|------------|---------|----|
| 42kg       | 210kg   94 (3) | 223kg   89 (6) | 304kg   98 (7) | -          | -          | - (B2)  | -  |

VERKOPER OPMERKINGS: 6-8 maande dragtig van BOS20/0406 ; JVH21/0454 - Miofstation skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax en RB51

**LOT 72 (F) BEEFMASTER RLR 230008**



**J.H. MEYER**

Bela-Bela, Limpopo

0829476607

ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miofstation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Skoon |
| F94L        | Skoon |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2023-01-31 |
| Oud.      | 2j 7m      |
| Inteling  | 0%         |
| DNS       | P686/23    |

**RLR 190053 HH**  
Spn Mat. 126

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**BOS 122145**  
Oud. 10j | OEK 35m | TKP 386d  
Kalwers 8 | Gespeen 8 | Spn. Mat. 93  
Gem. SI 94 | KKG 5.46 | KKS 39.6  
Kalwings: 15-09, 16-09, 17-09, 18-10, 19-10, 20-10, 21-10, 23-01

**RLR 160025 HH**  
Spn Mat. 116

**HS 100100**  
Oud. 15j | OEK 27m | TKP 365d  
Kalwers 13 | Gespeen 11 | Spn. Mat. 136  
Gem. SI 106 | Spn. Mat. 136

**BOS 077406**  
Spn Mat. 113

**BOS 022217**  
Oud. 11j | OEK - | TKP 433d  
Kalwers 7 | Gespeen 7 | Spn. Mat. 113  
Gem. SI 104 | Spn. Mat. 113

**RLR 111153 HH**

**RLR 140012 HH**  
Oud. 11j | Gem. SI 100  
Kalwers 9 | Gespeen 9

**WO 030397**

**BYB 01010**  
Oud. 11j | Gem. SI 94  
Kalwers 9 | Gespeen 6

**BOS 044245**

**BOS 033642**  
Oud. 9j | Gem. SI 102  
Kalwers 6 | Gespeen 6

**BOS 988650**

**BOS 960024**  
Oud. 14j | Gem. SI 101  
Kalwers 12 | Gespeen 6

| KOEIWAARDE 110 |                     |
|----------------|---------------------|
| 136            | Kalfgemak Waarde    |
| 88             | Kalfgroei Waarde    |
| 108            | Melk Waarde         |
| 100            | Onderhoudswaarde    |
| 113            | Vrugbaarheidswaarde |

| GROEI WAARDE 88      |  |
|----------------------|--|
| KARKAS WAARDE 85     |  |
| PRODUKSIE WAARDE 102 |  |

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 131            | 105       | 88        | 108       | 121        | 113          | 97          | 118      |  |
| 67%            | 50%       | 67%       | 53%       | 53%        | 40%          | 25%         | 50%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 91             | 93  | 88  | 97          | 66     | 73     | 88     | 96  | 98  |
| 60%            | 49% | 28% | 33%         | 54%    | 52%    | 38%    | 35% | 34% |

| Geb. Gewig | 205D Gewig     | 365D Gewig     | 540D Gewig     | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|----------------|----------------|----------------|------------|------------|---------|----|
| 29kg       | 172kg   89 (5) | 214kg   87 (6) | 281kg   90 (7) | -          | -          | - (B2)  | -  |

VERKOPER OPMERKINGS: 6-8 maande dragtig van BOS20/0406 ; JVH21/0454 - Miofstation skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax en RB51

**LOT 73 (F) BEEFMASTER BOG 220106**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |         |
|-----------|---------|
| Q204X     | Free    |
| NT821     | Carrier |
| F94L      | Free    |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-11-21 |
| Age        | 2y 10m     |
| Inbreeding | 0%         |
| DNA        | P3747/22   |

**SCH 160103 Pch**  
Wean Mat. 104

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**HS 140125**  
Age 10y | AFC 28m | ICP 354d  
Calves 9 | Weaned 9 | Wean Mat. 91  
Avg. WI 98 | CCB 7.66 | CCW 44.4  
Calvings: 17-03, 18-02, 18-12, 19-11,  
20-11, 22-01, 22-11, 23-10, 24-12

**WO 110544 Pch**  
Wean Mat. 51

**SCH 110040**  
Age 13y | AFC 31m | ICP 384d  
Calves 10 | Weaned 10 | Wean Mat. 128  
Avg. WI 103 | Wean Mat. 128

**OKT 110031**  
Wean Mat. 119

**HS 080120**  
Age 14y | AFC 23m | ICP 376d  
Calves 13 | Weaned 12 | Wean Mat. 102  
Avg. WI 106 | Wean Mat. 102

**MULTIPLE SIRES**

**WO 060304**  
Age 12y | Avg. WI 104  
Calves 8 | Weaned 6

**MULTIPLE SIRES**

**PEN 040311**  
Age 12y | Avg. WI 106  
Calves 5 | Weaned 5

**BOS 077229**

**OKT 010006**  
Age 13y | Avg. WI 111  
Calves 11 | Weaned 10

**WO 050427**

**BVB 011010**  
Age 11y | Avg. WI 94  
Calves 9 | Weaned 6

**COW VALUE 118**

|     |                    |
|-----|--------------------|
| 88  | Calving Ease Value |
| 120 | Calf Growth Value  |
| 97  | Milk Value         |
| 82  | Maintenance Value  |
| 122 | Fertility Value    |

**GROWTH VALUE 110**

**CARCASS VALUE 113**

**PRODUCTION VALUE 114**

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight      | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|-----------------|------------------|-----------|-----------|---------|----|
| 38kg         | 219kg   103 (8) | 245kg   99 (16) | 395kg   100 (31) | -         | -         | - (B2)  | -  |

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 88              | 106        | 120       | 97        | 125        | 104          | 133       | 118     |
| 69%             | 58%        | 69%       | 60%       | 56%        | 49%          | 31%       | 54%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 122              | 117 | 108 | 120           | 97     | 111    | 120     | 70  | 108 |
| 62%              | 53% | 8%  | 52%           | 57%    | 56%    | 41%     | 37% | 37% |

**SELLER REMARKS:** 6 maande dragtig van HS22/13 | JVH19/22 - Miostatien skoon  
Toetse: Bruselose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax en RB51

**LOT 74 (F) BEEFMASTER BOG 220111**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-  
RIET, BOKSBURG, 1464



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-11-25 |
| Age        | 2y 10m     |
| Inbreeding | 3%         |
| DNA        | P49/23     |

**RLR 190025 Pch**  
Wean Mat. 77

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**RLR 190042**  
Age 4y | AFC 37m | ICP 410d  
Calves 2 | Weaned 2 | Wean Mat. 79  
Avg. WI 102 | CCB 6.52 | CCW 39  
Calvings: 22-11, 24-01

**BOS 133097**  
Wean Mat. 87

**BOS 155205**  
Age 3y | AFC 36m | ICP 390d  
Calves 7 | Weaned 6 | Wean Mat. 98  
Avg. WI 104 | Wean Mat. 98

**BOS 133095 HH**  
Wean Mat. 84

**RLR 140014**  
Age 11y | AFC 28m | ICP 378d  
Calves 9 | Weaned 9 | Wean Mat. 74  
Avg. WI 97 | Wean Mat. 74

**WO 980062**

**BOS 033011**  
Age 13y | Avg. WI 107  
Calves 9 | Weaned 7

**BOS 099122**

**BOS 111439**  
Age 6y | Avg. WI 100  
Calves 3 | Weaned 3

**BOS 088080 Pch**

**BOS 066096**  
Age 12y | Avg. WI 101  
Calves 10 | Weaned 10

**RLR 101098**

**RLR 120007**  
Age 4y | Avg. WI 97  
Calves 2 | Weaned 2

**COW VALUE 108**

|     |                    |
|-----|--------------------|
| 111 | Calving Ease Value |
| 110 | Calf Growth Value  |
| 78  | Milk Value         |
| 119 | Maintenance Value  |
| 105 | Fertility Value    |

**GROWTH VALUE 102**

**CARCASS VALUE 97**

**PRODUCTION VALUE 103**

| Birth Weight | 205D Weight    | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 30kg         | 202kg   98 (8) | 215kg   92 (16) | 357kg   95 (31) | -         | -         | - (B2)  | -  |

**LOGIX**  
EBV Analysis 2025-07-22

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 108             | 125        | 110       | 78        | 77         | 102          | 93        | 116     |
| 67%             | 47%        | 61%       | 49%       | 52%        | 37%          | 26%       | 48%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 108              | 104 | 109 | 85            | 92     | 95     | 99      | 86  | 80  |
| 60%              | 49% | 28% | 40%           | 52%    | 51%    | 47%     | 44% | 44% |

**SELLER REMARKS:** 7 maande dragtig van HS22/13 | JVH19/22 - Miostatien skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax en RB51

**LOT 75 (F) BEEFMASTER BOG 230016**



**BEEF ON GRASS PTY LTD**



Bela Bela, Limpopo  
0714819592  
to: uys88@gmail.com

P.O. BOX 10020, FONTEINRIET, BOKSBURG, 1464



| Miofstation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Draer |
| F94L        | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | C          |
| Geb. dtm  | 2023-04-10 |
| Oud.      | 2; 5m      |
| Inteling  | 1%         |
| DNS       | P1843/23   |

**MB 160490**  
Spm Mat. 103

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**BOS 133621**  
Oud. 11 | OEK 36m | TKP 398d  
Kalwers 8 | Gespeen 6 | Spn. Mat. 83  
Gem. SI 97 | KKG 5.73 | KKS 48.9  
Kalwings: 16-09, 17-11, 18-12,  
19-10, 20-09, 21-09, 23-04, 24-04

**BOS 122237 Pch**  
Spm Mat. 134

**BA 100506**  
Oud. 11 | OEK 25m | TKP 447d  
Kalwers 8 | Gespeen 9 | Spn. Mat. 95  
Gem. SI 91 | Spn. Mat. 95

**BOS 100296**  
Spm Mat. 97

**BOS 077576**  
Oud. 11 | OEK - | TKP 377d  
Kalwers 6 | Gespeen 4 | Spn. Mat. 96  
Gem. SI 100 | Spn. Mat. 96

WO 060052

**BOS 044149**  
Oud. 12 | Gem. SI 104  
Kalwers 10 | Gespeen 8

**MAJ 070346**

**MAJ 060681**  
Oud. 10 | Gem. SI 108  
Kalwers 9 | Gespeen 8

**BOS 033069 Pch**

**BOS 999670**  
Oud. 12 | Gem. SI 107  
Kalwers 10 | Gespeen 8

**KOEIWAARDE 118**

|     |                     |
|-----|---------------------|
| 102 | Kalfgemak Waarde    |
| 118 | Kalfgroei Waarde    |
| 88  | Melk Waarde         |
| 96  | Onderhoudswaarde    |
| 118 | Vrugbaarheidswaarde |

**GROEI WAARDE 117**

**KARKAS WAARDE 111**

**PRODUKSIE WAARDE 115**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spm. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 99             | 110       | 118       | 88        | 114        | 109          | 118         | 117      |
| 64%            | 49%       | 66%       | 54%       | 47%        | 44%          | 27%         | 51%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volv. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 121            | 115 | 110 | 102         | 121    | 111    | 91     | 111 | 93  |
| 60%            | 45% | 18% | 37%         | 47%    | 47%    | 42%    | 40% | 39% |

| Geb. Gewig | 205D Gewig      | 365D Gewig      | 540D Gewig      | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|-----------------|-----------------|------------|------------|---------|----|
| 30kg       | 213kg   101 (5) | 358kg   108 (5) | 392kg   108 (4) | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 8 maande dragtig van H522/13 ; JVH19/22 - Miofstation skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax en RB51

**LOT 76 (F) BEEFMASTER RLR 220019**



**J.H. MEYER**



Bela-Bela, Limpopo  
0829476607  
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



| Miofstation |       |
|-------------|-------|
| Q204X       | Skoon |
| NT821       | Skoon |
| F94L        | Skoon |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-09-02 |
| Oud.      | 3j         |
| Inteling  | 3%         |
| DNS       | P3143/22   |

**BOS 166143 Pch**  
Spm Mat. 80

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**BOS 122131**  
Oud. 12 | OEK 36m | TKP 372d  
Kalwers 10 | Gespeen 9 | Spn. Mat. 114  
Gem. SI 105 | KKG 5.93 | KKS 40.7  
Kalwings: 15-09, 16-11, 17-10, 18-11,  
19-10, 20-11, 21-11, 22-09, 23-10,  
24-10

**BOS 133097**  
Spm Mat. 87

**BOS 133100**  
Oud. 11 | OEK 36m | TKP 377d  
Kalwers 8 | Gespeen 8 | Spn. Mat. 79  
Gem. SI 100 | Spn. Mat. 79

**BOS 088432 HH**  
Spm Mat. 86

**BOS 077021**  
Oud. 13 | OEK 36m | TKP 397d  
Kalwers 10 | Gespeen 8 | Spn. Mat. 128  
Gem. SI 103 | Spn. Mat. 128

WO 980062

**BOS 033011**  
Oud. 13 | Gem. SI 107  
Kalwers 9 | Gespeen 7

**BOS 066188**

**BOS 099489**  
Oud. 9 | Gem. SI 98  
Kalwers 6 | Gespeen 6

**BOS 055045**

**BOS 066284**  
Oud. 14 | Gem. SI 100  
Kalwers 10 | Gespeen 6

**BOS 988252**

**BOS 977347**  
Oud. 13 | Gem. SI 93  
Kalwers 10 | Gespeen 5

**KOEIWAARDE 111**

|     |                     |
|-----|---------------------|
| 100 | Kalfgemak Waarde    |
| 110 | Kalfgroei Waarde    |
| 98  | Melk Waarde         |
| 100 | Onderhoudswaarde    |
| 108 | Vrugbaarheidswaarde |

**GROEI WAARDE 91**

**KARKAS WAARDE 93**

**PRODUKSIE WAARDE 104**

**LOGIX**  
EBV Analise 2025-07-22

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spm. Dir. | Spm. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 97             | 121       | 110       | 98        | 88         | 112          | 97          | 109      |
| 69%            | 55%       | 67%       | 56%       | 48%        | 49%          | 33%         | 54%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volv. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 109            | 99  | 104 | 98          | 94     | 94     | 98     | 91  | 101 |
| 52%            | 45% | 30% | 43%         | 50%    | 48%    | 34%    | 31% | 30% |

| Geb. Gewig | 205D Gewig      | 365D Gewig      | 540D Gewig      | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|-----------------|-----------------|------------|------------|---------|----|
| 36kg       | 289kg   103 (3) | 306kg   96 (39) | 387kg   98 (40) | -          | -          | - (B2)  | -  |

**VERKOPER OPMERKINGS:** 6-8 maande dragtig van BOS20/0406 ; JVH21/0454 - Miofstation skoon  
Toetse: Brusellose, TB en dragtigheid  
Entings: Clostrivax B+, Lumpyvax, Bfect, Respiravax en RB51

| Dier Info       |            |     |     | Actual Values |              |           |           | Expected Breeding Values |                 |                |                |               |               |                |                    |           |             | Indices         |              |             |          | Dam        |                 |            |             |     |
|-----------------|------------|-----|-----|---------------|--------------|-----------|-----------|--------------------------|-----------------|----------------|----------------|---------------|---------------|----------------|--------------------|-----------|-------------|-----------------|--------------|-------------|----------|------------|-----------------|------------|-------------|-----|
| LOT             | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio      | Scr. Circ. (mm) | Birth Dir (kg) | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight (kg) | ADG (g/d) | FCR (kg/kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |     |
| Breed Average   |            |     |     |               |              |           |           |                          |                 |                |                |               |               |                |                    |           |             |                 |              |             |          |            |                 |            |             |     |
| Auction Average |            |     |     |               |              |           |           |                          |                 |                |                |               |               |                |                    |           |             |                 |              |             |          |            |                 |            |             |     |
| 1               | RLR 230018 | M   | SP  | 36            | 259          | 4.42      | 36.5      | -                        | -               | -0.69          | -0.02          | 12.8          | 3.0           | 22.9           | 17.4               | 88        | -36         | -1              | -4           | 22          | 100      | -          | 80              | 107        | 8           | 101 |
| 2               | BOG 220034 | M   | SP  | 26            | 261          | 7.37      | 71        | 1.25                     | 375             | -0.25          | -0.60          | 14.4          | -9.3          | 21.0           | -7.0               | 74        | -30         | 21.2            | -0           | 17          | 114      | 100        | 119             | 110        | 3           | 120 |
| 3               | RLR 220022 | M   | SP  | 33            | 273          | 7.21      | 48.1      | 1.26                     | 325             | 0.23           | -0.71          | 19.3          | -4.0          | 28.9           | 1.1                | 117       | -52         | -3.5            | -2           | 25          | 101      | 92         | 76              | 99         | 3           | 103 |
| 4               | RLR 230001 | M   | SP  | 42            | 202          | 6.66      | 36.5      | -                        | -               | 1.65           | -0.72          | 18.5          | -1.0          | 29.0           | 0.1                | 99        | -36         | 31.6            | -7           | 9           | 94       | -          | 137             | 104        | 9           | 108 |
| 5               | HS 220017  | M   | SP  | 31            | 262          | -         | -         | -                        | -               | 0.54           | -0.61          | 17.5          | -2.3          | 28.2           | 9.7                | 102       | -42         | 2.5             | -5           | 16          | 100      | -          | 86              | 106        | 13          | 117 |
| 6               | BOG 220048 | M   | SP  | 27            | 240          | 5.87      | 50.1      | 1.23                     | 370             | 0.26           | -0.17          | 17.1          | 1.7           | 25.5           | -6.6               | 55        | -33         | 28.1            | -7           | 10          | 103      | 92         | 131             | 105        | 3           | 104 |
| 7               | RLR 220040 | M   | SP  | 38            | 296          | 8.19      | 53.3      | 1.26                     | 285             | 1.15           | -0.81          | 26.0          | -4.3          | 36.1           | -8.4               | 114       | -59         | -2.1            | -4           | 21          | 108      | 113        | 78              | 106        | 2           | 91  |
| 8               | BOG 220080 | M   | SP  | 33            | 245          | 6.88      | 50.9      | 1.21                     | 355             | 1.39           | -0.43          | 26.9          | -0.6          | 45.7           | 31.0               | 201       | -68         | 28.6            | 18           | 38          | 100      | 107        | 132             | 105        | 5           | 108 |
| 9               | BOG 22002  | M   | C   | 48            | 297          | 9.9       | 55.8      | 1.24                     | 415             | 2.76           | -0.07          | 30.8          | 0.5           | 49.0           | 26.2               | 190       | -64         | 35.9            | 20           | 35          | 117      | 130        | 145             | 106        | 9           | 119 |
| 10              | RLR 220023 | M   | SP  | 49            | 281          | 8.28      | 40.1      | 1.19                     | 320             | 4.25           | -0.49          | 30.6          | -0.3          | 45.6           | 12.7               | 140       | -46         | 5.6             | 18           | 38          | 113      | 91         | 92              | 110        | 7           | 117 |
| 11              | RLR 220012 | M   | SP  | 40            | 244          | 6.28      | 37        | 1.25                     | 330             | 1.32           | 0.04           | 13.8          | 3.2           | 24.3           | 1.7                | 90        | -41         | 14.6            | -5           | 18          | 100      | 97         | 108             | 104        | 7           | 102 |
| 12              | RLR 220020 | M   | SP  | 49            | 295          | 8.88      | 51.3      | 1.22                     | 375             | 3.80           | -0.69          | 29.3          | 1.4           | 44.7           | 21.5               | 129       | -42         | 20.9            | 18           | 45          | 120      | 99         | 119             | 107        | 11          | 110 |
| 13              | RLR 220095 | M   | SP  | 37            | 268          | 6.42      | 38.3      | 1.22                     | 310             | 2.15           | -1.03          | 21.8          | 0.7           | 33.3           | 26.7               | 106       | -32         | 8.4             | 19           | 40          | 101      | 92         | 97              | 104        | 14          | 118 |
| 14              | RLR 220096 | M   | SP  | 36            | 281          | 6.24      | 39.4      | 1.21                     | 350             | 2.64           | -1.27          | 27.8          | -6.9          | 38.9           | 13.9               | 88        | -32         | 4.4             | 9            | 28          | 107      | 98         | 90              | 100        | 6           | 119 |
| 15              | RLR 220066 | M   | SP  | 39            | 286          | 7.03      | 46.6      | 1.22                     | 340             | -0.32          | -0.47          | 17.7          | 1.8           | 30.1           | 16.5               | 150       | -81         | 27.2            | -6           | 6           | 108      | 100        | 130             | 101        | 5           | 119 |
| 16              | BOG 230005 | M   | SP  | 45            | 258          | 7.48      | 47.9      | -                        | -               | 4.25           | -1.07          | 33.9          | -6.3          | 48.6           | 20.3               | 146       | -43         | 9.8             | 9            | 40          | 95       | -          | 99              | 103        | 8           | 88  |
| 17              | RLR 220043 | M   | SP  | 44            | 303          | 7.11      | 53.2      | 1.25                     | 365             | 3.12           | -0.89          | 27.1          | -3.4          | 43.8           | 24.6               | 120       | -50         | 34              | 7            | 34          | 113      | 90         | 142             | 104        | 6           | 109 |
| 18              | RLR 220053 | M   | SP  | 37            | 257          | 7.47      | 43.2      | 1.23                     | 385             | 0.57           | 0.13           | 15.2          | 6.4           | 26.8           | 15.8               | 196       | -49         | 39.9            | 4            | 20          | 96       | 112        | 152             | 101        | 4           | 113 |
| 19              | RLR 220034 | M   | C   | 29            | 271          | 6.78      | 48.2      | 1.24                     | 340             | -1.10          | -0.74          | 12.7          | -4.8          | 17.7           | -6.8               | 81        | -50         | 1.8             | -1           | 12          | 101      | 109        | 85              | 99         | 3           | 104 |
| 20              | RLR 220031 | M   | SP  | 37            | 282          | 7.34      | 46.7      | 1.21                     | 370             | 0.30           | -0.91          | 17.6          | -3.0          | 27.9           | 6.2                | 141       | -70         | 10.6            | 7            | 19          | 103      | 109        | 101             | 101        | 3           | 104 |
| 21              | RLR 220073 | M   | C   | 42            | 281          | 7.05      | 40.4      | 1.26                     | 350             | 3.93           | -1.10          | 23.9          | -4.7          | 34.8           | 12.4               | 110       | -31         | 6.9             | 12           | 37          | 104      | 109        | 94              | 99         | 9           | 107 |
| 22              | RLR 220094 | M   | SP  | 34            | 276          | 6.24      | 39.4      | 1.23                     | 310             | 0.01           | 0.07           | 18.2          | -4.8          | 26.8           | 12.3               | 46        | -11         | 3.4             | -7           | 11          | 105      | 95         | 88              | 103        | 9           | 108 |
| 23              | BOG 220073 | M   | SP  | 43            | 263          | 9.37      | 61.9      | 1.26                     | 335             | 4.25           | -1.55          | 34.0          | -7.7          | 47.7           | 25.9               | 100       | -40         | 5.4             | -3           | 29          | 104      | 90         | 91              | 98         | 6           | 119 |
| 24              | BOG 220081 | M   | SP  | 35            | 267          | 8.24      | 61.1      | 1.26                     | 350             | 3.87           | -1.74          | 33.2          | -9.1          | 47.3           | 7.1                | 124       | -38         | 7.8             | -2           | 31          | 109      | 104        | 96              | 98         | 6           | 112 |
| 25              | RLR 220057 | M   | SP  | 37            | 280          | 6.72      | 46.8      | 1.27                     | 340             | 0.88           | -0.52          | 19.0          | 3.5           | 32.9           | 18.5               | 145       | -41         | 25.1            | -6           | 13          | 106      | 101        | 126             | 100        | 4           | 105 |

| Dier Info       |            |        |     | Werklike Syfers |                 |      |      | Verwagte Teelwaardes |           |               |               |              |              |             |                  |           |             | Indekse   |             |             |      | Meeder |           |                  |                   |              |  |
|-----------------|------------|--------|-----|-----------------|-----------------|------|------|----------------------|-----------|---------------|---------------|--------------|--------------|-------------|------------------|-----------|-------------|-----------|-------------|-------------|------|--------|-----------|------------------|-------------------|--------------|--|
| LOT             | Dier ID    | Geslag | AFD | Geb. Gewig (kg) | 205d Gewig (kg) | KKG  | KKS  | Lengte Hoogte        | Skr. Omt. | Geb. Dir (kg) | Geb. Mat (kg) | Spn Dir (kg) | Spn Mat (kg) | Na-Spn (kg) | Volw. Gewig (kg) | GDT (g/d) | VOV (kg/kg) | Skr. Omt. | Hoogte (mm) | Lengte (mm) | Spn. | GDT    | Skr. Omt. | Gem. Spn. Indeks | Aant. Spn. Indeks | Repr. Indeks |  |
| Ras Gemiddeld   |            |        |     |                 |                 |      |      |                      |           |               |               |              |              |             |                  |           |             |           |             |             |      |        |           |                  |                   |              |  |
| Ambod Gemiddeld |            |        |     |                 |                 |      |      |                      |           |               |               |              |              |             |                  |           |             |           |             |             |      |        |           |                  |                   |              |  |
| 26              | RLR 220039 | M      | SP  | 42              | 277             | 8.92 | 46.1 | 124                  | 349       | 1.39          | -0.54         | 20.7         | -2.7         | 32          | 9                | 104       | -4.0        | 14.3      | 2           | 21          | 102  | 102    | 107       | 102              | 6.0               | 107          |  |
| 27              | RLR 220063 | M      | SP  | 45              | 287             | 8.33 | 45.7 | 121                  | 305       | 3.24          | -1.69         | 25.5         | -1.2         | 36.1        | 12.3             | 120       | -4.0        | -7        | 22          | 35          | 105  | 101    | 81        | 101              | 9                 | 118          |  |
| 28              | BOG 220084 | M      | SP  | 33              | 249             | 6.99 | 48.8 | 126                  | 350       | 1.58          | -0.68         | 25.8         | -0.7         | 41.2        | 31.9             | 141       | -5.0        | 22.6      | 9           | 42          | 102  | 93     | 122       | 103              | 6                 | 111          |  |
| 29              | BOG 230001 | M      | SP  | 44              | 247             | 7.42 | 44.6 | -                    | -         | 3.13          | 0.10          | 32.1         | 2.7          | 49.8        | 30.8             | 196       | -5.8        | 32.7      | 31          | 52          | 121  | -      | 139       | 108              | 6                 | 110          |  |
| 30              | RLR 220060 | M      | SP  | 39              | 255             | 6.57 | 41.7 | 125                  | 340       | 3.22          | -0.51         | 23.2         | -1.2         | 33.3        | 14.9             | 104       | -3.2        | 1.6       | 4           | 28          | 94   | 108    | 85        | 101              | 10                | 105          |  |
| 31              | RLR 220054 | M      | SP  | 33              | 309             | 4.74 | 41.9 | 128                  | 370       | 1.85          | -0.37         | 33.9         | -3.0         | 57.0        | 54.5             | 204       | -8.6        | 39.9      | 8           | 44          | 120  | 111    | 152       | 112              | 5                 | 105          |  |
| 32              | RLR 220079 | M      | SP  | 39              | 260             | 7.36 | 43.9 | 119                  | 410       | 1.52          | -0.90         | 16.6         | -3.8         | 25.9        | -10.8            | 96        | -41         | 29.2      | 3           | 18          | 96   | 96     | 133       | 98               | 7                 | 105          |  |
| 33              | BOG 230006 | M      | SP  | 43              | 269             | 8.4  | 52.9 | -                    | -         | 4.25          | -1.17         | 37.0         | -5.8         | 55.1        | 24.3             | 150       | -4.2        | 13.9      | 10          | 40          | 100  | -      | 106       | 104              | 3                 | 103          |  |
| 34              | BOG 230007 | M      | SP  | 47              | 284             | 7.16 | 50.4 | -                    | -         | 4.25          | -1.48         | 35.2         | -6.8         | 48.6        | 16.4             | 150       | -4.2        | 19.5      | 6           | 43          | 105  | -      | 116       | 103              | 7                 | 107          |  |
| 35              | RLR 220041 | M      | SP  | 31              | 277             | 6.58 | 46.2 | 125                  | 355       | -0.43         | -0.33         | 15.8         | -5.3         | 25.6        | -1.2             | 88        | -4.8        | 7.2       | 3           | 20          | 103  | 94     | 94        | 102              | 2                 | 99           |  |
| 36              | BOG 230003 | M      | SP  | 44              | 228             | 7.3  | 38.2 | -                    | -         | 1.21          | 0.76          | 15.4         | 0.4          | 24.9        | 8.0              | 107       | -3.8        | 13.1      | 4           | 25          | 110  | -      | 105       | 110              | 2                 | 90           |  |
| 37              | HS 220082  | V      | SP  | 30              | 263             | -    | 43.1 | -                    | -         | 0.24          | 0.52          | 20.8         | 2.4          | 32.6        | 9.2              | 93        | -2.8        | 27.7      | -4          | 20          | 116  | -      | 130       | 111              | 5                 | 111          |  |
| 38              | HS 230011  | V      | SP  | 34              | 231             | 6.15 | 40.6 | -                    | -         | 1.18          | 0.40          | 25.3         | 5.8          | 41.8        | 7.6              | 103       | -2.7        | 29.5      | 2           | 27          | 109  | -      | 134       | 107              | 12                | 113          |  |
| 39              | BOG 220071 | V      | SP  | 36              | 216             | 7.86 | 48.5 | -                    | -         | 4.25          | -1.67         | 28.8         | -9.1         | 40.4        | 17.6             | 98        | -3.0        | 6.2       | 2           | 31          | 99   | -      | 93        | 97               | 4                 | 104          |  |
| 40              | BOG 220108 | V      | SP  | 38              | 226             | 7.71 | 41.7 | -                    | -         | 2.04          | 0.28          | 26.5         | 1.4          | 43.7        | 24.3             | 166       | -5.8        | 28.5      | 13          | 38          | 107  | -      | 132       | 105              | 6                 | 108          |  |
| 41              | BOG 220097 | V      | SP  | 32              | 210             | 7.71 | 38.9 | -                    | -         | -0.93         | -0.21         | 10.9         | -6.7         | 18.0        | -11.4            | 53        | -2.2        | 12        | -13         | -1          | 98   | -      | 103       | 92               | 3                 | 101          |  |
| 42              | RLR 220068 | V      | SP  | 34              | 261             | 5.94 | 37.3 | -                    | -         | -0.33         | 0.17          | 15.9         | 0.3          | 27.2        | 17.9             | 98        | -41         | 27.4      | -7          | 4           | 105  | -      | 130       | 99               | 4                 | 104          |  |
| 43              | RLR 230012 | V      | SP  | 36              | 203             | 5.17 | 26.8 | -                    | -         | 1.72          | -0.73         | 17.1         | -1.1         | 27.8        | -1.1             | 92        | -3.6        | 18.8      | -5          | 14          | 104  | -      | 115       | 98               | 7                 | 119          |  |
| 44              | BOG 220099 | V      | SP  | 32              | 241             | 5.95 | 42   | -                    | -         | 1.47          | 0.03          | 22.9         | -0.9         | 36.7        | 22.5             | 138       | -4.9        | 29        | 6           | 26          | 115  | -      | 133       | 103              | 11                | 111          |  |
| 45              | BOG 220030 | V      | SP  | 26              | 234             | 4.91 | 42   | -                    | -         | -0.93         | -0.47         | 14.8         | -5.3         | 24.4        | 12.2             | 88        | -3.5        | 5.1       | -7          | 16          | 106  | -      | 91        | 106              | 3                 | 92           |  |
| 46              | BOG 220033 | V      | SP  | 21              | 231             | 5.19 | 51.5 | -                    | -         | -0.63         | 0.19          | 13.6         | -5.7         | 25.8        | 7.3              | 70        | -3.2        | 18        | -2          | 5           | 107  | -      | 114       | 105              | 3                 | 122          |  |
| 47              | RLR 220088 | V      | SP  | 39              | 210             | 7.59 | 32.7 | -                    | -         | 3.65          | -0.91         | 23.5         | -2.9         | 36.9        | 10.8             | 95        | -3.3        | 8.3       | 17          | 30          | 100  | -      | 96        | 100              | 9                 | 113          |  |
| 48              | RLR 220121 | V      | SP  | 34              | 247             | 7.26 | 46.5 | -                    | -         | 0.37          | -0.92         | 26.2         | -6.5         | 39.5        | 4.8              | 136       | -6.3        | 3         | 8           | 28          | 120  | -      | 87        | 111              | 3                 | 111          |  |
| 49              | RLR 220093 | V      | SP  | 31              | 233             | 5.2  | 31.7 | -                    | -         | 0.57          | -0.39         | 10.2         | -3.4         | 17.8        | 0.4              | 31        | -1.6        | 17.5      | -9          | 4           | 94   | -      | 113       | 101              | 9                 | 115          |  |
| 50              | HS 220179  | V      | SP  | 36              | 216             | -    | 36.5 | -                    | -         | 2.09          | -0.16         | 26.0         | 1.5          | 45.9        | 18.7             | 151       | -4.6        | 19.9      | 12          | 32          | 87   | -      | 117       | 95               | 3                 | 119          |  |

| Dier Info       |            |     |     | Actual Values |              |           |                     | Expected Breeding Values |                |                |               |               |                |                    |           |             |                 |             |             | Indices  |            |                 |            | Dam         |     |     |
|-----------------|------------|-----|-----|---------------|--------------|-----------|---------------------|--------------------------|----------------|----------------|---------------|---------------|----------------|--------------------|-----------|-------------|-----------------|-------------|-------------|----------|------------|-----------------|------------|-------------|-----|-----|
| LOT             | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | Length Height Ratio | Scr. Circ. (mm)          | Birth Dir (kg) | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight (kg) | ADG (g/d) | FCR (kg/kg) | Scr. Circ. (mm) | Height (mm) | Length (mm) | Wean ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |     |     |
| Breed Average   |            |     |     |               |              |           |                     |                          |                |                |               |               |                |                    |           |             |                 |             |             |          |            |                 |            |             |     |     |
| Auction Average |            |     |     |               |              |           |                     |                          |                |                |               |               |                |                    |           |             |                 |             |             |          |            |                 |            |             |     |     |
| 51              | HS 220175  | F   | SP  | 34            | 284          | -         | 43                  | -                        | 0.33           | -0.06          | 11.6          | -1.5          | 18             | 7                  | 66        | -38         | 10.3            | 1           | 26          | 124      | -          | 102             | 102        | 107         | 6.0 | 107 |
| 52              | HS 220141  | F   | SP  | 31            | 212          | -         | 41.6                | -                        | 0.92           | -0.24          | 20.2          | -5.9          | 34.9           | 2.5                | 138       | -50         | 15.6            | 6           | 20          | 87       | -          | 109             | 96         | 3           | 115 |     |
| 53              | B0G 220035 | F   | SP  | 18            | 207          | 4.09      | 44                  | -                        | -1.89          | -0.67          | 4.8           | -9.2          | 8.1            | -21.3              | 9         | -5          | -2.9            | -17         | -6          | 97       | -          | 77              | 97         | 3           | 93  |     |
| 54              | B0G 220060 | F   | SP  | 39            | 207          | 7.82      | 39                  | -                        | 4.25           | -1.23          | 29.4          | -8.2          | 42.1           | 6.1                | 95        | -24         | 8.1             | -2          | 23          | 86       | -          | 96              | 96         | 7           | 120 |     |
| 55              | B0G 220072 | F   | SP  | 26            | 202          | 7.07      | 47.6                | -                        | -1.03          | 0.12           | 7.6           | -3.9          | 13.5           | -22.0              | 78        | -27         | 7.7             | -10         | 5           | 97       | -          | 95              | 98         | 3           | 94  |     |
| 56              | B0G 220103 | F   | C   | 37            | 202          | 7.57      | -                   | -                        | 1.41           | 0.03           | 19.7          | -0.5          | 33.4           | 22.6               | 120       | 0           | 24.6            | 7           | 26          | 100      | -          | 125             | 99         | 6           | 97  |     |
| 57              | RLR 220080 | F   | SP  | 33            | 235          | 6.2       | 34.7                | -                        | 3.34           | -0.98          | 16.7          | -5.3          | 26.0           | 2.6                | 67        | -13         | 5.1             | 3           | 17          | 94       | -          | 91              | 99         | 9           | 106 |     |
| 58              | RLR 220021 | F   | SP  | 34            | 265          | 6.92      | 48                  | -                        | 0.80           | -0.51          | 20.0          | -4.5          | 29.7           | -2.3               | 92        | -53         | 1.2             | 2           | 15          | 103      | -          | 84              | 103        | 2           | 98  |     |
| 59              | RLR 220067 | F   | C   | 28            | 244          | 4.79      | 38.1                | -                        | 0.72           | -0.97          | 20.3          | -7.4          | 33.6           | 19.7               | 100       | -46         | 39.5            | 5           | 26          | 100      | -          | 151             | 98         | 13          | 114 |     |
| 60              | B0G 230004 | F   | SP  | 33            | 212          | 6.8       | 49.3                | -                        | 0.41           | -0.81          | 18.1          | -0.2          | 26.4           | -15.9              | 27        | -25         | 17.1            | -14         | 2           | 100      | -          | 112             | 99         | 6           | 111 |     |
| 61              | B0G 230013 | F   | SP  | 33            | 188          | 5.79      | 47.6                | -                        | 2.57           | -0.96          | 21.8          | -4.7          | 30.6           | 7.9                | 78        | -23         | 3.1             | -1          | 21          | 86       | -          | 87              | 102        | 10          | 114 |     |
| 62              | B0G 230018 | F   | SP  | 39            | 245          | 6.72      | 48.6                | -                        | -0.32          | -0.49          | 9.8           | -1.1          | 13.4           | -15.5              | 14        | -26         | 3.9             | -18         | -16         | 88       | -          | 89              | 103        | 4           | 117 |     |
| 63              | B0G 220029 | F   | SP  | 25            | 222          | 5.34      | 45.4                | -                        | -0.89          | -0.51          | 9.1           | -4.3          | 14.2           | -5.0               | 63        | -26         | 5.3             | -8          | 9           | 101      | -          | 91              | 101        | 1           | 72  |     |
| 64              | RLR 220103 | F   | SP  | 34            | 251          | 7.36      | 42.9                | -                        | 0.39           | -0.14          | 17.5          | -8.1          | 24.2           | -11.6              | 26        | -12         | 6               | -17         | 7           | 101      | -          | 83              | 100        | 5           | 104 |     |
| 65              | RLR 220099 | F   | SP  | 31            | 227          | 6.03      | 35.6                | -                        | 1.02           | 0.54           | 12.5          | -1.7          | 17.9           | 17.6               | 53        | -7          | 7.7             | 3           | 20          | 91       | -          | 95              | 101        | 14          | 117 |     |
| 66              | RLR 220062 | F   | SP  | 36            | 230          | 6.79      | 39.6                | -                        | 3.33           | -0.91          | 22.8          | -7.1          | 32.8           | -1.0               | 90        | -33         | 6.1             | 15          | 23          | 90       | -          | 93              | 93         | 13          | 113 |     |
| 67              | B0G 220036 | F   | SP  | 35            | 230          | 8.24      | 47.4                | -                        | 0.12           | -0.67          | 16.1          | 0.6           | 22.6           | -15.4              | 30        | -28         | 11.2            | -17         | 1           | 100      | -          | 102             | 91         | 6           | 108 |     |
| 68              | B0G 220089 | F   | C   | 42            | 232          | 8.32      | 40.9                | -                        | 2.23           | -0.31          | 24.2          | -3.0          | 38.3           | 18.9               | 113       | -46         | 21.7            | 3           | 26          | 105      | -          | 120             | 99         | 7           | 98  |     |
| 69              | B0G 220090 | F   | SP  | 24            | 206          | 5.85      | 40.2                | -                        | -2.17          | -0.46          | 6.1           | -5.6          | 10.6           | -14.2              | 37        | -14         | 3.1             | -7          | 7           | 100      | -          | 87              | 98         | 3           | 101 |     |
| 70              | RLR 220074 | F   | SP  | 41            | 241          | 6.86      | 35.4                | -                        | 3.77           | -0.69          | 15.9          | -2.4          | 25.0           | 4.3                | 106       | -22         | 17.1            | 12          | 24          | 93       | -          | 112             | 98         | 7           | 115 |     |
| 71              | RLR 230003 | F   | SP  | 42            | 210          | 7.89      | 36.2                | -                        | 1.91           | -0.67          | 22.2          | -4.0          | 33.1           | 13.3               | 69        | -32         | -8              | -4          | 18          | 94       | -          | 81              | 94         | 1           | 98  |     |
| 72              | RLR 230008 | F   | SP  | 29            | 172          | 4.18      | 25.5                | -                        | -2.22          | -0.25          | 4.6           | 0.7           | 11.2           | 4.0                | 42        | -25         | 22.4            | -18         | -14         | 89       | -          | 121             | 94         | 8           | 107 |     |
| 73              | B0G 220106 | F   | SP  | 38            | 219          | 7.84      | 42.8                | -                        | 1.29           | -0.29          | 22.9          | -2.3          | 37.9           | 29.5               | 129       | -47         | 24.7            | -1          | 23          | 103      | -          | 125             | 98         | 9           | 118 |     |
| 74              | B0G 220111 | F   | SP  | 30            | 202          | 5.83      | 36                  | -                        | -0.31          | -1.01          | 17.0          | -7.8          | 25.3           | -10.2              | 82        | -48         | -2.7            | -4          | 7           | 98       | -          | 77              | 102        | 2           | 93  |     |
| 75              | B0G 230016 | F   | C   | 30            | 213          | 5.17      | 47.6                | -                        | 0.40           | -0.44          | 21.9          | -5.0          | 36.7           | 9.6                | 122       | -50         | 18.1            | 13          | 23          | 101      | -          | 114             | 97         | 8           | 104 |     |

| Dier Info        |            |        |     | Werklike Syfers |                 |       |       | Verwagte Teelwaardes |       |                 |               |               |               |               |             |                  |           | Indekse     |                 |             |             | Moeder |           |            |                  |             |              |
|------------------|------------|--------|-----|-----------------|-----------------|-------|-------|----------------------|-------|-----------------|---------------|---------------|---------------|---------------|-------------|------------------|-----------|-------------|-----------------|-------------|-------------|--------|-----------|------------|------------------|-------------|--------------|
| LOT              | Dier ID    | Geslag | AFD | Geb. Gewig (kg) | 205d Gewig (kg) | KKG   |       | Lengte               |       | Skr. Omtr. (mm) | Geb. Dir (kg) | Geb. Mat (kg) | Spn. Dir (kg) | Spn. Mat (kg) | Na-Spn (kg) | Volw. Gewig (kg) | GDT (g/d) | VOV (kg/kg) | Skr. Omtr. (mm) | Hoogte (mm) | Lengte (mm) | Spn.   | GDT Omtr. | Skr. Omtr. | Gem. Spn. Indeks | Aant. Kalw. | Repr. Indeks |
|                  |            |        |     |                 |                 | Verh. | Verh. | Verh.                | Verh. |                 |               |               |               |               |             |                  |           |             |                 |             |             |        |           |            |                  |             |              |
| Ras Gemiddeld    |            |        |     |                 |                 |       |       |                      |       |                 |               |               |               |               |             |                  |           |             |                 |             |             |        |           |            |                  |             |              |
| Aantod Gemiddeld |            |        |     |                 |                 |       |       |                      |       |                 |               |               |               |               |             |                  |           |             |                 |             |             |        |           |            |                  |             |              |
| 76               | RUR 220019 | V      | SP  | 36              | 289             | 5.56  | 40.3  | -                    | -     | 0.59            | -0.84         | 17.0          | -2.1          | 26.5          | 4.7         | 62               | -43       | 3.4         | -2              | 6           | 103         | -      | 88        | 105        | 10               | 110         |              |

**EXPLANATION OF CATALOGUE ABBREVIATIONS**
**VERDUIDELIKING VAN KATALOGUS AFKORTINGS**

|                                                         |              |              |                                                             |
|---------------------------------------------------------|--------------|--------------|-------------------------------------------------------------|
| Lot Number                                              | LOT          | LOT          | Lot Nommer                                                  |
| Estimated breeding value                                | EBV          | EBV          | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage    | Ouerskap     | Ouerskap verifikasie                                        |
| Age in years                                            | AGE          | OLD.         | Ouderdom in jaar                                            |
| Age at First Calving                                    | AFC          | OEK          | Ouderdom met Eerst Kalwing                                  |
| Intercalving Period                                     | ICP          | TKP          | Tussen-Kalf Periode                                         |
| Number of calvings                                      | Calvings     | Kalwings     | Aantal kalwings                                             |
| Number of calves weaned                                 | Weaned       | Gespeen      | Aantal kalwers gespeen                                      |
| Average Wean index                                      | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Animal identification number                            | ID           | ID           | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC          | AFD          | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN          | PEN          | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR          | NFR          | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO           | FO           | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A            | A            | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B            | B            | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP           | SP           | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT           | GT           | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)        | HH(c)        | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)        | PP(c)        | Homosigoties Poena (Celtic toets)                           |
| Heterozygous Polled (Celtic test)                       | Pp(c)        | Pp(c)        | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P            | P            | Fenotipes Poena                                             |
| Birth Direct breeding value                             | Birth Dir.   | Geb. Dir     | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.    | Spn. Dir.    | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.    | SPn. Mat.    | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.   | Skr. Omt.    | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert. | Vers Vrugb.  | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.    | Koei Vrugb.  | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.      | Lankl.       | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.     | Volw. Gewig  | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG          | GDT          | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR          | VOV          | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA          | OSO          | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat          | Vet          | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar          | Mar          | Marmering (binne-spieer vet)                                |
| Actual Birth weight                                     | Birth Wt.    | Geb. gewig   | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.     | 205d gewig   | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| 365-day weight index                                    | 365D Index   | 365D Indeks  | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index   | 540D Indeks  | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH           | LH           | Lengte-Hoogte Verhouding                                    |
| Cow-Calf Birth Ratio                                    | CCG          | KKG          | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW          | KKS          | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves   | Aant. Kalw.  | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index  | Repr. Indeks | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F        | M / V        | Dier geslag: M - Manlik, V - Vroulik                        |

# Kommersiële Dragtige Verse

| Lot | Aantal | Dier ID  | Dragtigheid | Bulle             |
|-----|--------|----------|-------------|-------------------|
| 80  | 4      | RLR1-60  | 7-8 mnnde   | RLR22-36/W020-269 |
|     |        | RLR2-17  | 7-8 mnnde   | RLR22-36/W020-269 |
|     |        | RLR2-62  | 6-7 mnnde   | RLR22-53/94/125   |
|     |        | RLR2-102 | 6-7 mnnde   | RLR22-53/94/125   |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

| Lot | Aantal | Dier ID | Dragtigheid | Bulle           |
|-----|--------|---------|-------------|-----------------|
| 81  | 3      | RLR2-49 | 6-7 mnnde   | RLR22-53/94/125 |
|     |        | RLR2-68 | 6-7 mnnde   | RLR22-53/94/125 |
|     |        | RLR2-82 | 6-7 mnnde   | RLR22-53/94/125 |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

| Lot | Aantal | Dier ID  | Dragtigheid | Bulle             |
|-----|--------|----------|-------------|-------------------|
| 82  | 5      | RLR1-59  | 7-8 mnnde   | RLR22-36/W020-269 |
|     |        | RLR1-127 | 6-7 mnnde   | RLR22-36/W020-269 |
|     |        | RLR2-34  | 6-7 mnnde   | RLR22-53/94/125   |
|     |        | RLR2-73  | 6-7 mnnde   | RLR22-53/94/125   |
|     |        | RLR2-92  | 5-6 mnnde   | RLR22-53/94/125   |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

# Kommersiële Dragtige Verse

| Lot | Aantal | Dier ID  | Dragtigheid | Bulle             |
|-----|--------|----------|-------------|-------------------|
| 83  | 5      | RLR1-105 | 6-7 mnnde   | RLR22-36/W020-269 |
|     |        | RLR2-43  | 6-7 mnnde   | RLR22-53/94/125   |
|     |        | RLR2-47  | 6-7 mnnde   | RLR22-53/94/125   |
|     |        | RLR2-78  | 6-7 mnnde   | RLR22-53/94/125   |
|     |        | RLR2-86  | 6-7 mnnde   | RLR22-53/94/125   |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

| Lot | Aantal | Dier ID | Dragtigheid | Bulle             |
|-----|--------|---------|-------------|-------------------|
| 84  | 3      | RLR1-61 | 5-6 mnnde   | RLR22-36/W020-269 |
|     |        | RLR1-97 | 7-8 mnnde   | RLR22-36/W020-269 |
|     |        | RLR2-94 | 6-7mnnde    | RLR22-53/94/125   |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

| Lot | Aantal | Dier ID | Dragtigheid | Bulle             |
|-----|--------|---------|-------------|-------------------|
| 85  | 3      | RLR1-62 | 7-8 mnnde   | RLR22-36/W020-269 |
|     |        | RLR2-42 | 6-7 mnnde   | RLR22-53/94/125   |
|     |        | RLR2-57 | 6-7 mnnde   | RLR22-53/94/125   |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

# Kommersiële Dragtige Verse

| Lot | Aantal | Dier ID | Dragtigheid | Bulle           |
|-----|--------|---------|-------------|-----------------|
| 86  | 3      | RLR2-58 | 6-7 mnnde   | RLR22-53/94/125 |
|     |        | RLR2-88 | 6-7 mnnde   | RLR22-53/94/125 |
|     |        | RLR2-90 | 6-7 mnnde   | RLR22-53/94/125 |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

| Lot | Aantal | Dier ID | Dragtigheid | Bulle           |
|-----|--------|---------|-------------|-----------------|
| 87  | 2      | RLR2-65 | 6-7 mnnde   | RLR22-53/94/125 |
|     |        | RLR2-98 | 6-7 mnnde   | RLR22-53/94/125 |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

| Lot | Aantal | Dier ID | Dragtigheid | Bulle          |
|-----|--------|---------|-------------|----------------|
| 88  | 5      | RLR3-07 | 4-6 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-09 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-12 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-21 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-34 | 6-7 mnnde   | RLR22-34/23-01 |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

# Kommersiële Dragtige Verse

| Lot | Aantal | Dier ID | Dragtigheid | Bulle          |
|-----|--------|---------|-------------|----------------|
| 89  | 5      | RLR3-04 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-10 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-11 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-13 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-23 | 6-7 mnnde   | RLR22-34/23-01 |

| Teler                            | Inentings                                            | Toetse       | Bedrag |
|----------------------------------|------------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Beftect, Respiravax en RB51 | Brucella, TB |        |

| Lot | Aantal | Dier ID | Dragtigheid | Bulle          |
|-----|--------|---------|-------------|----------------|
| 90  | 5      | RLR3-02 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-05 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-14 | 5-6 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-26 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-29 | 6-7 mnnde   | RLR22-34/23-01 |

| Teler                            | Inentings                                            | Toetse       | Bedrag |
|----------------------------------|------------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Beftect, Respiravax en RB51 | Brucella, TB |        |

| Lot | Aantal | Dier ID | Dragtigheid | Bulle          |
|-----|--------|---------|-------------|----------------|
| 91  | 4      | RLR3-06 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-18 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-25 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-35 | 6-7 mnnde   | RLR22-34/23-01 |

| Teler                            | Inentings                                            | Toetse       | Bedrag |
|----------------------------------|------------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Beftect, Respiravax en RB51 | Brucella, TB |        |

# Kommersiële Dragtige Verse

| Lot | Aantal | Dier ID | Dragtigheid | Bulle          |
|-----|--------|---------|-------------|----------------|
| 92  | 4      | RLR3-17 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-28 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-32 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-33 | 6-7 mnnde   | RLR22-34/23-01 |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

| Lot | Aantal | Dier ID | Dragtigheid | Bulle          |
|-----|--------|---------|-------------|----------------|
| 93  | 4      | RLR3-08 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-20 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-27 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-39 | 6-7 mnnde   | RLR22-34/23-01 |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

| Lot | Aantal | Dier ID | Dragtigheid | Bulle          |
|-----|--------|---------|-------------|----------------|
| 94  | 4      | RLR3-03 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-24 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-36 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-38 | 6-7 mnnde   | RLR22-34/23-01 |

| Teler                            | Inentings                                           | Toetse       | Bedrag |
|----------------------------------|-----------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Befect, Respiravax en RB51 | Brucella, TB |        |

# Kommersiële Dragtige Verse

| Lot | Aantal | Dier ID | Dragtigheid | Bulle          |
|-----|--------|---------|-------------|----------------|
| 95  | 5      | RLR3-01 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-19 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-22 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-30 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-31 | 6-7 mnnde   | RLR22-34/23-01 |

| Teler                            | Inentings                                            | Toetse       | Bedrag |
|----------------------------------|------------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Beftect, Respiravax en RB51 | Brucella, TB |        |

| Lot | Aantal | Dier ID | Dragtigheid | Bulle          |
|-----|--------|---------|-------------|----------------|
| 96  | 3      | RLR3-15 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-16 | 6-7 mnnde   | RLR22-34/23-01 |
|     |        | RLR3-37 | 6-7 mnnde   | RLR22-34/23-01 |

| Teler                            | Inentings                                            | Toetse       | Bedrag |
|----------------------------------|------------------------------------------------------|--------------|--------|
| Rhenostervallei en Beef on Grass | Clostrivax B+, Lumpyvax, Beftect, Respiravax en RB51 | Brucella, TB |        |

## Notes

**VOLGENDE VEILING**

**12 SEPTEMBER 2026**

**OM 11H00 TE WARMBAD VEEMARK**

GPS: 24° 54' 54.2"S 28° 21' 48.2"E

12<sup>DE</sup> PRODUKSIEVEILING

**RHENOSTERVALLEI  
& BEEF ON GRASS  
BEEFMASTERS**



**GRATIS AFLEWERING  
BINNE 'N 500KM RADIUS**

**Diere loop op Hartwater, Rooiwater & Galsiekteveld**

**Verkopers: Hendrik Meyer: 082 947 6607 | Schabort Meyer: 072 742 0880 | TO Uys: 071 481 9592**



**BEMARKERS: Carel Chalmers 082 896 9586 • HP van der Walt 081 011 2049  
AFSLAER: Johan van der Nest 082 574 4220**

Termen: 1. Koper moet registreer en 'n adres van ID soek 'n bewys van fisiese adres inhandig. 2. Betaling By wyse van Kaart- / elektroniese oorbetalings: op dag van veiling - GEEN KONTANT WORD ANVAAR NIET O.V. BETALING VIR AANKOPE. 3. BTW is betaalbaar. 4. Viesentraal se standaard-verkoopvoorwaardes (Rules of Auction) bly van toepassing - beskikbaar op [www.viesentraal.co.za](http://www.viesentraal.co.za). 5. Verbruikersbesermingswet - Wet 68 van 2008, beskikbaar op [www.gov.za](http://www.gov.za). 6. Verkoer behou die reg voor om enige bate voor of tydens die veiling te onttrek sonder vooraf kennisgewing.

12336 - Nuthouse Marketing +27 (0) 83 285 0859



**RULES OF AUCTION** in respect of the sale,

\_\_\_\_\_ (name) on \_\_\_\_\_ (date) at \_\_\_\_\_ (time) by \_\_\_\_\_  
\_\_\_\_\_ (auctioneer) of 56 Van Riebeeck Road, Mokopane, 0601, \_\_\_\_\_ (cell nr)  
for \_\_\_\_\_

**Vleissentraal Bosveld (Pty) Ltd** (Reg No. 1999/023988/07) of 56 Van Riebeeck Road, Mokopane, 0601, Tel: 015 491 3141 / E-mail: potgietersrus@vleissentraal.co.za

(As Auction House hereinafter referred to as the **"Auctioneer"**, and the person conducting the auction referred to as the **"auctioneer"**)

1. The Sale by auction is subject to a reserve price, unless specifically stated to the contrary by the auctioneer.
2. The seller (owner) and/or his/her representative and/or his/her agent and/or the auctioneer may not bid on any of the seller / owner's goods sold by auction unless it has been specifically advertised or announced from the podium that the auctioneer or seller (owner) or the respective agents or representatives reserve the right to do so.
3. This *Rules Of Auction* comply with Section 45 of the Act and the Regulations of the Act and Section 45(2) of the Consumer Protection Act, Act 68 of 2008 ("the Act") read as follows:

**"Auctions:**

- 45.(1) *In this section, "auction" includes a sale in execution of or pursuant to a court order, to the extent that the order contemplates that the sale is to be conducted by an auction.*
  - (2) *When goods are put up for sale by auction in lots, each lot is, unless there is evidence to the contrary, regarded to be the subject of a separate transaction.*
  - (3) *A sale by auction is complete when the auctioneer announces its completion by the fall of the hammer, or in any other customary manner, and until that announcement is made, a bid may be retracted.*
  - (4) *Notice must be given in advance that a sale by auction is subject to –*
    - (a) *a reserve or upset price; or*
    - (b) *a right to bid by or on behalf of the owner or auctioneer, in which case the owner or auctioneer, or any other person on behalf of the owner or auctioneer, as the case may be, may bid at the auction.*
  - (5) *Unless notice is given in advance that a sale by auction is subject to a right to bid by or on behalf of the owner or auctioneer –*
    - (a) *the owner or auctioneer must not bid or employ any person to bid at the sale;*
    - (b) *the auctioneer must not knowingly accept any bid from a person contemplated in paragraph (a); and*
    - (c) *the consumer may approach a court to declare the transaction fraudulent, if this subsection has been violated.*
  - (6) *The Minister may prescribe requirements to be complied with by an auctioneer, or different categories of auctioneer, in respect of –*
    - (a) *the conduct of an auction;*
    - (b) *the records to be maintained with respect to property placed for auction; and*
    - (c) *the sale of any property by auction.*
4. The auctioneer will during the auction announce the reason for the auction unless the reason is the normal and voluntary disposal by the owner.
5. The auction will commence at the published time and will not be delayed allowing any specific person or more persons to take part in the auction.
6. All goods and livestock (hereinafter referred to as the "assets") are sold by the Auctioneer as agent on behalf of the Seller, who hereby authorizes the Auctioneer to collect the purchase price from the Buyer and the seller do hereby cedes to the Auctioneer all the seller's rights, title and interest in and to its claim for payment of the purchase price against the purchaser which session the Auctioneer do hereby accepts.
7. The purchase price excludes VAT and VAT must be added to the purchase price and paid by the Buyer, unless specifically stipulated otherwise by the auctioneer.
8. The breakdown of advertising costs, if any, will be attached as an annexure to this *Rules Of Auction*. Additional costs may be added and if so it will be computed in terms of an agreement and/or invoice issued by the supplier or the Auctioneer.
9. If any other Special Conditions apply to this sale, other than the general *Rules Of Auction*, it will be attached as an annexure to this *Rules Of Auction*.
10. All assets, other than catalogue animals, shall, immediately after the bid has been knocked down and accepted by the Seller or the Auctioneer, be deemed to have been delivered to the Buyer. Notwithstanding delivery, the Buyer shall not be entitled to remove any purchased assets unless the total amount reflected on the Auctioneer's invoice in respect of such assets has been paid in full.
11. Notwithstanding delivery, ownership of the purchased assets will not pass to the Buyer until the full purchase price plus interest, if any, is paid.
12. Subject to any reserve price placed on any of the assets by the Seller, and the provisions of clause 13 and 14 below, the Buyer at any sale shall be the highest bidder indicated by the auctioneer by the fall of the hammer or by such other means as he or she may select.

13. The auction shall take place under the exclusive control of the auctioneer. The auctioneer reserves the right, in his/her sole discretion without the necessity to furnish any reasons, to refuse the bid of any person, to regulate the bidding and to indicate the highest bidder. If the auctioneer suspects that a bidder has not made a bona fide bid, or is unable to pay the purchase price or has not made satisfactory arrangements for payment of the purchase price, he may refuse to accept the bid of such bidder or accept it provisionally until the bidder has satisfied him that he is in a position to pay the purchase price or that he has made satisfactory arrangements for payment thereof. On refusal of a bid under such circumstances the assets may immediately be re-auctioned.
14. In the event of a dispute arising amongst the bidders and or the auctioneer, the assets in dispute shall, at the sole discretion of the auctioneer, be re-auctioned.
15. Any mistake by the auctioneer may be corrected by him/her upon discovery thereof.
16. All profit, loss or risk in the assets will pass to the Buyer once it has been delivered to the Buyer who shall at his own risk and expense remove it from the sale venue, subject to 10 above. The Buyer shall be responsible for all costs incurred by either the Seller or the Auctioneer until actual removal of the assets.
17. Should any contractor remove any assets from the sale venue on instruction of the Auctioneer's representatives, on behalf of the Buyer, the contractor will be deemed to be the contractor of the Buyer who accepts all costs and risks connected with such removal.
18. The Seller warrants that there are no encumbrances on such assets unless otherwise advised, that the said assets are the property of the Seller, and that the Seller is competent and legally entitled to dispose of the assets. The Seller further warrants as against the Buyer that the assets are free of any patent or latent defects.
19. The Seller, who offers the assets for sale, accepts all liability regarding the information furnished as to pedigrees, ages, dates of service, state of health or gestation or any other particulars which might be incorrect. In the event of any dispute the Buyer shall only have a claim against the Seller and not against the Auctioneer.
20. The Seller warrants as against the Auctioneer that the assets are free of patent and latent defects and that any right or claim ceded to the Auctioneer in terms of these *Rules Of Auction* is free of any defect or right of deduction or set-off, and that the said right or claim is fully and immediately enforceable against the Buyer.
21. The Buyer shall, prior to the sale, ascertain whether there are any defects in the assets and any bid by a Buyer shall be considered as acceptance of the assets with any patent or latent defects in their condition at the time of sale.
22. The Buyer shall not be entitled to withhold payment of the purchase price to the Auctioneer because of any possible or pending claim that he may have against the Seller on the grounds of misrepresentation or for any other reason whatsoever.
23. The purchase price is payable by the Buyer to the Auctioneer in cash (to the discretion of the Auctioneer) or by EFT payment on the date of sale ("the payment date") unless other payment terms and or means were agreed between the Auctioneer and the Buyer. The Company reserves the right to refuse any method or means as payment.
24. If the Auctioneer agrees to facilitate the purchase of the assets by paying an amount equal to the purchase price to the Seller before the Buyer makes payment to the Auctioneer ("the Payment Terms Agreement"), then the following shall apply:
  - 24.1 The election to make any payment to the Seller shall be in the sole and absolute discretion of the Auctioneer, which discretion may be exercised separately regarding each transaction entered into by the Buyer.
  - 24.2 Upon payment of the amount referred to in 24.1 above the Seller's right, title and interest in and to any claims and other rights against the Buyer in terms of or connected with the sale of the assets shall forthwith be ceded and transferred to the Auctioneer which session the Auctioneer hereby accepts.
25. In the event of any Payment Terms Agreement between the Auctioneer and the Buyer, the following shall apply:
  - 25.1 No Payment Terms Agreement shall be valid unless reduced to writing and duly signed on behalf of the Auctioneer. The facilitation of any sale by the Auctioneer as referred to in this paragraph shall be strictly subject to the terms and conditions of the Payment Terms Agreement.
  - 25.2 In the event of any conflict between the contents of this document and the Payment Terms Agreement, the provisions of the Payment Terms Agreement shall prevail.
  - 25.3 No application for credit as defined in section 8 of the National Credit Act, Act 34 of 2005, will be received or considered by the Auctioneer.
26. Anyone that intends to bid at the auction whether in his own name or on behalf of another (Buyer) must register his or her identity on the bidder's record prior to the commencement of the auction and such registration must meet the requirements of the FICA (Financial Intelligence Centre Act, 2001) in respect of the establishment and verification of identity of the person and the person must sign the registration entry and the prospective Buyer must furnish the Auctioneer with a copy of his/her identity document, proof of residence and proof of Income Tax registration.
27. CREDIT VERIFICATION:
  - 27.1 The Buyer and its representative(s) consent that the Auctioneer may verify the Buyer's credit record with any credit bureau.
  - 27.2 The Buyer and its representative(s) authorize the Auctioneer to compile a credit report on the company and guarantee that all directors and/or members have given their consent for the credit investigation, which also includes their personal credit profiles. The Buyer further agrees to any inquiries with the Buyer's bank to verify information about loan amounts and conditions.
  - 27.3 The Buyer and its representative(s) authorize the Auctioneer to continuously review the Buyer's credit report and confirm that the directors and/or members have given their consent for these inquiries.

- 27.4 The Buyer and its representative(s) expressly agree that the Auctioneer has the right to list the BUYER with a credit bureau without notice if the BUYER fails to make payment.
28. PROTECTION OF PERSONAL INFORMATION (POPIA):
- 28.1. The parties, the Seller and the Buyer and the Auctioneer or their respective representative(s), undertake to always comply with POPIA and any applicable privacy legislation.
- 28.2. If the parties process personal information, they will:
- apply reasonable security measures.
  - follow any additional requirements agreed upon.
  - using personal information only with the consent of the other Party.
  - treat personal information as confidential and not disclose it to third parties without written consent.
- 28.3. The Auctioneer has the right to audit the parties' operations and access the necessary equipment and information to ensure compliance and investigate any security breaches.
- 28.4. In the event of a security breach, the affected party must immediately notify and provide information such as the date, nature of the breach, responsible persons (if known), and protection measures.
- 28.5. The parties will indemnify each other against any loss or damage resulting from non-compliance with POPIA and appoint an Information Officer as required.
29. **Any person who purchases on behalf of a Principal (i.e. natural person) must furnish the Auctioneer with a written signed Power of Attorney, prior to the commencement of the auction, failing which he/she will be personally liable for payment of any purchases made by him/her. The person bidding on behalf of or signing any document on behalf of the purchaser pursuant to a successful bid hereby binds himself/herself personally as co-principal debtor with the Buyer for payment of the purchase price and personally guarantees all the obligations of the Buyer under this Rules Of Auction.**
30. **A person who attend the auction, to bid and to sign the bidder's record, on behalf of another person (i.e. on behalf of a company, close corporation or trust) must furnish the Auctioneer with a written signed Power of Attorney, prior to the commencement of the Auction, that expressly authorizes him/her to bid/sign the bidder's record on behalf of that legal person, failing which he/she will be personally liable for payment of any purchases made by him/her. Where a person in bidding/signing on behalf of a legal person, the Power of Attorney must appear on the letterhead of the legal person and must be accompanied by a certified copy of the resolution, if required, authorizing him/her to bid/sign on behalf of the legal person. The person bidding on behalf of or signing any document on behalf of the buyer, in terms of the Power of Attorney, pursuant to a successful bid, hereby binds himself/herself personally as co-principal debtor with the buyer for payment of the purchase price and personally guarantees all the obligations of the Buyer under these Rules Of Auction**
31. In the event where a Buyer allows another person to purchase on his or her buyer's number, the registered Buyer shall be liable for payment of such purchases. No bid by an unregistered Buyer will be accepted by the auctioneer and the Buyer will have no claim to any of the assets allegedly purchased by him.
32. Until all amounts owing by the Buyer have been paid in full, the Buyer hereby:
- 32.1 irrevocably undertakes to identify the purchased assets in such a manner that he can at any time identify and indicate the assets deemed to be the property of, and pledged to, the Auctioneer.
- 32.2 grants the Auctioneer at all reasonable time's access to the premises where the assets are stored or kept for the purposes of perfecting its pledge and exercising any other rights in terms of these *Rules Of Auction*.
33. The Buyer and the Seller hereby consent to the jurisdiction of the Magistrate's Court in terms of Section 45 of the Act on Magistrate Court (Act 32 of 1944 as amended) for any action instituted by the Auctioneer against the Buyer although the Auctioneer is entitled to institute proceedings in any competent Court.
34. A certificate issued by a Director of the Auctioneer, whose appointment and authority shall not be necessary to prove, shall be *prima facie* proof of the amount owing by the Buyer to the Seller or the Auctioneer.
35. Any indulgence granted by the Auctioneer to the Buyer or the Seller or non-compliance by the Auctioneer of this Rules will not prejudice the rights of the Auctioneer in terms of this *Rules Of Auction* and such indulgence will not constitute an amendment or waiver or novation of this *Rules Of Auction*.
36. The entries made in the Auctioneer's auction roll shall be *prima facie* evidence of the transaction and shall be binding on the Seller and the Buyer.
37. The bidder's record and the vendor or vendu roll will be made available for inspection within a reasonable time after the auction at the office of the Auctioneer during normal business hours free of charge.
38. The Auctioneer does have a trust account into which all money will be paid for the benefit of the Seller minus the agreed commission.
39. Any assets entered or offered for sale are subject to payment by the Seller/Buyer of the agreed commission, or in absence of agreement the usual commission by the Seller/Buyer to the Auctioneer at the rate customarily charged by the Auctioneer from time to time, whether the assets are sold at the auction or thereafter, or at any time thereafter by private treaty. Unless otherwise agreed in writing, commission shall become due and payable by the Seller/Buyer upon the fall of the hammer or upon the entering into of any private treaty involving the Seller's said assets, whichever date is the earlier, and notwithstanding any breach on the part of the Seller/Buyer.

40. Every bid shall constitute an offer to purchase the property or goods for the amount bid, which the Seller or the auctioneer may accept or reject in their absolute discretion. The seller and auctioneer are entitled, in their absolute discretion to withdraw the property or goods from the sale prior to acceptance by the Seller.
41. If no bid equals or exceeds the reserve price, if any, the property or goods may be withdrawn from the auction.
42. The Auctioneer accepts no liability for any withdrawal of assets from sale.
43. No bid may be withdrawn after the fall of the hammer, and in respect of immovable property until the expiry of the confirmation period (if any) that is provided for in the Conditions of Sale, during which time the offer shall be open for acceptance by the Seller or his agent, and if the offer is accepted the sale shall be deemed to be a sale by auction for purposes of the Act.
44. The highest bidder in respect of immovable property, being the Purchaser, shall sign the Conditions of Sale immediately after the fall of the hammer.
45. The purchaser's offer in respect of immovable property shall only be deemed to have been accepted when the seller or his agent or whichever may be applicable, has signed the Conditions of Sale on behalf of the Seller in the space provided at the end of the Conditions of Sale.
46. In the event of the sale requiring the consent of any statutory authority or any court of law, then this auction will be subject to the granting of such consent.
47. The Buyer and the Seller do hereby consent to the payment of attorney and own client costs in the event of any action being instituted against them by the Auctioneer whether summons or any other legal action is instituted or not.
48. Any agreement contrary to these *Rules Of Auction* shall not be binding unless it is confirmed in writing and signed by a Director of the Auctioneer.
49. If any clause or term of these *Rules Of Auction* should be invalid, unenforceable and illegal, then the remaining terms and provisions of these *Rules Of Auction* shall be deemed to be severable there from and shall continue in full force and effect unless such invalidity, unenforceable or illegality goes to the root of these *Rules Of Auction*.
50. **Default by Buyer:** Should the Buyer/Purchaser refuse or otherwise fail to pay the purchase price within 7 days of the due date, the Auctioneer shall be entitled to;
  - 50.1 claim interest from the Buyer/Purchaser at the prescribed *mora* interest rate calculated from the date of purchase to date of payment, and/or
  - 50.2 repossess the assets, to resell same at the risk of the defaulting Buyer/Purchaser who shall be liable for all costs in connection with the resale and any loss or damage incurred, and will not be entitled to any profit that may arise from the resale, and/or
  - 50.3 institute legal proceedings for the payment of any amount owing or for the return of the assets in which event the provisions of clause 50.2 will apply,
  - 50.4 recover the Auctioneer's legal costs calculated at the Attorney and own Client tariff as well as collection, tracing, storage and transport costs, and
  - 50.5 retain in pledge any assets or other property in the possession of the Auctioneer belonging to either the Buyer/Purchaser or the Seller as security for the due fulfilment of any obligation owed to the relevant party or the Auctioneer.
51. The Company reserves the right to amend these *Rules Of Auction* in writing.
52. By entering a bid any prospective Buyer binds himself or herself to this *Rules Of Auction*.

**I, the undersigned, as auctioneer certify that the abovementioned Rules of Auction, to the best of my knowledge, meets the requirements of Regulation 21 of the Consumer Protection Act, Act 68 of 2008**

---

Signature of auctioneer

January 2025



**BEEF ON GRASS**  
- BEEFMASTERS -

12336 - Nuthouse Marketing +27 (0) 83 285 0859

## GRATIS AFLEWERING BINNE 'N 500KM RADIUS

|                              |              |
|------------------------------|--------------|
| Carel Chalmers (Bemarker)    | 082 896 9586 |
| HP van der Walt (Bemarker)   | 081 011 2049 |
| Johan van der Nest (Afslaer) | 082 574 4220 |

|                          |              |
|--------------------------|--------------|
| Hendrik Meyer (Verkoper) | 082 947 6607 |
| Schabot Meyer (Verkoper) | 072 742 0880 |
| TO Uys (Verkoper)        | 071 481 9592 |



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA

