

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

STOCKMAN'S ELITE BORAN AUCTION

Airborn, Emoya Estate, Bloemfontein

25 October 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 29 September 2025





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

V-PLAN 14

6

7

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

SB 110001

SUPERBULL SB 11 0100

SB 140007

SUPERBULL SB 140007 Pp(c)

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475

Calves 5 | Weighed -

Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400

SB 060004 Pch

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360

Calves 8 | Weighed 7

Avg. WI 105 | Wean Mat. 110

Herd Book SP

Birth date 2020-01-01

Age 2y 7m

Inbreeding 1%

DNA ABC001234

9 (& 10)

Parentage Sire Dam

DNA ✓

Genomic ✓

11

SB 140010

SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366

Calves 6 | Weighed 2

Avg. WI 89 | Wean Mat. 93

Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

8

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight

EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight

EBVs: Weaning weight Direct

Measurement: Weaning weight

EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight

EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention

EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



MC 220139

MCS MC 220139

Herd Book	SP
Birth date	2022-10-26
Age	3y
Inbreeding	0%
DNA	U12999U044



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 97

101	Calving Ease Value
91	Calf Growth Value
84	Milk Value
122	Maintenance Value
95	Fertility Value

GROWTH VALUE 80

CARCASS VALUE 79

PRODUCTION VALUE 90

SELLER REMARKS: 8 mnnde dragtig van MC12-224

MXM 140656 HH SP
MAMBUSHI MXM 140656
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 130147 SP
MCS MC13147

Age 11y | AFC 36m | ICP 434d
Calves 6 | Weighed - | Wean Mat. 82
Avg. WI - | CCB - | CCW -
Calvings: 16-11, 17-10, 19-01, 19-11,
21-05, 22-10

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 89

FN 090652 SP
FONTEINE FN 090652

Age 15y | AFC 31m | ICP -
Calves 11 | Weighed 4 | Wean Mat. 97
Avg. WI 103 | CCB - | CCW -

TLM 030012 SP
KETA TLM030012
Wean Mat. 63

MC 110093 SP
MCS MC1193

Age 13y | AFC - | ICP 521d
Calves 7 | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULU CB06505C
Age 19y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
K6K2738 SP
MOGWONNI K6K2738
KPO4202 SP
OL PEJETA KPO 4202
Age 35y | Avg. WI -
Calves - | Weighed -
M 080009 SP
MCS THABO
M 090005 SP
MCS M0905
Age 16y | Avg. WI -
Calves 8 | Weighed -



EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	96	91	84	86	82	101	107
46%	42%	39%	36%	29%	44%	28%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	84	89	80	71	76	94	102	100
30%	26%	12%	26%	29%	28%	24%	23%	22%

LOT 2 (F)



WA 230083

ALLERS WA230083

Herd Book	SP
Birth date	2023-09-19
Age	2y 1m
Inbreeding	9%
DNA	ZOCA2025-95217



W. ALLERS

Christiana, Northern Cape
0829253313
allersw@lantic.net

POSBUS 206, HARTSWATER, 8570



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 111

111	Calving Ease Value
100	Calf Growth Value
88	Milk Value
120	Maintenance Value
97	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 97

PRODUCTION VALUE 110

SELLER REMARKS: 5.5mnnde dragtig van WA21-53

WA 180032 SP
ALLERS WINSTON CHURCHILL
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WA 180016 SP
ALLERS WA180016

Age 7y | AFC 31m | ICP 545d
Calves 3 | Weighed - | Wean Mat. 86
Avg. WI - | CCB 7.46 | CCW -
Calvings: 20-09, 22-02, 23-09

FN 120533 SP
FONTEINE SIR CHURCHILL
Wean Mat. 85

WA 100014 SP
ALLERS WA100014

Age 9y | AFC 37m | ICP 566d
Calves 5 | Weighed - | Wean Mat. 97
Avg. WI - | CCB 7.46 | CCW -

MC 120098 SP
MCS MC1298
Wean Mat. 89

WA 150021 SP
ALLERS WA150021

Age 2y | AFC 28m | ICP -
Calves 1 | Weighed - | Wean Mat. 82
Avg. WI - | CCB 7.46 | CCW -

FN 050028 SP
FONTEINE CHURCHILL FN0528
FN 090370 SP
FONTEINE AVA
Age 15y | Avg. WI 102
Calves 12 | Weighed 3
HVT 020013 SP
OUTSPAN HVT 02 13
CFH 070333 SP
ELANDSPRUIT CFH 07 0333
Age 4y | Avg. WI -
Calves 1 | Weighed -
M 080009 SP
MCS THABO
FN 080258 SP
FONTEINE FN08258
Age 11y | Avg. WI -
Calves 7 | Weighed -
FN 120533 SP
FONTEINE SIR CHURCHILL
WA 120207 SP
ALLERS WA120207
Age 5y | Avg. WI -
Calves 3 | Weighed -



EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
109	103	100	88	102	102	89	110
73%	50%	37%	31%	24%	40%	26%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	100	92	82	95	99	103	104	111
25%	22%	9%	24%	25%	24%	22%	20%	20%

LOT 3 (F)



ZIP 210181 BLOODLINE MILAN

Kuddeboek	SP
Geb. dtm	2021-12-02
Oud.	3j 11m
Inteling	2%
DNS	U24270U003
OEK	35m
Kalwers	1
Geweeg	1
Gem. SI	92
TKP	-

BLOODLINE BORANE



Dewetsdorp, Free State
0823969071

bloodlineboran@gmail.com

POSBUS 57, DEWETSDORP, 9940

Laaste Kalf	
Kalf ID	ZIP 240051 (M)
Geb. datum	2024-10-22
Vaar ID	ZIP 190054

Kalwings: 24-10

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



EP 140008 SP

EMBRIO PLUS EP 140008

Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ZIP 180152 HH SP

BLOODLINE MILAN

Oud. 6j | OEK 36m | TKP 497d
Kalwers 3 | Geweeg 3 | Spn. Mat. 97
Gem. SI 99 | KKG 9.72 | KKS 47.3

Kalwings: 21-12, 22-11, 24-08

10-0010KG SP

KG-BORAN 10-0010KG (ET)

Spn Mat. 83

09-0015KG SP

KG-BORAN XEKO (ET)

Oud. 11j | OEK - | TKP 735d
Kalwers 5 | Geweeg - | Spn. Mat. 78
Gem. SI - | KKG 9.72 | KKS 47.3

FPL 150070 SP

BLOODLINE BLADE

Spn Mat. 80

FPL 160059 SP

BLOODLINE MILA

Oud. 8j | OEK 25m | TKP 358d
Kalwers 7 | Geweeg 2 | Spn. Mat. 94
Gem. SI 104 | KKG 9.72 | KKS 47.3

K6K3534 SP

MOGWOOINI K6K3534

3592 SP

MOGWOOINI K6K3592 (IMK13)

Oud. 24j | Gem. SI -

Kalwers 1 | Geweeg -

K6K3460 SP

MOGWOOINI K6K3460

K6K2742 SP

MOGWOOINI K6K2742

Oud. 30j | Gem. SI -

Kalwers - | Geweeg -

FN 070149 SP

FONTINE FN07149

FN 120541 SP

FONTINE FN12541

Oud. 4j | Gem. SI 100

Kalwers 2 | Geweeg 1

MHB 110041 SP

MOLL'S-HOOP PUNCH

FPL 130094 C

BLOODLINE TRIXSIE

Oud. 5j | Gem. SI 117

Kalwers 2 | Geweeg 2

KOEIWAARDE 105

84	Kalfgemak Waarde
115	Kalfgroei Waarde
84	Melk Waarde
92	Onderhoudswaarde
120	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 101

PRODUKSIE WAARDE 104



EBV Analyse 2025-09-22

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
64	119	115	84	112	119	115	106
76%	60%	79%	66%	49%	61%	23%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	94	91	108	116	109	99	93	121
61%	45%	17%	44%	49%	48%	46%	44%	43%

VERKOPER OPMERKINGS: A deep red Mr. Mogwooni daughter combined with our special FN line bull, Blade. 6 months pregnant to ZIP19-54 (Vrystaat genetics) or the bont bull ZIP20-02 (3094)

LOT 4 (M)



KCTL180239 K KCTL180239

Kuddeboek	SP
Geb. dtm	2018-06-16
Oud.	7j 4m
Inteling	0%
DNS	U4096U001

J & B BOERDERY

Douglas, Northern Cape
0836588343

vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

GEBRUIK IN KUDDE (9)



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

B 060012 SP

BORGEN B 06 12

Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JT 130120 SP

JARTA L'OREAL 120

Oud. 12j | OEK 25m | TKP 387d
Kalwers 10 | Geweeg 2 | Spn. Mat. 89
Gem. SI 92 | KKG 5.87 | KKS 35.9

Kalwings: 15-11, 17-01, 18-06,
19-07, 20-06, 21-06, 22-06,
23-05, 24-05, 25-05

K6K3094 SP

MOGWOOINI 3094 (BMK163)

Spn Mat. 109

F3243 SP

SEGERA 3243

Oud. 32j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG 5.87 | KKS 35.9

FN 060064 SP

FONTINE FN0664

Spn Mat. 111

NBOR070142 SP

NTABA NYONI NBOR 070142 - L'OR

Oud. 11j | OEK 40m | TKP 475d
Kalwers 6 | Geweeg 3 | Spn. Mat. 95
Gem. SI 99 | KKG 5.87 | KKS 35.9

KPO414

OL PEJETA KPO414

K6K2001

2001

Oud. 43j | Gem. SI -

Kalwers - | Geweeg -

MBN54

ADC MUTARA 54

1752

1752

Oud. 43j | Gem. SI -

Kalwers - | Geweeg -

2812 SP

GIANNI 2812

PB/9831 SP

DELAMERE 304

Oud. 32j | Gem. SI -

Kalwers - | Geweeg -

B 040001 SP

BORGEN B 04001

B 010142 SP

BORGEN B 01 142

Oud. 11j | Gem. SI -

Kalwers 5 | Geweeg -

KOEIWAARDE 114

127	Kalfgemak Waarde
93	Kalfgroei Waarde
98	Melk Waarde
113	Onderhoudswaarde
96	Vrugbaarheidswaarde

GROEI WAARDE 111

KARKAS WAARDE 101

PRODUKSIE WAARDE 116



EBV Analyse 2025-09-22

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
122	111	93	98	114	98	91	109
82%	58%	51%	54%	41%	48%	31%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	103	94	89	105	107	108	92	125
42%	39%	27%	42%	43%	42%	39%	37%	36%

VERKOPER OPMERKINGS: Real opportunity to acquire rare genetics. He is a B06 12 son and his dam is JT13 120 L'OREal (FN06 64 x NBOR 07 142). Don't miss out on top proven genetics. Retain semen share of 150 staws to be collect from new owner.

LOT 5 (F)



GB 190021
KOLSKOOT TESSA

Herd Book	SP
Birth date	2019-06-11
Age	6y 4m
Inbreeding	2%
DNA	ZOCA2024-76026
AFC	31m
Calves	4
Weighed	2
Avg. WI	100
ICP	342d



G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982

Last Calf	
Calf ID	GB 240043 (M)
Birth Date	2024-10-17
Sire ID	GLB 150008

Calvings: 21-12, 22-08, 23-06, 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 97	
94	Calving Ease Value
114	Calf Growth Value
106	Milk Value
94	Maintenance Value
88	Fertility Value
GROWTH VALUE 98	
CARCASS VALUE 109	
PRODUCTION VALUE 96	

SELLER REMARKS: A feminine long bodied cow that is line bred 3094 , 494 . We are using her son in the stud. 8 mths in calf to GLB1508.

CFH 080063 SP ELANDSPRUIT CFH 08 0063 Wean Mat. 77	PM14R SP LILAYI PM14R B 020004 SP BORGEN B 02 04 Age 17y Avg. WI - Calves 4 Weighed - B 050075 SP BORGEN B 05 75 HVT 080003 SP HEAVYTREE HVT0803 Age 17y Avg. WI - Calves 6 Weighed - KPO1017 SP OL PEJETA 1017 Z7F2773 SP WORAGUS Z7F 2773 Age 33y Avg. WI - Calves - Weighed - K6K3094 SP MOGVOONI 3094 (8MK163) ZIP6782 SP KISIMA 6782 Age 33y Avg. WI - Calves - Weighed -
GB 140001 HH SP KOLSKOOT GB 140001 Wean Mat. 96	HVT 110027 SP HEAVYTREE HVT 110027 Age 14y AFC 27m ICP 452d Calves 10 Weighed 5 Wean Mat. 113 Avg. WI 102 CCB 7.08 CCW 63.3 B 040001 SP BORGEN B 04001 Wean Mat. 123 B 050084 SP BORGEN B 05 84 Age 10y AFC 30m ICP (donor) Calves 1 Weighed - Wean Mat. 92 Avg. WI - CCB 7.08 CCW 63.3
GB 140006 SP KOLSKOOT GB 140006 Age 11y AFC 32m ICP 489d Calves 7 Weighed 3 Wean Mat. 104 Avg. WI 102 CCB 7.08 CCW 63.3 Calvings: 16-09, 18-02, 19-06, 20-10, 22-01, 23-03, 24-09	



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	98	114	106	112	94	87	97
78%	72%	77%	75%	62%	62%	37%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	105	102	104	116	121	125	97	111
44%	57%	23%	55%	63%	61%	58%	55%	54%

LOT 6 (M)



MC 210130
MCS MC 210130

Herd Book	SP
Birth date	2021-10-29
Age	3y 12m
Inbreeding	1%
DNA	U22749U006



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 94	
112	Calving Ease Value
91	Calf Growth Value
74	Milk Value
123	Maintenance Value
88	Fertility Value
GROWTH VALUE 89	
CARCASS VALUE 84	
PRODUCTION VALUE 91	

SELLER REMARKS:

CI 080047 DH SP CIRCLE C CI080047 Wean Mat. 129	TLM 020001 SP KETA TLM020001 - BUFFEL KB5A DH SP KETA KB 5 A Age 15y Avg. WI 113 Calves 6 Weighed 1 TLM 040529 SP KETA TLM040529 - RINKHALS CI 070007 SP CIRCLE C CI070007 Age 11y Avg. WI - Calves 4 Weighed - CB04507A CHULU CB04507A GF020129W SP GRASMERE GF02129W Age 23y Avg. WI - Calves - Weighed - K6K2738 SP MOGVOONI K6K2738 ZF279 SP SEGERA 279 Age 35y Avg. WI - Calves - Weighed -
MC 120224 HH SP MCS MC12224 Wean Mat. 100	FN 090627 SP FONTEINE FN 09 627 Age 3y AFC - ICP (donor) Calves - Weighed - Wean Mat. 78 Avg. WI - CCB - CCW - MXM100484 HH SP MAMBUSHI 10-0484MXM Wean Mat. 66 TLM 020030 SP KETA TLM020030 Age 15y AFC 32m ICP - Calves 8 Weighed - Wean Mat. 51 Avg. WI - CCB - CCW -
MC 150157 SP MCS MC150157 Age 9y AFC 34m ICP 470d Calves 5 Weighed - Wean Mat. 51 Avg. WI - CCB - CCW - Calvings: 18-09, 19-12, 21-10, 22-12, 23-10	



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
114	96	91	74	75	93	86	100
52%	46%	47%	42%	41%	52%	34%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	100	108	79	88	83	94	99	90
32%	38%	12%	32%	42%	41%	38%	35%	35%

LOT 7 (F)



WS 230269
JABEA WS230269

Kuddeboek	SP
Geb. dtm	2023-08-02
Oud.	2j 3m
Inteling	7%
DNS	ZOCA2025-84604



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-KROONSTAD, 9500

KOEIWAARDE	86
96	Kalfgemak Waarde
89	Kalfgroei Waarde
107	Melk Waarde
106	Onderhoudswaarde
86	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	92
PRODUKSIE WAARDE	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 7 mnts pregnant of either BH200081, BOS170045, NBOR180016, ZIP20094

WS 180121 SP
JABEA WS180121
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WS 200081 SP
JABEA WS200081
Oud. 4j | OEK 33m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG 6.01 | KKS -
Kalwings: 23-08

CFH 110504 SP
ELANDSPRUIT CFH 110504
Spn Mat. 108

WS 140075 C
JABEA WS140075
Oud. 10j | OEK 24m | TKP 424d
Kalwers 8 | Geweeg 2 | Spn. Mat. 93
Gem. SI 102 | KKG 6.01 | KKS -

WS 160017 SP
JABEA WS160017
Spn Mat. 117

WS 170011 C
JABEA WS170011
Oud. 8j | OEK 31m | TKP 495d
Kalwers 4 | Geweeg 1 | Spn. Mat. 103
Gem. SI 93 | KKG 6.01 | KKS -

E 060005 HH SP
TAMBARAINE E 06 05
CFH 080022 SP
ELANDSPRUIT CFH 08 0022
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
CI 070102 P SP
CIRCLE C C1070102
WS 130051 B
JABEA WS130051
Oud. 6j | Gem. SI 87
Kalwers 5 | Geweeg 1
CFH 110186 SP
ELANDSPRUIT CFH110186
WS 130066 C
JABEA WS130066
Oud. 9j | Gem. SI 104
Kalwers 6 | Geweeg 3
CFH 110504 SP
ELANDSPRUIT CFH 110504
WS 120018 B
JABEA WS120018
Oud. 7j | Gem. SI -
Kalwers 5 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-09-22

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	94	89	107	94	91	85	100
70%	45%	37%	37%	15%	41%	27%	42%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	95	97	94	98	92	93	95	102
24%	14%	9%	26%	15%	15%	13%	12%	12%

LOT 8 (F)



NCT 180020
THUYNSMA TINKERBELL

Kuddeboek	SP
Geb. dtm	2018-06-29
Oud.	7j 4m
Inteling	0%
DNS	U22871U039
OEK	31m
Kalwers	4
Geweeg	2
Gem. SI	93
TKP	452d



KLIP HARDE VELDBEESTE

CJ THUYNSMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680

Laaste Kalf	
Kalf ID	NCT 240105 (F)
Geb. datum	2024-10-20
Vaar ID	NCT 180004

Kalwings: 21-02, 22-07, 23-10, 24-10

KOEIWAARDE	100
131	Kalfgemak Waarde
50	Kalfgroei Waarde
76	Melk Waarde
136	Onderhoudswaarde
112	Vrugbaarheidswaarde

GROEI WAARDE	80
KARKAS WAARDE	64
PRODUKSIE WAARDE	92



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 8 Months in calf to NCT1804 / NCT2110 / NCT2034 / NCT2148. A Medium framed cow that betters her ICP every year.

CI 080079 SP
CIRCLE C C1080079
Spn Mat. 69

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NCT 150004 SP
THUYNSMA MILEY
Oud. 4j | OEK 28m | TKP 373d
Kalwers 3 | Geweeg 3 | Spn. Mat. 85
Gem. SI 84 | KKG 6.92 | KKS 62.1
Kalwings: 17-06, 18-06, 19-07

KB14A SP
KETA KB 14 A - EXCALIBUR
Spn Mat. 69

TLM 020036 DH SP
KETA TLM020036
Oud. 18j | OEK 36m | TKP -
Kalwers 6 | Geweeg - | Spn. Mat. 64
Gem. SI - | KKG 6.92 | KKS 62.1

CFH 081051 SP
ELANDSPRUIT SCHALK
Spn Mat. 124

BU 120016 HH SP
BOSIU BUI20016
Oud. 13j | OEK 31m | TKP 384d
Kalwers 10 | Geweeg 8 | Spn. Mat. 88
Gem. SI 95 | KKG 6.92 | KKS 62.1

PM05L SP
PM 05L
GF39T D SP
GRASMERE GF 39T
Oud. 18j | Gem. SI -
Kalwers 9 | Geweeg -
K6K2738 SP
MOGWONNI K6K2738
ZF279 SP
SEGERA 279
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
FE 960075 SP
FORRESTER 96/75
HVT 000001 SP
OUTSPAN HVT000001
Oud. 15j | Gem. SI -
Kalwers 2 | Geweeg -
TLM 050525 SP
KETA TLM050525 - INCREDIBULL
TLM 040671 SP
KETA SEA BISCUIT
Oud. 14j | Gem. SI 119
Kalwers 7 | Geweeg 5

LOGIX
GENETICS
EBV Analyse 2025-09-22


Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
133	115	50	76	72	110	116	93
78%	73%	77%	73%	50%	61%	38%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
55	67	58	61	76	65	76	92	69
67%	44%	11%	54%	51%	49%	44%	41%	40%

LOT 9 (F)

PB 220061
PALMYRA PB 220061

Herd Book	SP
Birth date	2022-09-17
Age	3y 1m
Inbreeding	4%
DNA	UI9580U021



J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.comPIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 81

88	Calving Ease Value
98	Calf Growth Value
92	Milk Value
115	Maintenance Value
78	Fertility Value

GROWTH VALUE 95

CARCASS VALUE 86

PRODUCTION VALUE 82

SELLER REMARKS: Top poena heifer from good mother line. Mother's ICP 365 en Grandmother 397 over 6 calves. 7 months pregnant from Karoo (ENJ 1952)

EG 080001 SP
ADELSON KEISER 801
Wean Mat. 121

PB 130028 HH SP
PALMYRA DOUBLE IMPACT
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 180086 SP
PALMYRA PB 180086
Age 6y | AFC 35m | ICP 365d
Calves 4 | Weighed 3 | Wean Mat. 100
Avg. WI 108 | CCB - | CCW 44.1
Calvings: 21-10, 22-09, 23-11, 24-10

PB 100052 SP
PALMYRA PB1052
Age 14y | AFC - | ICP 422d
Calves 3 | Weighed 1 | Wean Mat. 85
Avg. WI 100 | CCB - | CCW 44.1

PB 100028 SP
PALMYRA BUKS
Wean Mat. 81

PB 140032 HH SP
PALMYRA PB1432
Age 9y | AFC 26m | ICP 397d
Calves 6 | Weighed 4 | Wean Mat. 97
Avg. WI 99 | CCB - | CCW 44.1

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

PB 070039 SP
PALMYRA PB0739
Age 13y | Avg. WI 93
Calves 7 | Weighed 4
TLM 020004 SP
KETA TLM020004 CAESAR

PB 070015 SP
PALMYRA PB0715
Age 11y | Avg. WI 96
Calves 5 | Weighed 1
PB 070018 SP
PALMYRA PB0718 - SERENGETI

GF 070014 HH SP
WALT BROOKS NTOMBABAZANA
Age 18y | Avg. WI 102
Calves 15 | Weighed 12

LOGIX
GENOMICS ONLINE
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	85	98	92	85	78	80	102
74%	58%	75%	59%	38%	51%	32%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	91	91	87	97	88	88	120	78
31%	35%	28%	48%	39%	38%	36%	33%	33%

LOT 10 (F)

NP 210026
BLONDIE FRANCI

Herd Book	SP
Birth date	2021-09-23
Age	4y 1m
Inbreeding	1%
DNA	UI7845U008
AFC	29m
Calves	2
Weighed	0
Avg. WI	-
ICP	493d

BLONDIE BORANE

D.J. PRETORIUS

Luckhoff, Free State
0827884082
niel.pretorius@drdgold.com

POSBUS 390, MARAISBURG, 1700



Last Calf

Calf ID	NP 250029 (F)
Birth Date	2025-07-07
Sire ID	GB 200011

Calvings: 24-03, 25-07

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 106

89	Calving Ease Value
118	Calf Growth Value
94	Milk Value
92	Maintenance Value
108	Fertility Value

GROWTH VALUE 127

CARCASS VALUE 108

PRODUCTION VALUE 115

SELLER REMARKS: An excellent cow out fertile damline with an exceptional Etsebeth (GB2011) heifer calve NP2529.

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Wean Mat. 66

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

NP 160001 SP
BLONDIE NP 160001
Age 9y | AFC 31m | ICP 385d
Calves 7 | Weighed 6 | Wean Mat. 120
Avg. WI 104 | CCB 7.63 | CCW 52.4
Calvings: 18-08, 19-06, 20-08, 21-09, 22-09, 23-10, 24-11

CB04507A
CHULU CB04507A
Wean Mat. 99

GF020129W SP
GRASMERE GF02129W
Age 23y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 94
Avg. WI - | CCB 7.63 | CCW 52.4

EG 110039 SP
ADELSON BOERKLONG
Wean Mat. 131

GB 120037 SP
KOLSKOOT GB 120037
Age 8y | AFC 27m | ICP 332d
Calves 7 | Weighed 3 | Wean Mat. 76
Avg. WI 84 | CCB 7.63 | CCW 52.4

PM94005L SP
LILAYI PM94005L

GF27R
GRASMERE 27R
Age 27y | Avg. WI -
Calves - | Weighed -
GF95123M SP
GRASMERE GF95123M

GF96124O SP
GRASMERE GF96124O
Age 17y | Avg. WI -
Calves 4 | Weighed -

TLM 050526 HH SP
KETA TLM 05 526 - KONING

EG 050006 SP
ADELSON EG 05 06 BLOMME
Age 10y | Avg. WI 104
Calves 7 | Weighed 4

CFH 080063 SP
ELANDSPRUIT CFH 08 0063

GB 080002 SP
KOLSKOOT FRANCI
Age 14y | Avg. WI 100
Calves 9 | Weighed 4

LOGIX
GENOMICS ONLINE
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	93	118	94	124	92	113	112
75%	64%	74%	58%	60%	51%	32%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	118	108	107	123	115	108	104	102
38%	55%	13%	37%	61%	59%	57%	53%	53%

LOT 11 (F)

WA 230069
ALLERS WA230069

Kuddeboek	SP
Geb. dtm	2023-08-16
Oud.	2j 2m
Inteling	5%
DNS	ZOCA2025-93735



W. ALLERS

Christiana, Northern Cape
0829253313
allersw@lantic.net

POSBUS 206, HARTSWATER, 8570

KOEIWAARDE 99

114	Kalfgemak Waarde
97	Kalfgroei Waarde
85	Melk Waarde
116	Onderhoudswaarde
87	Vrugbaarheidswaarde

GROEI WAARDE 107

KARKAS WAARDE 97

PRODUKSIE WAARDE 102

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



WA 180032 SP

ALLERS WINSTON CHURCHILL
Spn Mat. 89

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 100539 SP

FONTEINE FN10539

Oud. 15j | OEK 26m | TKP -
Kalwers 11 | Geweeg 1 | Spn. Mat. 82
Gem. SI 89 | KKG 6.61 | KKS 49.5
Kalwings: 12-10, 14-09, 15-10,
17-03, 18-02, 18-12, 20-02, 21-01,
21-11, 23-08, 24-11

FN 120533 SP

FONTEINE SIR CHURCHILL
Spn Mat. 85

WA 100014 SP

ALLERS WA100014

Oud. 9j | OEK 37m | TKP 566d
Kalwers 5 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG 6.61 | KKS 49.5

TLM 010001 SP

KETA TLM010001 - NAPOLEON

Spn Mat. 75

HMC 020003 SP

ALZU BA 02 0003

Oud. 14j | OEK 31m | TKP 521d
Kalwers 6 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG 6.61 | KKS 49.5

FN 050028 SP

FONTEINE CHURCHILL FN0528

FN 090370 SP

FONTEINE AVA

Oud. 15j | Gem. SI 102

Kalwers 12 | Geweeg 3

HVT 020013 SP

OUTSPAN HVT 02 13

CFH 070333 SP

ELANDSPRUIT CFH 07 0333

Oud. 4j | Gem. SI -

Kalwers 1 | Geweeg -

HVT 970017 SP

OUTSPAN HVT970017

HVT 950013 SP

OUTSPAN HVT950013

Oud. 19j | Gem. SI -

Kalwers 9 | Geweeg -

HVT 950024 SP

OUTSPAN HVT950024

HMC 990020 SP

ALZU BA 20

Oud. 15j | Gem. SI -

Kalwers 8 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-09-22

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
119	93	97	85	94	97	78	107
75%	56%	44%	42%	28%	45%	32%	51%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	98	82	87	100	106	100	99	118
31%	26%	12%	33%	28%	27%	24%	23%	22%

VERKOPER OPMERKINGS: 3.5mnde dragtig van WA2153

LOT 12 (F)

HS 210197
UMOJA TELETUBBY

Kuddeboek	SP
Geb. dtm	2021-12-29
Oud.	3j 10m
Inteling	0%
DNS	U24270U002
OEK	34m
Kalwers	1
Geweeg	1
Gem. SI	93
TKP	-



BLOODLINE BORANE

Dewetsdorp, Free State
0823969071

bloodlineboran@gmail.com

POSBUS 57, DEWETSDORP, 9940

Laaste Kalf

Kalf ID	ZIP 240055 (M)
Geb. datum	2024-10-28
Vaar ID	ZIP 200050

Kalwings: 24-10

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



FPL 130035 HH SP

BLOODLINE HERCULES

Spn Mat. 126

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CI 140003 HH SP

CIRCLE C CI140003

Oud. 11j | OEK 34m | TKP 399d
Kalwers 7 | Geweeg 3 | Spn. Mat. 104
Gem. SI 98 | KKG - | KKS 42.7
Kalwings: 17-01, 18-02, 19-01,
19-11, 20-11, 21-12, 23-08

FPL 090055 SP

BLOODLINE DE LA REY

Spn Mat. 99

HOT 070007 SP

HOTSPOT TANYA

Oud. 18j | OEK - | TKP -
Kalwers 8 | Geweeg 3 | Spn. Mat. 151
Gem. SI 105 | KKG - | KKS 42.7

CI 110126 SP

CIRCLE C LANCELOT

Spn Mat. 111

CI 110097 SP

CIRCLE C BEYONCE

Oud. 13j | OEK 31m | TKP 440d
Kalwers 10 | Geweeg - | Spn. Mat. 114
Gem. SI - | KKG - | KKS 42.7

HVT 970017 SP
OUTSPAN HVT970017

CFH 060008 SP

ELANDSPRUIT CFH 06 08

Oud. 11j | Gem. SI 110

Kalwers 3 | Geweeg 1

B 040001 SP

BORGEN B 04001

B 960615 SP

BORGEN B 96 615

Oud. 20j | Gem. SI -

Kalwers 8 | Geweeg -

CI 080030 SP

CIRCLE C COJACK

KB13A DH SP

KETA KB 13 A

Oud. 12j | Gem. SI -

Kalwers 4 | Geweeg -

TLM 050525 SP

KETA TLM050525 - INCREDIBULL

GF77R D DH SP

GRASMERE GF 77 R

Oud. 18j | Gem. SI 91

Kalwers 8 | Geweeg 2

LOGIX
GENETICS
EBV Analyse 2025-09-22

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
122	106	73	111	99	94	87	106
75%	63%	61%	67%	49%	46%	31%	57%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
84	100	92	86	74	93	124	120	144
47%	44%	21%	48%	49%	48%	45%	42%	42%

VERKOPER OPMERKINGS: A Polled Hercules daughter out of the best Umoja cow Teletubby. She has De La Rey, Tanya, Incredibull and Lancelot in her genetics. 8 months pregnant to FPL17-129 Chavez(out of our top line Love Letter)

LOT 15 (F)



MC 230060
MCS MC 230060

Kuddeboek	SP
Geb. dtm	2023-08-11
Oud.	2j 3m
Inteling	0%
DNS	UI5046U007



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

KOEIWAARDE 104

98	Kalfgemak Waarde
114	Kalfgroei Waarde
96	Melk Waarde
79	Onderhoudswaarde
113	Vrugbaarheidswaarde

GROEI WAARDE 112

KARKAS WAARDE 108

PRODUKSIE WAARDE 107

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



MC 150066 HH SP
MCS MC 150066
Spn Mat. 110

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 150154 SP
MCS MC150154
Oud. 9j | OEK 34m | TKP 359d
Kalwers 8 | Geweeg - | Spn. Mat. 82
Gem. SI - | KKG - | KKS -
Kalwings: 18-09, 19-10, 20-08,
21-07, 22-08, 23-08, 24-07, 25-07

MC 110005 SP
MCS MC115
Spn Mat. 103

MC 120035 SP
MCS MC1235
Oud. 13j | OEK - | TKP 421d
Kalwers 10 | Geweeg - | Spn. Mat. 113
Gem. SI - | KKG - | KKS -

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 66

CFH 050132 DH SP
ELANDSPRUIT CFH050132
Oud. 10j | OEK 29m | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 81
Gem. SI - | KKG - | KKS -

TLM 020038 SP
KETA TLM020038
CI 070099 DH SP
CIRCLE C C1070099
Oud. 16j | Gem. SI -
Kalwers 9 | Geweeg -
CI 080047 DH SP
CIRCLE C C1080047
NAB 060004 SP
UPPER ELLERSLIE CORNFELD
Oud. 6j | Gem. SI -
Kalwers 3 | Geweeg -
CB04507A
CHULU CB04507A
GF020129W SP
GRASMERE GF02129W
Oud. 23j | Gem. SI -
Kalwers - | Geweeg -
HVT 950003 SP
OUTSPAN HVT950003
Z 980026 SP
HLANZENI Z980026
Oud. 16j | Gem. SI 110
Kalwers 5 | Geweeg 1



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	104	114	96	109	102	117	105
43%	40%	42%	37%	33%	49%	30%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	112	110	125	110	113	108	88	99
28%	31%	11%	29%	34%	33%	30%	28%	28%

VERKOPER OPMERKINGS: 3mnde dragtig van MC12-224/MC19-61

LOT 16 (M)



WS 220154
JABEA THOR

Kuddeboek	SP
Geb. dtm	2022-05-02
Oud.	3j 6m
Inteling	0%
DNS	ZOCA2025-95509



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-KROONSTAD, 9500

KOEIWAARDE 107

83	Kalfgemak Waarde
121	Kalfgroei Waarde
112	Melk Waarde
95	Onderhoudswaarde
99	Vrugbaarheidswaarde

GROEI WAARDE 109

KARKAS WAARDE 117

PRODUKSIE WAARDE 109

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



AH 160037 HH SP
BASHA AH 160037
Spn Mat. 113

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CFH 130224 SP
ELANDSPRUIT CFH130224
Oud. 12j | OEK 28m | TKP 366d
Kalwers 10 | Geweeg 4 | Spn. Mat. 110
Gem. SI 101 | KKG 5.82 | KKS 51.7
Kalwings: 15-11, 16-11, 17-09,
18-09, 19-08, 20-07, 21-06,
22-05, 23-09, 24-11

B 040001 SP
BORGEN B 04001
Spn Mat. 123

CDH 090054 SP
MASAI OULIK
Oud. 14j | OEK - | TKP 416d
Kalwers 10 | Geweeg 5 | Spn. Mat. 87
Gem. SI 102 | KKG 5.82 | KKS 51.7

TLM 050543 SP
KETA TLM050543
Spn Mat. 107

GF400 SP
GRASMERE 40 O
Oud. 21j | OEK - | TKP -
Kalwers 6 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG 5.82 | KKS 51.7

KPO1017 SP
OL PEJETA 1017
Z7F2773 SP
WORAGUS Z7F 2773
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
KB39X SP
KETA KB 39 X
CDH 060003 C
MASAI KENDRA
Oud. 17j | Gem. SI -
Kalwers - | Geweeg -
TLM 020001 SP
KETA TLM020001 - BUFFEL
GF465 D DH SP
GRASMERE GF 46 S
Oud. 14j | Gem. SI 99
Kalwers 7 | Geweeg 1
GF92181J
GRASMERE GF92181J
GF144E SP
GF 144E
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
83	96	121	112	107	104	93	106
75%	59%	50%	53%	37%	52%	34%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
124	119	117	103	108	118	113	109	118
36%	34%	29%	38%	38%	36%	33%	31%	30%

VERKOPER OPMERKINGS: Thor is must have stud bull out of CFH 130224, nominated money maker cow, out of her prodigee was the highest price animal on Highveld Supreme auction 2025. He have the genetics and EBV's. Retain a semen share.

LOT 17 (F)



NCT 220047

THUYN SMA MAXILIE

Herd Book	SP
Birth date	2022-08-09
Age	3y 3m
Inbreeding	0%
DNA	U2439IU001



KLIPHARDE VELDBEESTE

CJ THUYN SMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680

COW VALUE 101

85	Calving Ease Value
117	Calf Growth Value
105	Milk Value
88	Maintenance Value
103	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 102

PRODUCTION VALUE 101



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

NCT 160053 SP
THUYN SMA OBELIX
Wean Mat. 104

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 140840 SP
MAMBUSHI MXM 140840

Age 11y | AFC 38m | ICP 364d
Calves 8 | Weighed 4 | Wean Mat. 109
Avg. WI 118 | CCB 7.88 | CCW 48
Calvings: 17-09, 18-10, 19-11,
20-08, 21-09, 22-08, 23-08,
24-09

ELS 110041 SP
ELS ELS1141
Wean Mat. 65

BS 120020 HH SP
MOUNTAIN VIEW 1220

Age 13y | AFC 39m | ICP 465d
Calves 8 | Weighed 7 | Wean Mat. 134
Avg. WI 114 | CCB 7.88 | CCW 48

MXM110989 SP
MAMBUSHI 11-0989
Wean Mat. 97

MXM110059 SP
MAMBUSHI 11-0059MXM

Age 14y | AFC - | ICP 409d
Calves 10 | Weighed - | Wean Mat. 102
Avg. WI - | CCB 7.88 | CCW 48

MHB 040027 SP
MOLL'S-HOOP KHAN

CI 070123 SP
CIRCLE C C1070123
Age 17y | Avg. WI 100
Calves 12 | Weighed 5
TLM 050526 HH SP
KETA TLM 05 526 - KONING

WRA 050013 SP
RODS LUCKY 13
Age 19y | Avg. WI 97
Calves 14 | Weighed 1
CB04532A SP
CHULU CB04532A

GF99031S
GRASMERE GF99031S
Age 26y | Avg. WI -
Calves - | Weighed -
PM02031W
LILAYI PM02031W
KB02027W
CHULU KB02027W
Age 23y | Avg. WI -
Calves - | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	100	117	105	102	100	104	102
73%	53%	75%	50%	35%	43%	26%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	100	104	111	97	99	106	94	94
67%	31%	15%	26%	36%	34%	32%	29%	29%

SELLER REMARKS: 8 Months in calf to NCT1804 / NCT2110 / NCT2034 / NCT2148. A thick heifer, out of an extremely fertile dam line.

LOT 18 (F)



PB 210101

PALMYRA PB 210101

Herd Book	SP
Birth date	2021-09-29
Age	4y 1m
Inbreeding	1%
DNA	U15280U003
AFC	34m
Calves	2
Weighed	0
Avg. WI	-
ICP	370d



J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf

Calf ID	PB 250044 (M)
Birth Date	2025-08-11
Sire ID	ENJ 190052

Calvings: 24-08, 25-08

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



PT 140007 SP
PRATOS CHOBE
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 170073 SP
PALMYRA PB 170073

Age 7y | AFC 34m | ICP 373d
Calves 5 | Weighed 4 | Wean Mat. 76
Avg. WI 98 | CCB - | CCW 44.2
Calvings: 20-10, 21-09, 22-09,
23-11, 24-11

CI 070127 SP
CIRCLE C C1070127 - MAGNUM
Wean Mat. 114

BA 080086 SP
BA BA 080086

Age 15y | AFC - | ICP -
Calves 10 | Weighed - | Wean Mat. 61
Avg. WI - | CCB - | CCW 44.2

PB 100028 SP
PALMYRA BUKS
Wean Mat. 81

PB 110046 SP
PALMYRA PB1146

Age 8y | AFC 35m | ICP 373d
Calves 5 | Weighed 4 | Wean Mat. 88
Avg. WI 96 | CCB - | CCW 44.2

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
TLM 020038 SP
KETA TLM020038

BA 050030 SP
BA SHAKIRA
Age 16y | Avg. WI 99
Calves 9 | Weighed 2
TLM 020004 SP
KETA TLM020004 CAESAR

PB 070015 SP
PALMYRA PB0715
Age 11y | Avg. WI 96
Calves 5 | Weighed 1
PB 070018 SP
PALMYRA PB0718 - SERENGETI

PB 070020 SP
PALMYRA PB0720
Age 15y | Avg. WI 99
Calves 12 | Weighed 11

LOGIX
GENETICS
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	114	96	86	94	127	117	97
75%	63%	75%	59%	36%	63%	33%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	91	93	89	92	91	98	90	75
36%	35%	19%	49%	39%	38%	35%	32%	32%


SELLER REMARKS: Top poena heifer out of Chobe (PT1407) with bulcalve (PB 2544) sired by Karoo (ENJ1952). Out of very fertile mother line with ICP 373 of her mother and grandmother. Cow value 124, Maintenance value 112, fertile value 120.

LOT 19 (F)



WA 230082
ALLERS WA230082

Kuddeboek	SP
Geb. dtm	2023-09-19
Oud.	2j 1m
Inteling	0%
DNS	ZOCA2025-93736



W. ALLERS

Christiana, Northern Cape
0829253313
allersw@lantic.net

POSBUS 206, HARTSWATER, 8570

KOEIWAARDE	90
83	Kalfgemak Waarde
109	Kalfgroei Waarde
93	Melk Waarde
107	Onderhoudswaarde
89	Vrugbaarheidswaarde

GROEI WAARDE	102
KARKAS WAARDE	97
PRODUKSIE WAARDE	92



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 3mnde dragtig van WA21-146

WA 180032 SP

ALLERS WINSTON CHURCHILL
Spn Mat. 89

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

K 130158 SP
KIERA K130158

Oud. 12j | OEK 28m | TKP 473d
Kalwers 8 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG 6.75 | KKS -
Kalwings: 16-01, 17-04, 18-08,
19-10, 20-11, 21-11, 23-09, 25-01

FN 120533 SP

FONTEINE SIR CHURCHILL
Spn Mat. 85

WA 100014 SP

ALLERS WA100014

Oud. 9j | OEK 37m | TKP 566d
Kalwers 5 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG 6.75 | KKS -

TLM 020001 SP

KETA TLM020001 - BUFFEL
Spn Mat. 94

GF 080042 C

WALT GF0842

Oud. 10j | OEK 27m | TKP 500d
Kalwers 4 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG 6.75 | KKS -

FN 050028 SP

FONTEINE CHURCHILL FN0528

FN 090370 SP

FONTEINE AVA

Oud. 15j | Gem. SI 102

Kalwers 12 | Geweeg 3

HVT 020013 SP

OUTSPAN HVT 02 13

CFH 070333 SP

ELANDSPRUIT CFH 07 0333

Oud. 4j | Gem. SI -

Kalwers 1 | Geweeg -

K6K2459 SP

MOGWOONI K6K2459

KPO4203 SP

OL PEJETA KPO 4203

Oud. 18j | Gem. SI -

Kalwers - | Geweeg -

KB32X SP

KETA KB X 32

CFH 050533 B

ELANDSPRUIT CFH 05 533

Oud. 6j | Gem. SI 87

Kalwers 4 | Geweeg 1



EBV Analyse 2025-09-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	91	109	93	87	96	84	104
75%	54%	41%	36%	29%	43%	31%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	102	99	95	93	93	100	101	108
30%	28%	16%	31%	29%	29%	26%	25%	25%

LOT 20 (M)



HS 210052 HH

UMOJA RECCE

Kuddeboek	SP
Geb. dtm	2021-07-01
Oud.	4j 4m
Inteling	1%
DNS	WSC040939



BLOODLINE BORANE



Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com

POSBUS 57, DEWETSDORP, 9940

KOEIWAARDE	91
123	Kalfgemak Waarde
70	Kalfgroei Waarde
91	Melk Waarde
110	Onderhoudswaarde
99	Vrugbaarheidswaarde

GROEI WAARDE	84
KARKAS WAARDE	77
PRODUKSIE WAARDE	86



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS: A compact deep red Vlekkie son out of some of the best genetics to offer. Don't miss this opportunity to take your herd to the next level.

DBC 150047 SP

NIERKKSHEK DBC 150047
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		✓

HJ 110030 HH SP
HESSI VLEKKIE

Oud. 14j | OEK 29m | TKP 498d
Kalwers 9 | Geweeg 1 | Spn. Mat. 82
Gem. SI 97 | KKG 8.39 | KKS 54.5
Kalwings: 13-11, 15-07, 16-09,
17-10, 19-02, 20-06, 21-07, 23-02,
24-10

TLM 060506 SP

KETA TLM 6 506
Spn Mat. 90

DLV 120005 SP

DE LA VIDA ALISON

Oud. 13j | OEK - | TKP 463d
Kalwers 8 | Geweeg 2 | Spn. Mat. 100
Gem. SI 103 | KKG 8.39 | KKS 54.5

KB19X D SP

KETA KB X 19
Spn Mat. 109

CFH 070030 SP

ELANDSPRUIT 07 30

Oud. 10j | OEK - | TKP 360d
Kalwers 4 | Geweeg - | Spn. Mat. 67
Gem. SI - | KKG 8.39 | KKS 54.5

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 000010 SP

KETA TLM 00 10

Oud. 15j | Gem. SI 94

Kalwers 11 | Geweeg 4

DLV 080002 SP

DE LA VIDA RED BULL DLV 0802

B 060099 SP

BORGEN ALISON

Oud. 18j | Gem. SI 97

Kalwers 12 | Geweeg 1

NB43R SP

NB43R

GF250 SP

GRASMERE 25 0

Oud. 21j | Gem. SI -

Kalwers 3 | Geweeg -

TLM 020008 SP

KETA TLM020008

Z 950025 SP

HLANZENI Z 95 25

Oud. 17j | Gem. SI 104

Kalwers 6 | Geweeg 1



EBV Analyse 2025-09-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
119	109	70	91	100	96	98	108
86%	83%	86%	82%	85%	82%	80%	82%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
72	82	76	93	81	81	99	80	67
82%	83%	78%	80%	85%	84%	83%	82%	82%

LOT 21 (F)



ENJ 220089

VAALKAMDOR ENJ 220089

Herd Book	SP
Birth date	2022-10-31
Age	2y 12m
Inbreeding	1%
DNA	U24075U006
AFC	32m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

Last Calf	
Calf ID	ENJ 250062 (M)
Birth Date	2025-07-02
Sire ID	KCTL180239

Calvings: 25-07



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

TV 140002 SP
VALLEYRANCH TV 140002
Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ENJ 170029 SP
VAALKAMDOR ENJ 170029

Age 8y | AFC 36m | ICP 387d
Calves 5 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -
Calvings: 20-10, 21-11, 22-10, 23-11, 25-01

TLM 050503 SP
KETA TLM 05 503
Wean Mat. 99

TV 100007 SP
VALLEYRANCH AVA

Age 15y | AFC 30m | ICP -
Calves 13 | Weighed - | Wean Mat. 95
Avg. WI - | CCB - | CCW -

TV 100005 SP
VALLEYRANCH NICOLAI
Wean Mat. 80

TV 120005 SP
VALLEYRANCH TV 120005

Age 13y | AFC 29m | ICP 403d
Calves 10 | Weighed - | Wean Mat. 90
Avg. WI - | CCB - | CCW -

K6K2459 SP
MOGWONNI K6K2459

KPO1680 SP
OL PEJETA 1680
Age 33y | Avg. WI -
Calves - | Weighed -
KPO1017 SP
OL PEJETA 1017

KPO1062 SP
OL PEJETA KPO 1062
Age 26y | Avg. WI -
Calves 1 | Weighed -
B 040042 SP
BORGEN B 04 42

B 040017 SP
BORGEN B 04 17
Age 18y | Avg. WI 95
Calves 12 | Weighed 3
FN 070149 SP
FONTEINE FN07149

FN 090609 SP
FONTEINE FN09609
Age 10y | Avg. WI -
Calves 6 | Weighed -

COW VALUE 102

120	Calving Ease Value
82	Calf Growth Value
93	Milk Value
117	Maintenance Value
96	Fertility Value

GROWTH VALUE 90

CARCASS VALUE 92

PRODUCTION VALUE 98

LOGIX
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	115	82	93	89	98	92	105
74%	59%	43%	39%	30%	64%	36%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	96	99	85	84	85	94	112	106
34%	30%	16%	32%	33%	32%	27%	25%	25%

SELLER REMARKS: Deep red first calf heifer with bull calf ENJ 25 62 out of KCTL 18 239. She speaks for herself and come with proven genetics that work. Her dam has an icp of 387 over 5 calves. Walk with KCTL 18 239/ ENJ 21 84 Duke/ ENJ 20 53

LOT 22 (F)



MC 230054

MCS MC 230054

Herd Book	SP
Birth date	2023-07-04
Age	2y 4m
Inbreeding	1%
DNA	U15046U016



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-BUS 28, BOSHOFF, 8340



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MC 150013 HH SP
MCS MC1513
Wean Mat. 55

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

S 110067 C
SOETWATER S110067

Age 13y | AFC 31m | ICP 414d
Calves 10 | Weighed - | Wean Mat. 117
Avg. WI - | CCB - | CCW -
Calvings: 14-06, 15-10, 17-02, 18-04, 19-05, 20-06, 21-06, 22-06, 23-07, 24-08

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Wean Mat. 66

MC 120044 SP
MCS MC1244

Age 13y | AFC - | ICP 399d
Calves 10 | Weighed - | Wean Mat. 73
Avg. WI - | CCB - | CCW -

E 060021 SP
TAMBARAINE 06 0021
Wean Mat. 133

MH 060058 B
HANSMEYER 6 58

Age 12y | AFC 34m | ICP 413d
Calves 9 | Weighed 1 | Wean Mat. 92
Avg. WI 103 | CCB - | CCW -

CB04507A

CHULU CB04507A
GF020129W SP
GRASMERE GF02129W
Age 23y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017

M 080013 SP
MCS M0813
Age 4y | Avg. WI -
Calves - | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL

GF3S D SP
GRASMERE GF 3S
Age 21y | Avg. WI 100
Calves 10 | Weighed 3
HVT 020040 SP
OUTSPAN HVT020040

MH 010147 A
HANSMEYER MH 01 147
Age 10y | Avg. WI 102
Calves 7 | Weighed 3

COW VALUE 99

107	Calving Ease Value
96	Calf Growth Value
86	Milk Value
112	Maintenance Value
95	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 90

PRODUCTION VALUE 99

LOGIX
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	100	96	86	95	82	103	105
48%	47%	47%	47%	38%	51%	29%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	95	93	91	95	87	99	96	118
34%	36%	15%	36%	39%	38%	33%	32%	31%

SELLER REMARKS: 5.5 mnnde dragtig van MC1961

LOT 23 (F)



WS 220172

JABEA WS220172



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-KROONSTAD, 9500

Kuddeboek	SP
Geb. dtm	2022-09-29
Oud.	3j 1m
Inteling	5%
DNS	ZOCA2025-84600

WS 180092 SP
JABEA Potberg

Spn Mat. 113

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 160099 C
JABEA WS160099

Oud. 8j | OEK 25m | TKP 418d
Kalwers 6 | Geweeg - | Spn. Mat. 79
Gem. SI - | KKG 5.54 | KKS -
Kalwings: 19-01, 20-07, 21-10,
22-09, 23-10, 24-09

TR 120030 SP

THREE RIVERS MR FEDERER

Spn Mat. 117

WS 120043 SP
JABEA WS120043

Oud. 12j | OEK 30m | TKP 410d
Kalwers 8 | Geweeg 2 | Spn. Mat. 122
Gem. SI 114 | KKG 5.54 | KKS -

CFH 130475 HH SP

ELANDSPRUIT CFH130475

Spn Mat. 97

WS 120002 B
JABEA WS120002

Oud. 8j | OEK 22m | TKP 353d
Kalwers 7 | Geweeg 3 | Spn. Mat. 66
Gem. SI 81 | KKG 5.54 | KKS -

E 080036 SP
TAMBARAINE E 08 36

B 100036 SP
BORGES B 100036

Oud. 5j | Gem. SI 104
Kalwers 3 | Geweeg 2

CI 070102 P SP
CIRCLE C CI070102

WS 100007 C
JABEA 100007

Oud. 7j | Gem. SI -
Kalwers 5 | Geweeg -

CI 080034 HH SP
CIRCLE C CI080034

FN 090479 SP
FONTEINE FN090479

Oud. 16j | Gem. SI -
Kalwers 11 | Geweeg -

CI 070102 P SP
CIRCLE C CI070102

SWR 080002 A
ASHREE SWR 080002

Oud. 7j | Gem. SI -
Kalwers 5 | Geweeg -

KOEIWAARDE	86
105	Kalfgemak Waarde
86	Kalfgroei Waarde
96	Melk Waarde
110	Onderhoudswaarde
85	Vrugbaarheidswaarde
GROEI WAARDE	102
KARKAS WAARDE	96
PRODUKSIE WAARDE	88

LOGIX
GENETICS CONSULTANTS
EBV Analyse 2025-09-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	95	86	96	94	94	80	103
58%	52%	46%	38%	23%	46%	27%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	100	100	92	94	98	96	95	90
28%	24%	15%	25%	26%	26%	24%	23%	23%

VERKOPER OPMERKINGS: 9 mnths pregnant of BH200081, BOS170045, NBOR180016, ZIP20094



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 24 (F)



NCT 210032

THUYNSMA ODESSA



KLIP HARDE VELDBEESTE

CJ THUYNSMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680

Kuddeboek	SP
Geb. dtm	2021-08-16
Oud.	4j 2m
Inteling	7%
DNS	U17913U002
OEK	38m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

NCT 160021 HH SP
THUYNSMA TEXAN

Spn Mat. 88

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NCT 170010 SP
THUYNSMA OLIVE

Oud. 8j | OEK 36m | TKP 534d
Kalwers 4 | Geweeg 3 | Spn. Mat. 77
Gem. SI 124 | KKG 8.34 | KKS 51.8
Kalwings: 20-03, 21-08, 23-03,
24-08

ELS 110041 SP
ELS ELS1141

Spn Mat. 65

W 120019 SP
MODEL W120019

Oud. 13j | OEK 34m | TKP 459d
Kalwers 8 | Geweeg 9 | Spn. Mat. 111
Gem. SI 100 | KKG 8.34 | KKS 51.8

ELS 110042 SP
ELS ELS1142

Spn Mat. 51

BS 130063 SP
MOUNTAIN VIEW 1363

Oud. 10j | OEK 25m | TKP 407d
Kalwers 8 | Geweeg 5 | Spn. Mat. 98
Gem. SI 100 | KKG 8.34 | KKS 51.8

MHB 040027 SP
MOLL'S-HOOP KHAN

CI 070123 SP
CIRCLE C CI070123

Oud. 17j | Gem. SI 100
Kalwers 12 | Geweeg 5

E 060005 HH SP
TAMBARAINE E 06 05

AAA 080001 SP
TRIPLE A SIMONE

Oud. 15j | Gem. SI -
Kalwers 5 | Geweeg -

CI 080112 SP
CIRCLE C CI080112

CI 070123 SP
CIRCLE C CI070123

Oud. 17j | Gem. SI 100
Kalwers 12 | Geweeg 5

MHB 040027 SP
MOLL'S-HOOP KHAN

BS 080014 SP
MOUNTAIN VIEW BELINDA

Oud. 16j | Gem. SI 88
Kalwers 10 | Geweeg 1

KOEIWAARDE	93
84	Kalfgemak Waarde
122	Kalfgroei Waarde
81	Melk Waarde
98	Onderhoudswaarde
91	Vrugbaarheidswaarde
GROEI WAARDE	114
KARKAS WAARDE	111
PRODUKSIE WAARDE	99

LOGIX
GENETICS CONSULTANTS
EBV Analyse 2025-09-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
53	118	122	81	106	75	96	115
75%	61%	74%	52%	48%	60%	27%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	108	110	102	105	99	107	104	92
68%	46%	17%	39%	49%	48%	46%	44%	44%

VERKOPER OPMERKINGS: 5 Months in calf to NCT1804 / NCT2110 / NCT2034 / NCT2148. A 2nd calf female with good overall values.



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 25 (F)



MC 220145

MCS MC 220145

Herd Book	SP
Birth date	2022-12-20
Age	2y 10m
Inbreeding	3%
DNA	UI2999U059



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 102

100	Calving Ease Value
103	Calf Growth Value
74	Milk Value
116	Maintenance Value
100	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 87

PRODUCTION VALUE 101

SELLER REMARKS: 7.5 mnnde dragtig van MC12224

MC 150013 HH SP
MCS MC1513
Wean Mat. 55

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 170143 SP
MCS MC17143

Age 7y | AFC 35m | ICP 455d
Calves 4 | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -
Calvings: 20-10, 22-01, 22-12, 24-07

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Wean Mat. 66

MC 120044 SP
MCS MC1244

Age 13y | AFC - | ICP 399d
Calves 10 | Weighed - | Wean Mat. 73
Avg. WI - | CCB - | CCW -

MC 110005 SP
MCS MC115

Wean Mat. 103

MC 130150 SP
MCS MC13150

Age 11y | AFC 34m | ICP 400d
Calves 9 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -

CB04507A
CHULU CB04507A
GF020129W SP
GRASMERE GF02129W
Age 23y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
M 080013 SP
MCS M0813
Age 4y | Avg. WI -
Calves - | Weighed -
TLM 020038 SP
KETA TLM020038
CI 070099 DH SP
CIRCLE C C1070099
Age 16y | Avg. WI -
Calves 9 | Weighed -
TLM 030012 SP
KETA TLM030012
MC 110093 SP
MCS MC1193
Age 13y | Avg. WI -
Calves 7 | Weighed -

LOGIX
ANALYSIS
EBV Analysis 2025-09-22

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	97	103	74	109	84	104	116
45%	44%	43%	42%	35%	51%	32%	49%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	92	91	87	91	89	95	97	99
31%	32%	13%	33%	35%	34%	30%	28%	28%

LOT 26 (F)



WA 230090

ALLERS WA230090

Herd Book	SP
Birth date	2023-10-11
Age	2y
Inbreeding	2%
DNA	ZOCA2025-93738



W. ALLERS

Christiana, Northern Cape
0829253313
allersw@lantic.net

POSBUS 206, HARTSWATER, 8570



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 107

110	Calving Ease Value
113	Calf Growth Value
89	Milk Value
98	Maintenance Value
95	Fertility Value

GROWTH VALUE 119

CARCASS VALUE 115

PRODUCTION VALUE 113

SELLER REMARKS: 6mnnde dragtig van WA21-146

WA 180032 SP
ALLERS WINSTON CHURCHILL
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 140121 SP
FONTEINE FN 14 121

Age 10y | AFC 34m | ICP 370d
Calves 8 | Weighed - | Wean Mat. 89
Avg. WI - | CCB 7 | CCW -
Calvings: 17-09, 18-10, 19-10, 20-10, 21-10, 22-10, 23-10, 24-11

FN 120533 SP
FONTEINE SIR CHURCHILL
Wean Mat. 85

WA 100014 SP
ALLERS WA100014

Age 9y | AFC 37m | ICP 566d
Calves 5 | Weighed - | Wean Mat. 97
Avg. WI - | CCB 7 | CCW -

FN 090063 SP
FONTEINE FN 09 63

Wean Mat. 96

FN 090394 SP
FONTEINE FN09394

Age 7y | AFC 52m | ICP 430d
Calves 2 | Weighed - | Wean Mat. 86
Avg. WI - | CCB 7 | CCW -

FN 050028 SP
FONTEINE CHURCHILL FN0528

FN 090370 SP
FONTEINE AVA
Age 15y | Avg. WI 102
Calves 12 | Weighed 3
HVT 020013 SP
OUTSPAN HVT 02 13
CFH 070333 SP
ELANDSPRUIT CFH 07 0333
Age 4y | Avg. WI -
Calves 1 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
B 040039 SP
BORGEN B 04 39
JRS 060002 SP
JERAS JRS 06 0002
Age 10y | Avg. WI -
Calves 5 | Weighed -

LOGIX
ANALYSIS
EBV Analysis 2025-09-22

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	107	113	89	109	92	91	115
75%	54%	41%	35%	26%	38%	27%	47%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	114	107	101	105	112	109	101	106
29%	24%	15%	27%	26%	26%	23%	22%	22%

LOT 27A (F)



WA 210052
ALLERS WA210052

Kuddeboek	SP
Geb. dtm	2021-11-14
Oud.	3j 11m
Inteling	5%
DNS	ZOCA2023-53251
OEK	38m
Kalwers	1
Geweeg	1
Gem. SI	106
TKP	-

BLOODLINE BORANE



Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com
POSBUS 57, DEWETSDORP, 9940

Laaste Kalf	
Kalf ID	ZIP 250007 (F)
Geb. datum	2025-01-10
Vaar ID	WA 200023

Kalwings: 25-01

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



WA 180037 SP
ALLERS WA180037
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WA 100012 C
ALLERS WA100012

Oud. 12j | OEK 37m | TKP 375d
Kalwers 10 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG 6.64 | KKS -
Kalwings: 13-10, 14-12, 15-11, 17-03,
18-01, 19-01, 19-12, 20-10, 21-11,
23-01

FN 080411 SP
FONTEINE FN080411
Spn Mat. 64

WA 150015 SP
ALLERS WA150015

Oud. 10j | OEK 35m | TKP 494d
Kalwers 4 | Geweeg - | Spn. Mat. 108
Gem. SI - | KKG 6.64 | KKS -

HVT 020013 SP
OUTSPAN HVT 02 13
Spn Mat. 86

WA 070001 B
ALLERS WA07 01

Oud. 6j | OEK 21m | TKP 348d
Kalwers 5 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG 6.64 | KKS -

HVT 970017 SP
OUTSPAN HVT970017
TLM 020030 SP
KETA TLM020030
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -
FN 100753 SP
FONTEINE FN 100753
WA 100014 SP
ALLERS WA100014
Oud. 9j | Gem. SI -
Kalwers 5 | Geweeg -
HVT 980014 SP
OUTSPAN HVT980014
HVT 980002 SP
OUTSPAN HVT 98 02
Oud. 16j | Gem. SI 100
Kalwers 11 | Geweeg 1
MULTIPLE SIRES MS
MULTIPLE SIRES
FN 030033 A
FONTEINE FN 03 33
Oud. 7j | Gem. SI -
Kalwers 4 | Geweeg -

KOEIWAARDE 76

96	Kalfgemak Waarde
91	Kalfgroei Waarde
89	Melk Waarde
115	Onderhoudswaarde
73	Vrugbaarheidswaarde

GROEI WAARDE 84

KARKAS WAARDE 81

PRODUKSIE WAARDE 73



EBV Analyse 2025-09-22

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	91	91	89	91	78	72	100
74%	59%	42%	55%	21%	41%	25%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	79	77	87	83	86	78	99	108
20%	19%	12%	35%	21%	21%	18%	17%	17%

VERKOPER OPMERKINGS: Super fertile 3 in 1 cow with outstanding old genetics. Selling with heifer calf ZIP25-07 sired by WA20-23 and 8 months pregnant to FPL17-129 Chavez(out of our top line Love Letter) Expected ICP of +- 334days.

LOT 27B (F)



ZIP 250007
BLOODLINE ROBYN

Kuddeboek	SP
Geb. dtm	2025-01-10
Oud.	9 maande
Inteling	3%
DNS	Z24270U004

BLOODLINE BORANE



Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com
POSBUS 57, DEWETSDORP, 9940

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



WA 200023 HH SP
ALLERS WA200023
Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WA 210052 SP
ALLERS WA210052

Oud. 3j | OEK 38m | TKP -
Kalwers 1 | Geweeg 1 | Spn. Mat. 89
Gem. SI 106 | KKG - | KKS 46.1
Kalwings: 25-01

WA 120261 SP
ALLERS WA120261
Spn Mat. 117

WA 120210 SP
ALLERS WA12210

Oud. 13j | OEK 36m | TKP 363d
Kalwers 10 | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG - | KKS 46.1

WA 180037 SP
ALLERS WA180037
Spn Mat. 86

WA 100012 C
ALLERS WA100012

Oud. 12j | OEK 37m | TKP 375d
Kalwers 10 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS 46.1

FN 060064 SP
FONTEINE FN0664
FN 100587 SP
FONTEINE FN 100587
Oud. 5j | Gem. SI -
Kalwers 1 | Geweeg -
GF 080024 SP
WALT GF0824
WA 100013 C
ALLERS WA100013
Oud. 15j | Gem. SI -
Kalwers 4 | Geweeg -
FN 080411 SP
FONTEINE FN080411
WA 150015 SP
ALLERS WA150015
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -
HVT 020013 SP
OUTSPAN HVT 02 13
WA 070001 B
ALLERS WA07 01
Oud. 6j | Gem. SI -
Kalwers 5 | Geweeg -

KOEIWAARDE 97

99	Kalfgemak Waarde
92	Kalfgroei Waarde
98	Melk Waarde
116	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 86

PRODUKSIE WAARDE -



EBV Analyse 2025-09-22

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	90	92	98	93	90	90	113
73%	43%	71%	35%	18%	32%	20%	40%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	88	88	86	82	85	87	101	114
19%	16%	9%	23%	17%	17%	15%	15%	14%

VERKOPER OPMERKINGS: Must be presented for inspection when of age.

LOT 28 (F)



ENJ 220033

VAALKAMDOR ENJ 220033

Herd Book	SP
Birth date	2022-08-19
Age	3y 2m
Inbreeding	0%
DNA	U24075U001



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 72	
92	Calving Ease Value
100	Calf Growth Value
86	Milk Value
102	Maintenance Value
76	Fertility Value
GROWTH VALUE 93	
CARCASS VALUE 93	
PRODUCTION VALUE 73	



EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
84	123	100	86	90	81	85	78
76%	64%	46%	46%	36%	54%	41%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	89	90	98	96	96	88	99	102
37%	32%	15%	38%	35%	34%	24%	22%	22%

SELLER REMARKS: A direct Nicolai TV 10 05 daughter. Well balanced first calf heifer with lots of capacity and depth. She is a real eye cather with a bright future. 7 months pregnant from ENJ 20 11/ KCTL 18 239

LOT 29 (F)



GB 230023

KOLSKOOT ABBY

Herd Book	SP
Birth date	2023-07-16
Age	2y 3m
Inbreeding	1%
DNA	ZOCA2025-89528



G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 99	
123	Calving Ease Value
87	Calf Growth Value
91	Milk Value
107	Maintenance Value
94	Fertility Value
GROWTH VALUE 83	
CARCASS VALUE 85	
PRODUCTION VALUE 92	



EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
119	109	87	91	128	96	94	99
73%	57%	75%	56%	52%	39%	26%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	91	98	95	97	85	95	96	65
42%	49%	13%	30%	53%	52%	50%	48%	47%

SELLER REMARKS: Markus daughter out of fertile damline . GB1520 being 10 years already weand 8 calves. 8 mths in calf to FN2048/GB2304.

LOT 30 (F)



MC 220100

MCS MC 220100

Kuddeboek	SP
Geb. dtm	2022-11-18
Oud.	2j 11m
Inteling	13%
DNS	U12999U028



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 90	
100	Kalfgemak Waarde
93	Kalfgroei Waarde
111	Melk Waarde
109	Onderhoudswaarde
81	Vrugbaarheidswaarde
GROEI WAARDE 89	
KARKAS WAARDE 95	
PRODUKSIE WAARDE 87	

VERKOPER OPMERKINGS: 8 mnd dragtig van MC13-96

MC 180045 SP

MCS MC1845

Spn Mat. 105

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 110054 C

MCS MC1154

Oud. 13j | OEK 31m | TKP 475d
Kalwers 8 | Geweeg - | Spn. Mat. 116
Gem. SI - | KKG - | KKS -
Kalwings: 13-10, 14-11, 16-08, 17-11,
19-01, 20-07, 21-07, 22-11

CI 080047 DH SP

CIRCLE C CI080047

Spn Mat. 129

MC 120144 SP

MCS MC12144

Oud. 13j | OEK - | TKP 482d
Kalwers 9 | Geweeg - | Spn. Mat. 81
Gem. SI - | KKG - | KKS -

CI 080047 DH SP

CIRCLE C CI080047

Spn Mat. 129

CFH 070481 B

ELANDSPRUIT CFH07481

Oud. 10j | OEK - | TKP 433d
Kalwers 7 | Geweeg - | Spn. Mat. 98
Gem. SI - | KKG - | KKS -

TLM 020001 SP

KETA TLM020001 - BUFFEL

KB5A DH SP

KETA KB 5 A

Oud. 15j | Gem. SI 113

Kalwers 6 | Geweeg 1

M 090002 SP

MCS ZUMA

M 080035 SP

MCS M0835

Oud. 15j | Gem. SI -

Kalwers 8 | Geweeg -

TLM 020001 SP

KETA TLM020001 - BUFFEL

KB5A DH SP

KETA KB 5 A

Oud. 15j | Gem. SI 113

Kalwers 6 | Geweeg 1

B 030031 SP

BORGEN B 03 31

CFH 000016 A

CFH 00 0016

Oud. 14j | Gem. SI -

Kalwers 7 | Geweeg -



EBV Analise 2025-09-22

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	105	93	111	84	94	75	98
42%	42%	36%	36%	26%	44%	32%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	103	115	92	86	88	101	91	91
26%	25%	14%	28%	27%	26%	24%	22%	22%

LOT 31 (F)



WS 230273

JABEA WS230273

Kuddeboek	SP
Geb. dtm	2023-08-21
Oud.	2j 2m
Inteling	7%
DNS	ZOCA2025-88486



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 93	
107	Kalfgemak Waarde
85	Kalfgroei Waarde
109	Melk Waarde
106	Onderhoudswaarde
92	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE 91	
PRODUKSIE WAARDE -	

VERKOPER OPMERKINGS: 7 mths pregnant of BH200081, BOS170045, NBOR180016, ZIP20094. Out of fertile line

WS 180121 SP

JABEA WS180121

Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WS 200111 SP

JABEA WS200111

Oud. 4j | OEK 32m | TKP 380d
Kalwers 3 | Geweeg - | Spn. Mat. 115
Gem. SI - | KKG 5.69 | KKS -
Kalwings: 23-08, 24-10, 25-09

CFH 110504 SP

ELANDSPRUIT CFH 110504

Spn Mat. 108

WS 140075 C

JABEA WS140075

Oud. 10j | OEK 24m | TKP 424d
Kalwers 8 | Geweeg 2 | Spn. Mat. 93
Gem. SI 102 | KKG 5.69 | KKS -

WS 160017 SP

JABEA WS160017

Spn Mat. 117

WS 160041 SP

JABEA WS160041

Oud. 9j | OEK 26m | TKP 372d
Kalwers 7 | Geweeg - | Spn. Mat. 116
Gem. SI - | KKG 5.69 | KKS -

E 060005 HH SP

TAMBARAINE E 06 05

CFH 080022 SP

ELANDSPRUIT CFH 08 0022

Oud. 17j | Gem. SI -

Kalwers 4 | Geweeg -

CI 070102 P SP

CIRCLE C CI070102

WS 130051 B

JABEA WS130051

Oud. 6j | Gem. SI 87

Kalwers 5 | Geweeg 1

CFH 110186 SP

ELANDSPRUIT CFH110186

WS 130066 C

JABEA WS130066

Oud. 9j | Gem. SI 104

Kalwers 6 | Geweeg 3

CFH 110504 SP

ELANDSPRUIT CFH 110504

FJN 090002 C

DUBBEL SEWE STERRETJIE

Oud. 10j | Gem. SI 109

Kalwers 8 | Geweeg 2



EBV Analise 2025-09-22

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	98	85	109	94	93	90	104
71%	48%	39%	36%	15%	41%	27%	43%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	93	96	95	98	92	92	96	102
26%	14%	9%	26%	15%	15%	13%	12%	12%

LOT 32 (F)



NCT 210060

THUYN SMA NADIA



KLIP HARDE VELDBEESTE

CJ THUYN SMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680

Last Calf	
Calf ID	NCT 240107 (F)
Birth Date	2024-10-22
Sire ID	NCT 180004

Calvings: 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-10-24
Age	4y
Inbreeding	11%
DNA	U24392U001
AFC	36m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

NCT 160021 HH SP
THUYN SMA TEXAN
Wean Mat. 88

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

NCT 180009 SP
THUYN SMA DAHLIA
Age 7y | AFC 29m | ICP 367d
Calves 4 | Weighed 4 | Wean Mat. 62
Avg. WI 98 | CCB 8.23 | CCW 43.6
Calvings: 20-10, 21-10, 22-11, 23-10

ELS 110041 SP
ELS ELS1141
Wean Mat. 65

W 120019 SP
MODEL W120019
Age 13y | AFC 34m | ICP 459d
Calves 8 | Weighed 9 | Wean Mat. 111
Avg. WI 100 | CCB 8.23 | CCW 43.6

ELS 110042 SP
ELS ELS1142
Wean Mat. 51

NCT 150023 C
THUYN SMA NCT 150023
Age 5y | AFC 31m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 89
Avg. WI 97 | CCB 8.23 | CCW 43.6

MHB 040027 SP
MOLL'S-HOOP KHAN
CI 070123 SP
CIRCLE C C1070123
Age 17y | Avg. WI 100
Calves 12 | Weighed 5
E 060005 HH SP
TAMBARAINE E 06 05
AAA 080001 SP
TRIPLE A SIMONE
Age 15y | Avg. WI -
Calves 5 | Weighed -
CI 080112 SP
CIRCLE C C1080112
CI 070123 SP
CIRCLE C C1070123
Age 17y | Avg. WI 100
Calves 12 | Weighed 5
ELS 110041 SP
ELS ELS1141
NCT 120006 B
THUYN SMA NCT 120006
Age 4y | Avg. WI 103
Calves 3 | Weighed 1

COW VALUE 85

82	Calving Ease Value
108	Calf Growth Value
77	Milk Value
96	Maintenance Value
102	Fertility Value

GROWTH VALUE 100

CARCASS VALUE 99

PRODUCTION VALUE 87

LOGIX
GENETICS
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
73	123	108	77	92	99	102	103
75%	60%	75%	54%	50%	60%	27%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	93	96	103	96	87	101	102	95
69%	46%	15%	43%	50%	49%	47%	45%	44%

SELLER REMARKS: 4 Months in calf to NCT1804 / NCT2110 / NCT2034 / NCT2148. A 2nd calf heifer out of an extremely fertile dam.

LOT 33 (F)



PB 210093

PALMYRA PB 210093



J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.comPIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf	
Calf ID	PB 240059 (F)
Birth Date	2024-10-01
Sire ID	ENJ 190052

Calvings: 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-09-23
Age	4y 1m
Inbreeding	0%
DNA	U15280U028
AFC	36m
Calves	1
Weighed	1
Avg. WI	105
ICP	-

PT 140007 SP
PRATOS CHOBE
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 100036 HH SP
PALMYRA PB1036
Age 13y | AFC - | ICP 362d
Calves 11 | Weighed 9 | Wean Mat. 108
Avg. WI 105 | CCB 6.17 | CCW 40.2
Calvings: 13-10, 14-09, 15-10,
16-10, 17-10, 18-10, 19-10, 20-10,
21-09, 22-09, 23-10

CI 070127 SP
CIRCLE C C1070127 - MAGNUM
Wean Mat. 114

BA 080086 SP
BA BA 080086
Age 15y | AFC - | ICP -
Calves 10 | Weighed - | Wean Mat. 61
Avg. WI - | CCB 6.17 | CCW 40.2

PB 070018 SP
PALMYRA PB0718 - SERENGETI
Wean Mat. 87

PB 070042 SP
PALMYRA PB0742
Age 12y | AFC - | ICP 406d
Calves 8 | Weighed 7 | Wean Mat. 127
Avg. WI 98 | CCB 6.17 | CCW 40.2

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
TLM 020038 SP
KETA TLM020038
BA 050030 SP
BA SHAKIRA
Age 16y | Avg. WI 99
Calves 9 | Weighed 2
KPO493 SP
OL PEJETA 493
4569 SP
4569
Age 28y | Avg. WI -
Calves - | Weighed -
25 SP
MARULA 25
KPO936 SP
OL PEJETA 936
Age 28y | Avg. WI -
Calves - | Weighed -

COW VALUE 104

111	Calving Ease Value
106	Calf Growth Value
105	Milk Value
79	Maintenance Value
105	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 97

PRODUCTION VALUE 102

LOGIX
GENETICS
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	102	106	105	108	98	111	98
76%	66%	78%	70%	39%	62%	32%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	100	95	124	105	112	115	76	78
37%	37%	25%	56%	42%	41%	37%	34%	33%

SELLER REMARKS: Top poena cow out of Chobe (PT1407). 6 months in calf Mokala (DBC 2037). Very good motherline with ICP 362 over 11 calves. Cow value 103, calf growth value 107, milk value 104.

LOT 34 (F)



NP 170016

BLONDIE FINKEL



D.J. PRETORIUS

Luckhoff, Free State
0827884082
niel.pretorius@drdgold.com

POSBUS 390, MARAISBURG, 1700

Laaste Kalf	
Kalf ID	NP 250037 (M)
Geb. datum	2025-08-20
Vaar ID	GB 200011

Kalwings: 20-12, 21-12, 22-11, 24-07, 25-08



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2017-12-13
Oud.	7j 10m
Inteling	3%
DNS	U8672U009
OEK	36m
Kalwers	5
Geweeg	4
Gem. SI	100
TKP	426d

KOEIWAARDE 88

119	Kalfgemak Waarde
75	Kalfgroei Waarde
106	Melk Waarde
119	Onderhoudswaarde
76	Vrugbaarheidswaarde

GROEI WAARDE 63

KARKAS WAARDE 70

PRODUKSIE WAARDE 75

VERKOPER OPMERKINGS: Out of 1 of the best functional cows of Lizette Basson's herd, Finkel. Selling with an bull calve NP2537 out of Etsebeth (GB2011).

EG 110034 SP

ADELSON EG 110034

Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EG 060022 SP

ADELSON 622 ROOIMYS

Oud. 15j | OEK - | TKP -
Kalwers 11 | Geweeg 8 | Spn. Mat. 99
Gem. SI 96 | KKG 6.27 | KKS 45.4

Kalwings: 09-02, 10-07, 11-07,
12-11, 13-11, 14-12, 15-11, 16-10,
17-12, 18-11, 19-10



EBV Analyse 2025-09-22

TLM 050526 HH SP

KETA TLM 05 526 - KONING

Spn Mat. 111

EG 070003 SP

ADELSON 703 SNEETJIE

Oud. 5j | OEK 30m | TKP 596d
Kalwers 3 | Geweeg 1 | Spn. Mat. 80
Gem. SI 98 | KKG 6.27 | KKS 45.4

TLM 020009 SP

KETA TAMKHULLU

Spn Mat. 116

Z 003310 SP

HLANZENI Z 00 331 FINKEL

Oud. 18j | OEK - | TKP -
Kalwers 13 | Geweeg 7 | Spn. Mat. 82
Gem. SI 99 | KKG 6.27 | KKS 45.4

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 020017 SP

KETA TLM 02 17

Oud. 12j | Gem. SI 103

Kalwers 9 | Geweeg 4

PM14R SP

LILAYI PM14R

EG 040003 SP

ADELSON EG 04 03 OUSUS

Oud. 20j | Gem. SI 97

Kalwers 11 | Geweeg 7

KPO791 SP

OL PEJETA KPO 791

KPO898 SP

OL PEJETA KPO 898

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

Z 950026 SP

HLANZENI Z950026

Z 950019 SP

HLANZENI Z 95 19

Oud. 16j | Gem. SI -

Kalwers 5 | Geweeg -

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	118	75	106	78	67	82	108
80%	76%	82%	82%	60%	64%	33%	65%

Vrugbaarheid

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
74	87	105	81	89	74	76	100	121
42%	55%	20%	41%	60%	59%	56%	53%	52%

Raam

Karkas

LOT 35 (F)



WA 230087

ALLERS WA230087



W. ALLERS

Christiana, Northern Cape
082925313
allersw@lantic.net

POSBUS 206, HARTSWATER, 8570



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-10-02
Oud.	2j 1m
Inteling	3%
DNS	ZOCA2025-95216

KOEIWAARDE 114

111	Kalfgemak Waarde
93	Kalfgroei Waarde
95	Melk Waarde
118	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 95

KARKAS WAARDE 92

PRODUKSIE WAARDE 110

VERKOPER OPMERKINGS: 3 mnde dragtig WA21-146

WA 200023 HH SP

ALLERS WA200023

Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WA 200032 SP

ALLERS WA200032

Oud. 4j | OEK 36m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 84
Gem. SI - | KKG 7 | KKS -

Kalwings: 23-10

WA 120261 SP

ALLERS WA120261

Spn Mat. 117

WA 120210 SP

ALLERS WA12210

Oud. 13j | OEK 36m | TKP 363d
Kalwers 10 | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG 7 | KKS -

FN 130007 HH SP

FONTINE FN130007

Spn Mat. 63

WA 150009 SP

ALLERS WA 150009

Oud. 9j | OEK 32m | TKP 448d
Kalwers 5 | Geweeg - | Spn. Mat. 105
Gem. SI - | KKG 7 | KKS -

FN 060064 SP

FONTINE FN0664

FN 100587 SP

FONTINE FN 100587

Oud. 5j | Gem. SI -

Kalwers 1 | Geweeg -

GF 080024 SP

WALT GF0824

WA 100013 C

ALLERS WA100013

Oud. 15j | Gem. SI -

Kalwers 4 | Geweeg -

HVT 970017 SP

OUTSPAN HVT970017

FN 090614 SP

FONTINE FN09614

Oud. 14j | Gem. SI 112

Kalwers 11 | Geweeg 1

FN 100753 SP

FONTINE FN 100753

WA 110003 C

ALLERS WA110003

Oud. 14j | Gem. SI -

Kalwers 2 | Geweeg -



EBV Analyse 2025-09-22

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
112	99	93	95	94	101	102	118
71%	44%	33%	27%	21%	40%	23%	40%

Vrugbaarheid

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	94	92	84	82	87	91	109	118
23%	19%	12%	21%	21%	20%	19%	18%	18%

Raam

Karkas

LOT 36 (M)



ZIP 210108 BLOODLINE ROOKAT



BLOODLINE BORANE



Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com

POSBUS 57, DEWETSDORP, 9940



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-10-21
Age	4y
Inbreeding	2%
DNA	U24396U001

COW VALUE 91	
100	Calving Ease Value
96	Calf Growth Value
113	Milk Value
96	Maintenance Value
88	Fertility Value

GROWTH VALUE	105
CARCASS VALUE	115
PRODUCTION VALUE	93

SELLER REMARKS: A solid Vrystaat son out of a top bull breeder from CTM. Combining De La Rey, Tanya, KB60X and original genetics. Outstanding carcass figures.

FPL 130033 SP
BLOODLINE VRYSTAAT
Wean Mat. 126

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CTM 110027 SP
CHAN-TE-MAR CTM1127

Age 14y | AFC 32m | ICP 375d
Calves 12 | Weighed 11 | Wean Mat. 103
Avg. WI 103 | CCB 6.31 | CCW 41.5
Calvings: 13-10, 14-11, 15-10, 16-07,
17-08, 18-09, 19-11, 20-10, 21-10,
22-11, 23-11, 25-02

FPL 090055 SP
BLOODLINE DE LA REY
Wean Mat. 99

HOT 070007 SP
HOTSPOT TANYA

Age 18y | AFC - | ICP -
Calves 8 | Weighed 3 | Wean Mat. 151
Avg. WI 105 | CCB 6.31 | CCW 41.5

KB60X SP
KETA KB X 60 - BEEFMAKER
Wean Mat. 116

CFH 060433 SP
ELANDSPRUIT 06 433

Age 12y | AFC 29m | ICP 354d
Calves 11 | Weighed 2 | Wean Mat. 95
Avg. WI 97 | CCB 6.31 | CCW 41.5

HVT 970017 SP
OUTSPAN HVT970017
CFH 060008 SP
ELANDSPRUIT CFH 06 08
Age 11y | Avg. WI 110
Calves 3 | Weighed 1
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
PM14R SP
LILAYI PM14R
GF1130 SP
GRASMERE GF 113 0
Age 19y | Avg. WI 64
Calves 8 | Weighed 2
HVT 980017 SP
OUTSPAN HVT980017
Z 950018 SP
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -

LOGIX
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	95	96	113	107	78	99	93
76%	62%	78%	62%	74%	53%	33%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	100	96	101	83	94	114	128	155
62%	66%	19%	44%	76%	73%	68%	63%	62%

LOT 37 (F)



ENJ 220047

VAALKAMDOR ENJ 220047



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-09-18
Age	3y 1m
Inbreeding	14%
DNA	U24075U005

COW VALUE 82	
92	Calving Ease Value
98	Calf Growth Value
90	Milk Value
99	Maintenance Value
91	Fertility Value

GROWTH VALUE	98
CARCASS VALUE	96
PRODUCTION VALUE	83

SELLER REMARKS: Top heifer out of Skotepetoor ENJ 17 31. She is deep, long, thick, all in one package. Line bred to Nicolai and Celine. Her dam has an icp of 342 over 5 calves. She is 6 months in calf to KCTL 18 239/ENJ 20 11

ENJ 170031 HH SP
VAALKAMDOR ENJ 170031
Wean Mat. 88

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ENJ 170006 SP
VAALKAMDOR ENJ 170006

Age 8y | AFC 34m | ICP 342d
Calves 5 | Weighed - | Wean Mat. 93
Avg. WI - | CCB - | CCW -
Calvings: 19-12, 20-10, 21-08,
22-09, 23-09

TV 100005 SP
VALLEYRANCH NICOLAI
Wean Mat. 80

FN 090609 SP
FONTEINE FN09609

Age 10y | AFC - | ICP 466d
Calves 6 | Weighed - | Wean Mat. 100
Avg. WI - | CCB - | CCW -

TV 100005 SP
VALLEYRANCH NICOLAI
Wean Mat. 80

FN 110409 SP
FONTEINE FN110409

Age 13y | AFC 30m | ICP 378d
Calves 10 | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -

B 040042 SP
BORGEN B 04 42
B 040017 SP
BORGEN B 04 17
Age 18y | Avg. WI 95
Calves 12 | Weighed 3
TLM 020004 SP
KETA TLM020004 CAESAR
FN 040023 SP
FONTEINE FN 04 23
Age 14y | Avg. WI -
Calves 4 | Weighed -
B 040042 SP
BORGEN B 04 42
B 040017 SP
BORGEN B 04 17
Age 18y | Avg. WI 95
Calves 12 | Weighed 3
PM14R SP
LILAYI PM14R
FN 070142 SP
FONTEINE FN07142
Age 5y | Avg. WI -
Calves 1 | Weighed -

LOGIX
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	103	98	90	100	84	97	99
74%	54%	38%	36%	30%	46%	34%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	92	97	100	93	90	94	104	80
30%	28%	15%	31%	30%	29%	23%	22%	22%

LOT 38 (F)



GB 230027
KOLSKOOT SYLVIA

Kuddeboek	SP
Geb. dtm	2023-07-30
Oud.	2j 3m
Inteling	3%
DNS	ZOCA2025-95227



G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FN 140017 HH SP
FONTEINE FN 14 17
Spn Mat. 100

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 160026 C
KOLSKOOT SYLVIA

Oud. 9j | OEK 33m | TKP 449d
Kalwers 6 | Geweeg 5 | Spn. Mat. 117
Gem. SI 105 | KKG 8.06 | KKS 50.7
Kalwings: 19-05, 20-08, 22-07,
23-07, 24-07, 25-07

FN 060064 SP
FONTEINE FN0664
Spn Mat. 111

FN 080231 HH SP
FONTEINE FN08231

Oud. 16j | OEK 24m | TKP -
Kalwers 13 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG 8.06 | KKS 50.7

CFH 080063 SP
ELANDSPRUIT CFH 08 0063
Spn Mat. 77

GB 11016B B
KOLSKOOT GB 11016B

Oud. 12j | OEK 26m | TKP 486d
Kalwers 8 | Geweeg 3 | Spn. Mat. 126
Gem. SI 105 | KKG 8.06 | KKS 50.7

2812 SP
GIANNI 2812

PB/9831 SP
DELAMERE 304
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017

HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -
PM14R SP
LILAYI PM14R

B 020004 SP
BORGES B 02 04
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
EG 060016 SP
ADELSON HERCULES 616

GB 09015A A
KOLSKOOT GB09015A
Oud. 8j | Gem. SI -
Kalwers 5 | Geweeg -

KOEIWAARDE 106

109	Kalfgemak Waarde
79	Kalfgroei Waarde
110	Melk Waarde
121	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 78

KARKAS WAARDE 74

PRODUKSIE WAARDE 97

LOGIX
EBV Analise 2025-09-22

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
119	83	79	110	97	112	97	95
58%	53%	74%	53%	53%	49%	31%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
81	82	79	79	88	89	77	92	137
40%	49%	26%	34%	53%	52%	50%	47%	47%

VERKOPER OPMERKINGS: An absolute beautiful daughter out of FN1417 going back to Gianni 2812 Delmere 304 and HVT9513 and 494. 6.5 mths in calf to FN2048 / GB2304.

LOT 39 (F)



MC 220126
MCS MC 220126

Kuddeboek	SP
Geb. dtm	2022-11-12
Oud.	2j 11m
Inteling	1%
DNS	U12999U054



MC TRUST

Boshof, Free State
0834071485
mcsvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MXM 140656 HH SP
MAMBUSHI MXM 140656
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 180014 SP
MCS MC180014

Oud. 7j | OEK 33m | TKP 350d
Kalwers 5 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -
Kalwings: 20-11, 21-10, 22-11,
23-10, 24-09

MXM110888 SP
MAMBUSHI 11-0888
Spn Mat. 89

FN 090652 SP
FONTEINE FN 090652

Oud. 15j | OEK 31m | TKP -
Kalwers 11 | Geweeg 4 | Spn. Mat. 97
Gem. SI 103 | KKG - | KKS -

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 66

LM 120019 SP
LIA-MAR LM12019

Oud. 8j | OEK 33m | TKP 376d
Kalwers 6 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -

GF02159W SP
GRASMERE GF02159W

CB06505C SP
CHULU CB06505C
Oud. 19j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017

FN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
CB04507A
CHULU CB04507A

GF020129W SP
GRASMERE GF02129W
Oud. 23j | Gem. SI -
Kalwers - | Geweeg -
CI 070046 SP
CIRCLE C CI070046

CFH 070207 SP
ELANDSPRUIT CFH07207
Oud. 18j | Gem. SI -
Kalwers 4 | Geweeg -

KOEIWAARDE 105

107	Kalfgemak Waarde
94	Kalfgroei Waarde
85	Melk Waarde
117	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 91

KARKAS WAARDE 89

PRODUKSIE WAARDE 100

LOGIX
EBV Analise 2025-09-22

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	103	94	85	83	89	111	100
44%	39%	39%	35%	32%	45%	27%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	93	91	86	88	90	102	108	121
30%	30%	11%	24%	33%	32%	30%	29%	28%

VERKOPER OPMERKINGS: 7 mnde dragtig van MC19-61

LOT 40 (F)



WS 230340

JABEA WS230340



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-KROONSTAD, 9500

Herd Book	SP
Birth date	2023-12-23
Age	1y 10m
Inbreeding	0%
DNA	ZOCA2025-88514

AH 160037 HH SP
BASHA AH 160037
Wean Mat. 113

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 200043 SP
JABEA WS200043
Age 5y | AFC 30m | ICP 358d
Calves 3 | Weighed - | Wean Mat. 95
Avg. WI - | CCB 6.72 | CCW -
Calvings: 22-11, 23-12, 24-11

B 040001 SP
BORGEN B 04001
Wean Mat. 123

CDH 090054 SP
MASAI OULIK
Age 14y | AFC - | ICP 416d
Calves 10 | Weighed 5 | Wean Mat. 87
Avg. WI 102 | CCB 6.72 | CCW -

AH 130039 SP
BASHA AH1339
Wean Mat. 92

WS 170018 SP
JABEA WS170018
Age 8y | AFC 40m | ICP 395d
Calves 5 | Weighed - | Wean Mat. 100
Avg. WI - | CCB 6.72 | CCW -

KPO1017 SP
OL PEJETA 1017
Z7F2773 SP
WORAGUS Z7F 2773
Age 33y | Avg. WI -
Calves - | Weighed -
KB39X SP
KETA KB 39 X
CDH 060003 C
MASAI KENDRA
Age 17y | Avg. WI -
Calves - | Weighed -
FN 090433 SP
FONTAINE FN090433 - AMBASSADOR
KB8A DH SP
KETA KB 8 A
Age 13y | Avg. WI -
Calves 8 | Weighed -
TR 120030 SP
THREE RIVERS MR FEDERER
WS 140092 C
JABEA WS140092
Age 3y | Avg. WI -
Calves 1 | Weighed -

COW VALUE 99

103	Calving Ease Value
92	Calf Growth Value
103	Milk Value
100	Maintenance Value
103	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 105

PRODUCTION VALUE 101

LOGIX
GENETICS
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
109	89	92	103	109	105	98	108
73%	55%	43%	40%	34%	52%	31%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	110	107	98	101	106	98	108	103
32%	32%	27%	30%	35%	34%	31%	29%	29%

SELLER REMARKS: Open heifer out of very fertile genetic line



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 41 (M)



NCT 210059

THUYNSMA BRONCO



KLIPHARDE VELDBEESTE

CJ THUYNSMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

P0SBUS 202,-CHRISTIANA, 2680

Herd Book	SP
Birth date	2021-10-21
Age	4y
Inbreeding	5%
DNA	U24392U002

NCT 160021 HH SP
THUYNSMA TEXAN
Wean Mat. 88

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

NCT 150101 SP
THUYNSMA PRADA
Age 9y | AFC 33m | ICP 385d
Calves 7 | Weighed 6 | Wean Mat. 60
Avg. WI 95 | CCB 9.72 | CCW 47.1
Calvings: 18-08, 19-11, 20-11, 21-10, 22-11, 23-11, 24-12

ELS 110041 SP
ELS ELS1141
Wean Mat. 65

W 120019 SP
MODEL W120019
Age 13y | AFC 34m | ICP 459d
Calves 8 | Weighed 9 | Wean Mat. 111
Avg. WI 100 | CCB 9.72 | CCW 47.1

ELS 110042 SP
ELS ELS1142
Wean Mat. 51

BS 120034 HH SP
MOUNTAIN VIEW 1234
Age 13y | AFC 29m | ICP 359d
Calves 11 | Weighed 8 | Wean Mat. 83
Avg. WI 103 | CCB 9.72 | CCW 47.1

MHB 040027 SP
MOLL'S-HOOP KHAN
CI 070123 SP
CIRCLE C C1070123
Age 17y | Avg. WI 100
Calves 12 | Weighed 5
E 060005 HH SP
TAMBARAINE E 06 05
AAA 080001 SP
TRIPLE A SIMONE
Age 15y | Avg. WI -
Calves 5 | Weighed -
CI 080112 SP
CIRCLE C C1080112
CI 070123 SP
CIRCLE C C1070123
Age 17y | Avg. WI 100
Calves 12 | Weighed 5
MHB 030006 SP
MOLL'S-HOOP CHICO
Z 010203 SP
HLANZENI Z 01 203
Age 16y | Avg. WI -
Calves 9 | Weighed -

COW VALUE 83

87	Calving Ease Value
88	Calf Growth Value
75	Milk Value
119	Maintenance Value
97	Fertility Value

GROWTH VALUE 81

CARCASS VALUE 81

PRODUCTION VALUE 78

LOGIX
GENETICS
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	129	88	75	59	92	97	108
74%	56%	75%	55%	74%	44%	26%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
76	75	81	84	67	67	54	94	70
59%	66%	14%	39%	76%	73%	68%	63%	61%

SELLER REMARKS: A medium to smaller framed rock hard, and very balanced phenotypical bull. Out of an extremely fertile dam.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 45 (F)



WS 170021

JABEA WS170021

Herd Book	SP
Birth date	2017-06-21
Age	8y 4m
Inbreeding	25%
DNA	ZOCA2023-61385
AFC	36m
Calves	5
Weighed	2
Avg. WI	101
ICP	397d



BLOODLINE BORANE

Dewetsdorp, Free State
0823969071

bloodlineboran@gmail.com

POSBUS 57, DEWETSDORP, 9940

Last Calf	
Calf ID	WS 240424 (F)
Birth Date	2024-11-01
Sire ID	AH 160037

Calvings: 20-06, 21-07, 22-09, 23-10, 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 72

75	Calving Ease Value
113	Calf Growth Value
106	Milk Value
95	Maintenance Value
70	Fertility Value

GROWTH VALUE 113

CARCASS VALUE 111

PRODUCTION VALUE 81

CI 070102 P SP

CIRCLE C C1070102

Wean Mat. 91

Parentage Sire Dam

DNA ✓

Genomic

WS 120043 SP

JABEA WS120043

Age 12y | AFC 30m | ICP 410d
Calves 8 | Weighed 2 | Wean Mat. 122
Avg. WI 114 | CCB 5.69 | CCW 48.8Calvings: 15-04, 16-03, 17-06,
18-10, 19-09, 20-10, 22-01, 23-02

TLM 040507 DH SP

KETA TLM040507 - BUSTER

Wean Mat. 85

KB27X D SP

KETA KB 27 X

Age 15y | AFC - | ICP -
Calves 8 | Weighed 3 | Wean Mat. 99
Avg. WI 100 | CCB 5.69 | CCW 48.8

CI 070102 P SP

CIRCLE C C1070102

Wean Mat. 91

WS 100007 C

JABEA 100007

Age 7y | AFC 24m | ICP 385d
Calves 5 | Weighed - | Wean Mat. 112
Avg. WI - | CCB 5.69 | CCW 48.8K6K2459 SP
MOGWOONI K6K2459KPO961 SP
OL PEJETA KPO 961
Age 35y | Avg. WI -
Calves 1 | Weighed -
NB43R SP
NB43R

GF74P D SP

GRASMER GF 74P
Age 15y | Avg. WI 100
Calves 5 | Weighed 1

TLM 040507 DH SP

KETA TLM040507 - BUSTER

KB27X D SP

KETA KB 27 X
Age 15y | Avg. WI 100
Calves 8 | Weighed 3

FN 030009 SP

FONTEINE FN 03 09

TYS 070418 B

DB TYS07418

Age 9y | Avg. WI -

Calves 6 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	54	113	106	128	64	78	99
78%	78%	71%	69%	28%	65%	43%	64%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
121	112	106	103	108	114	121	104	110
46%	26%	16%	44%	28%	28%	25%	24%	23%

SELLER REMARKS: Larger framed linebred Buster and KB27X cow with good milk. 7 months pregnant to the rare bont Mogwooni son ZIP20-187.

LOT 46 (F)



ENJ 210011

VAALKAMDOR ENJ 210011

Herd Book	SP
Birth date	2021-03-30
Age	4y 7m
Inbreeding	0%
DNA	U24075U002
AFC	30m
Calves	2
Weighed	0
Avg. WI	-
ICP	396d



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkbboran@gmail.com

POSBUS 422, DOUGLAS, 8730

Last Calf	
Calf ID	ENJ 240117 (F)
Birth Date	2024-10-30
Sire ID	ENJ 180052

Calvings: 23-09, 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 98

125	Calving Ease Value
90	Calf Growth Value
106	Milk Value
82	Maintenance Value
101	Fertility Value

GROWTH VALUE 116

CARCASS VALUE 113

PRODUCTION VALUE 104

ENJ 140011 HH SP

VAALKAMDOR ENJ14011

Wean Mat. 104

Parentage Sire Dam

DNA ✓ ✓

Genomic

AH 150034 SP

BASHA AH1534

Age 10y | AFC 35m | ICP 445d
Calves 6 | Weighed - | Wean Mat. 111
Avg. WI - | CCB - | CCW -Calvings: 18-10, 20-04, 21-03,
22-07, 23-08, 24-11

TV 100005 SP

VALLEYRANCH NICOLAI

Wean Mat. 80

TV 100004 SP

VALLEYRANCH ZINDZI

Age 15y | AFC 28m | ICP -
Calves 12 | Weighed - | Wean Mat. 110
Avg. WI - | CCB - | CCW -

FN 090433 SP

FONTEINE FN090433 - AMBASSADOR

Wean Mat. 108

BS 090005 SP

MOUNTAIN VIEW 0905

Age 8y | AFC - | ICP 408d
Calves 4 | Weighed - | Wean Mat. 115
Avg. WI - | CCB - | CCW -

B 040042 SP

BORGEN B 04 42

B 040017 SP

BORGEN B 04 17

Age 18y | Avg. WI 95

Calves 12 | Weighed 3

B 040042 SP

BORGEN B 04 42

B 960615 SP

BORGEN B 96 615

Age 20y | Avg. WI -

Calves 8 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040017 SP

FONTEINE FN 04 17

Age 14y | Avg. WI 115

Calves 7 | Weighed 1

TLM 050526 HH SP

KETA TLM 05 526 - KONING

CFH 070076 SP

ELANDSPRUIT CFH07076

Age 18y | Avg. WI 112

Calves 4 | Weighed 1

LOGIX
GENETICS
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
124	105	90	106	130	89	108	104
76%	66%	40%	38%	33%	59%	35%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	112	110	120	109	107	114	114	91
32%	31%	17%	32%	33%	33%	29%	27%	27%

SELLER REMARKS: Something special. She is a deep red cow with genetics that work. She has an icp of 396 over 2 calves and is already 7 months in calf to ENJ 21 84 Duke/ENJ 21 51

LOT 47 (F)



GB 230015

KOLSKOOT FRANCI

Kuddeboek	SP
Geb. dtm	2023-04-13
Oud.	2j 6m
Inteling	3%
DNS	ZOCA2025-89524

KOLSKOOT
BORANE

G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

GB 200011 HH SP
KOLSKOOT ETSEBETH
Spn Mat. 105

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 150029 SP
KOLSKOOT GB 150029

Oud. 10j | OEK 30m | TKP 363d
Kalwers 8 | Geweeg 5 | Spn. Mat. 74
Gem. SI 93 | KKG 7.1 | KKS 42.3
Kalwings: 18-03, 19-02, 20-01,
20-12, 22-02, 23-04, 24-03, 25-02

CI 080130 SP
CIRCLE C CI080130
Spn Mat. 125

ZA 150017 SP
ZAWADI ZA 150017

Oud. 9j | OEK 41m | TKP 427d
Kalwers 6 | Geweeg 4 | Spn. Mat. 91
Gem. SI 102 | KKG 7.1 | KKS 42.3

CFH 080063 SP
ELANDSPRUIT CFH 08 0063
Spn Mat. 77

GB 080002 SP
KOLSKOOT FRANCI

Oud. 14j | OEK 37m | TKP 467d
Kalwers 9 | Geweeg 4 | Spn. Mat. 84
Gem. SI 100 | KKG 7.1 | KKS 42.3

KB12B SP
KETA KB 12 B - VULCAN

GF74P D SP
GRASMERE GF 74P
Oud. 15j | Gem. SI 100
Kalwers 5 | Geweeg 1

MXM100484 HH SP

MAMBUSHI 10-0484MXM
MXM100048 SP
MAMBUSHI 10-0484MXM
Oud. 8j | Gem. SI -
Kalwers 3 | Geweeg -

PM14R SP
LILAYI PM14R

B 020004 SP
BORGEN B 02 04

Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -

FE 960075 SP
FORRESTER 96/75

CDH 040005 C
MASAI CDH 04 05

Oud. 16j | Gem. SI -
Kalwers 10 | Geweeg -

KOEIWAARDE 108

109	Kalfgemak Waarde
92	Kalfgroei Waarde
89	Melk Waarde
114	Onderhoudswaarde
106	Vrugbaarheidswaarde

GROEI WAARDE 88

KARKAS WAARDE 95

PRODUKSIE WAARDE 102

LOGIX
EBV Analyse 2025-09-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	99	92	89	109	106	98	115
73%	52%	47%	48%	47%	41%	27%	45%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	104	115	89	98	87	115	126	70
36%	42%	14%	35%	47%	46%	44%	41%	40%

VERKOPER OPMERKINGS: An exceptional Etsebeth daughter out of a fertile damline that consists out of Forrester 9675, PM14R and 494. 8 mths in calf to FN2048 / GB2304.

LOT 48 (F)



MC 220090

MCS MC 220090

Kuddeboek	SP
Geb. dtm	2022-11-19
Oud.	2j 11m
Inteling	7%
DNS	UI2999U048

BORANSTOET

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MXM 140656 HH SP
MAMBUSHI MXM 140656
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 120044 SP
MCS MC1244

Oud. 13j | OEK - | TKP 399d
Kalwers 10 | Geweeg - | Spn. Mat. 73
Gem. SI - | KKG - | KKS -
Kalwings: 15-02, 16-09, 17-10,
19-01, 20-03, 21-02, 21-12, 22-11,
23-11, 24-12

MXM110888 SP
MAMBUSHI 11-0888
Spn Mat. 89

FN 090652 SP
FONTEINE FN 090652

Oud. 15j | OEK 31m | TKP -
Kalwers 11 | Geweeg 4 | Spn. Mat. 97
Gem. SI 103 | KKG - | KKS -

HVT 970017 SP
OUTSPAN HVT970017
Spn Mat. 79

M 080013 SP
MCS M0813

Oud. 4j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 70
Gem. SI - | KKG - | KKS -

GF02159W SP
GRASMERE GF02159W

CB06505C SP
CHULU CB06505C

Oud. 19j | Gem. SI -
Kalwers - | Geweeg -

HVT 970017 SP
OUTSPAN HVT970017

FN 040017 SP
FONTEINE FN 04 17

Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1

6SEG096 SP
SEGERA 494

KP0303 SP
OL PEJETA KP0303

Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -

TLM 030012 SP
KETA TLM030012

CFH 050386 SP
ELANDSPRUIT CFH 05 386

Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -

KOEIWAARDE 102

120	Kalfgemak Waarde
78	Kalfgroei Waarde
80	Melk Waarde
131	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 76

KARKAS WAARDE 70

PRODUKSIE WAARDE 92

LOGIX
EBV Analyse 2025-09-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
115	111	78	80	85	82	102	102
49%	45%	45%	43%	36%	48%	32%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
78	76	69	67	63	70	87	109	122
37%	33%	17%	32%	36%	35%	31%	30%	29%

VERKOPER OPMERKINGS: 3 mnd dragtig van MC19-61.

LOT 50 (F)



NCT 210039

THUYNSMA NING

Herd Book	SP
Birth date	2021-08-21
Age	4y 2m
Inbreeding	5%
DNA	U24391U002
AFC	35m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

CJ THUYNSMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680

Last Calf	
Calf ID	NCT 240036 (M)
Birth Date	2024-07-14
Sire ID	NCT 180004

Calvings: 24-07

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



NCT 160021 HH SP
THUYNSMA TEXAN
Wean Mat. 88

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

NCT 150063 SP
THUYNSMA MULAN
Age 9y | AFC 32m | ICP 403d
Calves 7 | Weighed 6 | Wean Mat. 80
Avg. WI 97 | CCB 8.01 | CCW 47.8
Calvings: 18-06, 19-07, 20-10,
21-08, 22-07, 23-08, 25-02

ELS 110041 SP
ELS ELS1141
Wean Mat. 65

W 120019 SP
MODEL W120019

Age 13y | AFC 34m | ICP 459d
Calves 8 | Weighed 9 | Wean Mat. 111
Avg. WI 100 | CCB 8.01 | CCW 47.8

ELS 110042 SP
ELS ELS1142
Wean Mat. 51

BS 120020 HH SP
MOUNTAIN VIEW 1220

Age 13y | AFC 39m | ICP 465d
Calves 8 | Weighed 7 | Wean Mat. 134
Avg. WI 114 | CCB 8.01 | CCW 47.8

MHB 040027 SP
MOLL'S-HOOP KHAN
CI 070123 SP
CIRCLE C C1070123
Age 17y | Avg. WI 100
Calves 12 | Weighed 5
E 060005 HH SP
TAMBARAINE E 06 05
AAA 080001 SP
TRIPLE A SIMONE
Age 15y | Avg. WI -
Calves 5 | Weighed -
CI 080112 SP
CIRCLE C C1080112
CI 070123 SP
CIRCLE C C1070123
Age 17y | Avg. WI 100
Calves 12 | Weighed 5
TLM 050526 HH SP
KETA TLM 05 526 - KONING
WRA 050013 SP
RODS LUCKY 13
Age 19y | Avg. WI 97
Calves 14 | Weighed 1

COW VALUE 92

83	Calving Ease Value
122	Calf Growth Value
77	Milk Value
85	Maintenance Value
105	Fertility Value

GROWTH VALUE 115

CARCASS VALUE 112

PRODUCTION VALUE 99

LOGIX
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
86	143	122	77	101	94	106	112
76%	63%	76%	56%	49%	58%	28%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	107	108	117	108	99	106	103	95
70%	46%	16%	42%	49%	48%	46%	44%	43%

SELLER REMARKS: 7 Months in calf to NCT1804 / NCT2110 / NCT2034 / NCT2148. Femininity at its best, out of a very fertile dam line.


LOT 51 (F)



PB 220041

PALMYRA PB 220041

Herd Book	SP
Birth date	2022-07-22
Age	3y 3m
Inbreeding	0%
DNA	U19580U017
AFC	29m
Calves	1
Weighed	1
Avg. WI	73
ICP	-



J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf	
Calf ID	PB 240142 (F)
Birth Date	2024-12-06
Sire ID	ENJ 190052

Calvings: 24-12

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



PB 100028 SP
PALMYRA BUKS
Wean Mat. 81

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 150047 HH C
PALMYRA PB 150047
Age 10y | AFC 25m | ICP 411d
Calves 7 | Weighed 7 | Wean Mat. 121
Avg. WI 105 | CCB 8.45 | CCW 48.2
Calvings: 17-11, 19-01, 20-02,
21-03, 22-07, 23-07, 24-08

TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 90

PB 070015 SP
PALMYRA PB0715

Age 11y | AFC - | ICP 579d
Calves 5 | Weighed 1 | Wean Mat. 119
Avg. WI 96 | CCB 8.45 | CCW 48.2

PB 070018 SP
PALMYRA PB0718 - SERENGETI
Wean Mat. 87

PB 100042 B
PALMYRA PB1042

Age 8y | AFC 34m | ICP 377d
Calves 6 | Weighed 6 | Wean Mat. 143
Avg. WI 107 | CCB 8.45 | CCW 48.2

K6K2459 SP
MOGWONNI K6K2459
KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
PM14R SP
LILAYI PM14R
EG 050006 SP
ADELSON EG 05 06 BLOMME
Age 10y | Avg. WI 104
Calves 7 | Weighed 4
KPO493 SP
OL PEJETA 493
4569 SP
4569
Age 28y | Avg. WI -
Calves - | Weighed -
PB 070037 SP
PALMYRA PB0737
PB 070032 A
PALMYRA PB0732
Age 7y | Avg. WI 104
Calves 6 | Weighed 5

COW VALUE 88

76	Calving Ease Value
106	Calf Growth Value
88	Milk Value
93	Maintenance Value
108	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 95

PRODUCTION VALUE 90

LOGIX
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
75	96	106	88	95	104	108	104
76%	67%	78%	72%	41%	54%	39%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
118	98	99	106	111	98	92	101	66
34%	38%	27%	62%	42%	41%	38%	35%	35%

SELLER REMARKS: Quality cow out of Buks(PB 1028). 4 months in calf to Mokala (DBC 2037). Calve growth value 111, milk value 106, fertility 106.

LOT 52 (F)



NP 220025
BLONDIE COLENE

Kuddeboek	SP
Geb. dtm	2022-09-27
Oud.	3j 1m
Inteling	1%
DNS	U24120U001



D.J. PRETORIUS

Luckhoff, Free State
0827884082
niel.pretorius@drdgold.com

POSBUS 390, MARAISBURG, 1700

KOEIWAARDE 108

125	Kalfgemak Waarde
91	Kalfgroei Waarde
75	Melk Waarde
117	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 90

KARKAS WAARDE 87

PRODUKSIE WAARDE 103



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 66

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NP 150006 C
BLONDIE COLENE
Oud. 7j | OEK 33m | TKP 379d
Kalwers 5 | Geweeg 3 | Spn. Mat. 87
Gem. SI 102 | KKG 6.4 | KKS 47.7
Kalwings: 18-08, 19-08, 20-09,
21-08, 22-09

CB04507A
CHULU CB04507A
Spn Mat. 99

GF020129W SP
GRASMERE GF02129W
Oud. 23j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 94
Gem. SI - | KKG 6.4 | KKS 47.7

EG 110034 SP
ADELSON EG 110034
Spn Mat. 98

EG 100031 P B
ADELSON EG 100031
Oud. 15j | OEK 28m | TKP -
Kalwers 9 | Geweeg 3 | Spn. Mat. 93
Gem. SI 98 | KKG 6.4 | KKS 47.7

PM94005L SP
LILAYI PM94005L

GF27R
GRASMERE 27R
Oud. 27j | Gem. SI -
Kalwers - | Geweeg -
GF95123M SP
GRASMERE GF95123M
GF961240 SP
GRASMERE GF961240
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -

TLM 050526 HH SP
KETA TLM 05 526 - KONING

EG 070003 SP
ADELSON 703 SNEEUTJIE
Oud. 5j | Gem. SI 98
Kalwers 3 | Geweeg 1
B 050074 SP
BORGEN B 05 74
EG 060037 A
ADELSON EG060037
Oud. 5j | Gem. SI -
Kalwers 3 | Geweeg -

LOGIX
EBV Analyse 2025-09-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
122	107	91	75	80	92	103	108
73%	59%	59%	56%	54%	51%	32%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	97	105	86	98	87	95	101	115
36%	51%	14%	38%	54%	54%	52%	50%	49%

VERKOPER OPMERKINGS: An absolute stunner of an heifer. A feminine yet a Thickset heifer out of a fertile damline. 7 mnth in calf to GB2011.

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.33	-0.17	2.0	0.4	4	3	-4	1	3.0	2.0	-						
Auction Average				29	199	7.16	46.0	1.13	292	0.18	-0.21	0.6	-1.2	3	-2	-13	14	2.3	-1	-5	102	99	99	101	6.0	102
1	MC 220139	F	SP	-	-	-	-	-	-	0.13	-0.05	-0.9	-3.5	-2.8	-12.2	-50	37	-4.1	-16	-20	-	-	86		6	86
2	WA 230083	F	SP	30	-	6.52	-	-	-	-0.26	-0.25	2.1	-2.6	6.0	-10.4	-4	26	4.3	-1	-0	-	-	102		3	80
3	ZIP 210181	F	SP	34	182	-	54.3	-	-	2.64	-0.72	6.9	-3.7	3.6	9.3	-20	28	9.2	12	8	105	-	112	99	3	89
4	KCTL180239	M	SP	25	-	5.62	-	-	-	-1.10	-0.51	-0.3	-0.2	1.5	-5.0	4	22	9.9	5	6	-	-	114	92	10	113
5	GB 190021	F	SP	30	181	-	-	-	-	0.75	-0.10	6.6	2.0	12.9	6.6	12	-5	9.2	12	18	104	-	112	102	7	94
6	MC 210130	M	SP	-	-	-	-	-	-	-0.57	-0.07	-1.0	-6.2	1.7	-12.8	-4	-23	-9.2	-5	-14	-	-	75		5	86
7	WS 230269	F	SP	25	-	6.01	-	-	-	0.44	0.00	-1.5	2.1	-0.5	-1.0	-18	11	0	1	-6	-	-	94		1	84
8	NCT 180020	F	SP	23	143	-	47.3	-	-	-1.82	-0.61	-14.0	-5.5	-21.4	-26.8	-97	133	-11	-12	-29	66	-	72	84	3	115
9	PB 220061	F	SP	34	230	-	44.2	-	-	0.69	0.26	1.3	-1.6	8.1	-6.5	-30	29	-4.2	0	-10	115	-	85	108	4	107
10	NP 210026	F	SP	29	254	6.71	-	-	-	0.90	0.04	7.9	-1.1	16.8	8.4	47	-24	14.9	16	13	101	-	124	104	7	110
11	WA 230069	F	SP	27	-	6.43	-	-	-	-0.89	0.04	0.9	-3.4	3.4	-6.6	-9	57	.1	2	6	-	-	94	89	11	103
12	HS 210197	F	SP	26	121	-	38.4	-	-	-1.07	-0.35	-6.6	3.2	-4.4	-7.5	-4	27	2.3	-14	-5	100	-	99	98	7	96
13	ENJ 210055	F	SP	29	-	-	-	-	-	-0.46	-0.50	-3.6	0.1	-0.9	-8.4	4	-13	-1.7	-5	-9	-	-	91		3	92
14	GB 230020	F	SP	27	234	7.63	60.6	-	-	-0.78	0.35	0.3	0.9	1.0	-10.6	-39	74	5.9	-3	1	102	-	106	100	4	115
15	MC 230060	F	SP	-	-	-	-	-	-	0.72	-0.29	6.4	-0.5	13.9	22.3	31	-31	7.4	8	11	-	-	109		8	112
16	WS 220154	M	SP	29	-	5.53	-	-	-	1.44	-0.05	8.7	3.5	17.7	5.4	51	-52	6.7	7	16	-	-	107	101	10	116
17	NCT 220047	F	SP	33	186	8.8	46.7	-	-	1.48	-0.16	7.5	1.6	9.9	11.4	-3	-13	4	0	-1	115	-	102	118	8	109
18	PB 210101	F	SP	30	199	-	37.6	-	-	-0.31	-0.60	0.7	-3.0	5.5	-5.0	-30	24	-.1	-3	-7	96	-	94	98	5	108
19	WA 230082	F	SP	34	-	6.94	-	-	-	1.28	0.09	4.8	-1.3	9.1	-0.9	2	5	-3.6	-2	-6	-	-	87		8	97
20	HS 210052	M	SP	29	169	-	54.5	1.13	315	-0.88	-0.44	-7.7	-1.9	-11.7	-2.2	-54	75	2.8	-10	-16	97	93	100	97	9	91
21	ENJ 220089	F	SP	29	-	-	-	-	-	-0.46	-0.63	-3.6	-1.4	-0.6	-8.5	-15	3	-2.7	-8	-12	-	-	89		5	104
22	MC 230054	F	SP	-	-	-	-	-	-	-0.12	-0.17	0.7	-3.1	4.0	-3.9	-17	24	.3	-1	-10	-	-	95		10	105
23	WS 220172	F	SP	-	-	-	-	-	-	-0.21	-0.01	-2.5	-0.6	1.2	-2.9	-2	2	.2	-1	-1	-	-	94		6	110
24	NCT 210032	F	SP	38	284	10.44	60.4	-	-	3.37	-0.70	9.3	-4.3	7.5	4.4	20	-30	6.2	5	-0	122	-	106	124	4	83
25	MC 220145	F	SP	-	-	-	-	-	-	0.28	-0.09	3.0	-6.0	6.3	-6.4	-27	29	7.3	-3	-9	-	-	109		4	95

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.33	-0.17	2.0	0.4	4	3	-4	1	3.0	2.0	-						
Aanbod Gemiddeld				29	199	7.16	46.0	1.13	292	0.18	-0.21	0.6	-1.2	3	-2	-13	14	2.3	-1	-5	102	99	99	101	6.0	102
26	WA 230090	V	SP	30	-	6.98	-	-	-	-0.07	-0.38	6.3	-2.3	12.4	3.7	35	-21	7.6	5	10	-	-	109		8	111
27A	WA 210052	V	SP	28	-	5.71	-	-	-	0.31	0.08	-0.7	-2.4	-1.7	-6.4	-61	72	-1.5	-8	-12	-	-	91		10	109
27B	ZIP 250007	V	SP	28	158	-	46.1	-	-	0.10	0.13	-0.5	-0.1	1.2	-7.2	-39	40	-.2	-9	-12	106	-	93	106	1	85
28	ENJ 220033	V	SP	34	-	-	-	-	-	1.36	-0.86	1.9	-3.2	2.9	1.5	-34	33	-2.1	-1	-3	-	-	90		10	105
29	GB 230023	V	SP	28	220	7.41	43.6	-	-	-0.90	-0.43	-2.3	-2.0	1.4	-0.8	-28	6	17.1	0	-12	95	-	128	94	9	120
30	MC 220100	V	SP	-	-	-	-	-	-	0.56	-0.31	-0.3	3.1	0.4	-2.6	5	-45	-4.9	-7	-10	-	-	84		8	87
31	WS 230273	V	SP	24	-	5.74	-	-	-	-0.19	-0.12	-2.8	2.6	-1.9	-0.7	-22	14	-.1	1	-6	-	-	94		3	107
32	NCT 210060	V	SP	34	166	9.6	39.8	-	-	2.08	-0.84	4.5	-5.4	3.1	5.7	-24	13	-.7	-0	-10	96	-	92	98	4	102
33	PB 210093	V	SP	29	208	-	33.8	-	-	-0.34	-0.24	4.0	1.8	8.7	21.3	-4	17	6.9	5	10	102	-	108	105	11	112
34	NP 170016	V	SP	26	182	-	-	-	-	-0.34	-0.69	-6.1	2.0	-10.1	-11.0	-41	-15	-7.9	-5	-22	99	-	78	96	11	106
35	WA 230087	V	SP	28	-	7	-	-	-	-0.42	-0.13	-0.1	-0.8	3.4	-8.9	-21	26	.1	-9	-11	-	-	94		1	81
36	ZIP 210108	M	SP	28	199	-	42.5	1.09	300	0.15	-0.01	0.8	3.6	3.0	4.4	-3	15	6.6	-8	-5	110	108	107	103	12	112
37	ENJ 220047	V	SP	28	-	-	-	-	-	1.11	-0.26	1.2	-2.1	6.1	2.9	-26	12	3.2	-2	-8	-	-	100		5	101
38	GB 230027	V	SP	-	238	-	42	-	-	-0.89	0.32	-4.9	3.0	-7.0	-12.9	-54	68	1.4	-5	-9	103	-	97	105	6	98
39	MC 220126	V	SP	-	-	-	-	-	-	0.03	-0.26	0.2	-3.4	2.8	-7.4	-24	30	-5.3	-5	-8	-	-	83		5	112
40	WS 230340	V	SP	22	-	6.38	-	-	-	-0.24	0.14	-0.4	1.2	5.2	1.9	24	-19	7.6	3	5	-	-	109		3	114
41	NCT 210059	M	SP	34	164	10.18	44.8	1.17	260	1.46	-1.03	-1.9	-5.8	-9.5	-9.3	-74	60	-17.1	-18	-28	86	95	59	95	7	109
42	PB 220018	V	SP	32	182	-	49	-	-	0.28	-0.08	2.3	-0.5	5.8	4.9	-7	-4	3	2	2	99	-	100	91	4	92
43	ZIP 200119	V	SP	29	157	-	38.2	-	-	-0.38	1.22	-5.3	4.3	-0.9	-2.6	-19	42	13.8	1	-8	90	-	122	103	4	105
45	WS 170021	V	SP	25	223	-	43.9	-	-	0.65	1.18	6.1	1.9	15.4	5.7	30	-16	17	7	12	108	-	128	114	8	97
46	ENJ 210011	V	SP	24	-	-	-	-	-	-1.24	-0.31	-1.1	1.8	2.9	18.3	31	-30	18.1	7	6	-	-	130		6	96
47	GB 230015	V	SP	34	-	7.11	-	-	-	-0.31	-0.13	-0.4	-2.2	2.7	-5.4	7	-45	7.5	1	-10	-	-	109	93	8	115
48	MC 220090	V	SP	-	-	-	-	-	-	-0.65	-0.48	-5.0	-4.5	-8.4	-22.2	-72	97	-4.4	-21	-25	-	-	85		10	105
50	NCT 210039	V	SP	32	290	-	54.2	-	-	1.20	-1.46	9.0	-5.3	7.3	16.3	15	-25	3.3	7	-1	128	-	101	97	7	106
51	PB 220041	V	SP	35	206	-	45	-	-	1.95	-0.06	4.0	-2.6	13.9	7.9	-10	3	.6	9	-1	100	-	95	105	7	110

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.33	-0.17	2.0	0.4	4	3	-4	1	3.0	2.0	-						
Auction Average				29	199	7.16	46.0	1.13	292	0.18	-0.21	0.6	-1.2	3	-2	-13	14	2.3	-1	-5	102	99	99	101	6.0	102
52	NP 220025	F	SP	26	-	6.4	-	-	-	-1.11	-0.37	-0.9	-5.8	0.4	-7.5	-12	-16	-7.1	1	-11	-	-	80	102	5	108

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik